
# Sampling and hypothesis tests Part 4: Data distributions (2/2)

By: Noureddin Sadawi, PhD University of London

## Student's t-distribution

- 'The t-distribution is a normally shaped distribution, except that it is a bit thicker and longer on the tails.
- It is used extensively in depicting distributions of sample statistics.
- Distributions of sample means are typically shaped like a t-distribution, and there is a family of t-distributions that differ depending on how large the sample is.
- The larger the sample, the more normally shaped the tdistribution becomes.'

# Example



The t-distribution is a normally shaped distribution, except that it is a bit thicker and longer on the tails.

## Key terms and ideas for student's tdistribution

- 'n: Sample size.
- Degrees of freedom: A parameter that allows the tdistribution to adjust to different sample sizes, statistics, and numbers of groups.
- The t-distribution is actually a family of distributions resembling the normal distribution but with thicker tails.
- The t-distribution is widely used as a reference basis for the distribution of sample means, differences between two sample means, regression parameters, and more.'

#### Binomial distribution

This distribution to directly related to experiments where the outcome is binary (e.g. Yes/No, Success/Fail).

It is based on the idea of having a set of trials, where each trial can have one of two possible outcomes with definite probabilities.

'For example, flipping a coin 10 times is a binomial experiment with 10 trials, each trial having two possible outcomes (heads or tails).'



# Key terms binomial distribution

- 'Trial: An event with a discrete outcome (e.g., a coin flip).
- Success: The outcome of interest for a trial.
  - Synonym: "1" (as opposed to "0")
- Binomial: Having two outcomes.
  - Synonyms: yes/no, 0/1, binary
- Binomial trial: A trial with two outcomes.
  - Synonym: Bernoulli trial
- Binomial distribution: Distribution of number of successes in x trials.
  - Synonym: Bernoulli distribution.'

### Other distributions

- 'The chi-square distribution: is typically concerned with counts of subjects or items falling into categories.
- The F-distribution: is used with experiments and linear models involving measured data.
- Poisson distribution: the frequency distribution of the number of events in sampled units of time or space.
- Exponential distribution: the frequency distribution of the time or distance from one event to the next event.
- Weibull distribution: a generalized version of the exponential distribution in which the event rate is allowed to shift over time.'