```
-- A. Các Chỉ số Hiệu suất Chính (KPIs)
SELECT SUM(total price) AS total revenue FROM pizza sales; -- Tổng doanh thu
SELECT SUM(total price) / COUNT(DISTINCT order id) AS Average Order Value
FROM pizza sales; -- Giá trị trung bình mỗi đơn hàng
SELECT SUM(quantity) AS Total Pizza Sold
FROM pizza sales; -- Tổng số pizza bán ra
SELECT COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales; -- Tổng số đơn hàng
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) /
CAST(COUNT(DISTINCT order id) AS DECIMAL(10,2)) AS DECIMAL(10,2)) AS
Avg_Pizzas_Per_Order FROM pizza_sales; -- Số lượng trung bình của pizza trên mỗi đơn hàng
-- B. Xu hướng Hàng ngày cho Tổng số Đơn hàng
SELECT DATENAME(DW, order date) AS order day, COUNT(DISTINCT order id) AS
Total_orders
FROM pizza sales
GROUP BY DATENAME(DW, order date);
-- C. Xu hướng Hàng tháng cho Đơn hàng
SELECT DATENAME (MONTH, order_date) AS Month_Name , COUNT(DISTINCT order_id) AS
Total Orders
FROM pizza sales
GROUP BY DATENAME(MONTH, order date)
ORDER BY Total_Orders DESC;
-- D. Tỷ lệ Doanh số của Danh mục Pizza
SELECT pizza category, SUM(total price) AS Total Sales,SUM(total price) * 100
/(SELECT SUM(total_price) FROM pizza_sales) AS Total_Sales_Percentage
FROM pizza sales
GROUP BY pizza_category;
-- E. Tỷ lệ Doanh số của Kích thước Pizza
SELECT pizza size, SUM(total price) AS Total Sales, SUM(total price) * 100/
(SELECT SUM(total_price) FROM pizza_sales) AS Total_Sales_Percentage
FROM pizza sales
GROUP BY pizza_size;
-- F. Tổng số Pizza bán ra theo Danh mục Pizza
SELECT pizza_category, SUM(quantity) AS Total_Quantity_Sold
FROM pizza_sales
GROUP BY pizza category
ORDER BY Total_Quantity_Sold DESC;
-- G. Top 5 Pizza theo Doanh thu
SELECT TOP 5 pizza name, SUM(total price) AS Total Revenue
FROM pizza sales
GROUP BY pizza name
ORDER BY Total_Revenue DESC;
-- H. 5 Pizza có Tổng số Đơn hàng cao nhất
SELECT TOP 5 pizza name, COUNT(DISTINCT order id) AS Total Orders
FROM pizza sales
GROUP BY pizza name
ORDER BY Total_Orders DESC;
```

```
-- I. Top 5 Pizza theo Số lượng

SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Pizza_Sold

FROM pizza_sales

GROUP BY pizza_name

ORDER BY Total_Pizza_Sold DESC;

-- J. 5 Pizza có Số lượng Đơn hàng thấp nhất

SELECT TOP 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Orders

FROM pizza_sales

GROUP BY pizza_name

ORDER BY Total_Orders ASC;
```