

Index

A

- Abundance, 66, 247, 382, 410, 500, 502, 504–505
- ACAR, see Autocorrelated CAR (ACAR) model
- ACC, see Anomaly correlation coefficient
- Acyclic-directed graph (ADG), 202–204, 223, 337
- Adaptive design, 430
- Adaptive-rejection sampling, 463–464
- Additive error, 281, 337, 370, 379–381, 413, 415, 425, 430, 461, 502, 508, 520
- ADG, see Acyclic-directed graph (ADG)
- Adjacency matrix, 238
- Adjoint, 280–281
- Advection-diffusion equation, 390–392, 398, 407, 471
- Aerosol optical depth (AOD), 488, 492–498
- Agent-based, 415, 438, 520
- Ageostrophic, 507–508
- Aggregation, 13–14, 32, 57, 119, 151, 168, 189, 192, 197–198, 218–220, 237, 239–241, 255, 304, 330, 364, 369, 499
- Agricultural field trials, 120, 196
- AIC, see Akaike's information criterion (AIC)
- Air pressure, 297, 340
- Air-sea interaction, 424, 508
- Akaike's information criterion (AIC), 33, 40
- Aliasing, 6, 103, 263
- Alignment, 29, 362, 364, 368, 490
- Ambient, 10, 52, 418, 423, 426
- Amplitude, 61–64, 69, 102, 106, 108, 262–263, 267, 270–273, 275, 277, 281–282, 284, 286
- “Amplitude” time series, 267, 270–273, 275, 277, 282
- Animation, 2, 243–244
- Anisotropic, 126, 130
 - geometric, 128
- Annulus, 210
- Anomaly correlation coefficient (ACC), 291
- Anomalies, 244–248, 250–255, 258, 264–265, 272–273, 276, 278, 282, 287, 289–291, 477, 479–480, 482–483, 485–486, 489
- AOD, see Aerosol optical depth (AOD)
- AR, see Autoregressive (AR) process
- Arctic, 8
- ARMA, see Autoregressive moving average (ARMA) process
- Art and Science, 16
- Art of compromise, 53
- ASIR, see Auxiliary sampling importance resampling (ASIR)
- Astrostatistics, 241
- Asymptotics, 35
 - fixed-domain, see infill
 - increasing-domain, 35
 - infill, 36, 232, 236
 - mixed-domain, 35
- Atmospheric precipitation, 359
- Atmospheric pressure, 423
- Atmospheric science, 6, 109, 231, 244, 262, 291, 295, 372, 404, 435
- Attribute error, 221
- Attractor, 74–77
- Augmented data vector, 278–279, 294
- Auto beta model, 184
- Auto binomial model, 184
- Auto gamma model, 184
- Auto Gaussian model, 183–185, 238

- Auto logistic model, 183
- Auto Poisson model, 175, 180, 183
 - Winsorized, 184
- Auto spatial model, 180–181, 183, 185
- Autocorrelated CAR (ACAR) model, 188, 190, 196–197, 220
- Autocorrelation, 8, 45, 81–82, 84, 87–89, 92, 167, 294–295
- Autocovariance, 81–85, 88, 90, 93, 96, 108–109, 255, 257
- Automata, 415–416
- Automobile emissions, 240
- Autonomous, 60
- Autoregressive (AR) process, 86–90, 94–96, 98–100, 109–110, 115, 162, 169, 199–200, 281–282, 294, 323, 333–334, 342–344, 346–347, 392, 421, 429, 445, 447–448, 459, 471, 513–514
- Autoregressive moving average (ARMA) process, 94, 96, 109, 200–201, 236, 343–344, 347
- Auxiliary sampling importance resampling (ASIR), 469–470
- B**
- Baddeley's distance, 121
- Backward-shift operator, 62–63, 199, 236
- Balanced truncation, 376, 435
- Bandwidth, 206–207, 261
- Basis functions, 35, 101–105, 107, 118, 138, 149, 156–158, 234, 268, 281–282, 353–354, 370–378, 381, 398–402, 414, 219–420, 427, 433–435, 437, 460, 491, 496, 510, 513
 - expansion, 353, 370, 402, 460, 491
 - spatial, 491
- Bayes estimator, 133
- Bayes factors, 40
- Bayes' Theorem, 14, 21–23, 25, 51, 140, 196, 208, 356
- Bayesian computation, 234
- Bayesian hierarchical model (BHM), 15, 20–21, 114, 120, 132, 239, 356, 424, 451
- BBS, see North American Breeding Bird Survey (BBS)
- Besag, Julian E., 237
- Besag's Lemma, 177
- Best linear unbiased estimator (BLUE), 147
- Beta-binomial distribution, 500
- BHM, see Bayesian hierarchical model (BHM)
- Bias
 - additive, 370, 427
 - correlation, 190, 366–367
 - ecological, 197, 240
 - EOF, 270, 278
 - field comparison, 291
 - multiplicative, 365, 427
 - periodogram, 108–109, 111
 - trade-off with variance, 206
- BIC, 33, 40
- Bifurcation
 - diagram, 73–74
 - period doubling, 74
 - pitchfork, 74
 - transcritical, 73
- Bilinear model, 406
- Binary, 25, 38, 121, 142, 183, 187, 197, 202, 223, 416–417
- Binomial distribution, 142, 184, 193–194, 382, 500
- Biological growth, 359
- Biopsies, 242
- Biorthonormal, 400
- Bio-terrorism, 359
- Bisquare function, 158, 354, 401–402, 433–434
- Blind source separation, 378, 435
- Block level, 233
- Block support, 150
- Blocking, 9
- BLUE, see Best linear unbiased estimator (BLUE)
- Blue noise, 87
- Bochner's Theorem, 131, 316, 330
- Boolean model, 227–230
- Bootstrap, 31, 146, 454, 469
- Bootstrap filter, 469
- Borrow strength, 195
- Boundary conditions, 333
- Boundary effects, 330
- Boundary process, 389
- Box-Cox power transformation, 380
- BPS, see Breeding Population Survey (BPS)
- Breast cancer, 224, 230
- Breast-cancer incidence, 297
- Breeding Population Survey (BPS), 287–289
- Bridging density, 473
- Brood-count survey, 432
- Brook's Lemma, 177
- Brownian Bridge, 226
- Brownian Motion, 153, 156, 226, 328
- Buffer zone, 221
- BUGS, 47
- Burn-in, Gibbs sampler, 45, 152, 459, 479, 485, 504
- C**
- CA, see Cellular automata (CA)

- Canonical correlation analysis (CCA), 278, 284–285, 287, 289–291, 295
- Canonical link, 142, 436
- Cantons in France, 189–193
- CAR, *see* Conditional autoregressive (CAR) model
- Carbon “cap and trade”, 13
- Carrying capacity, 71, 410–412, 503–504
- Cartesian product, 12
- Case studies, 16, 475–518
 - aerosol optical depth, 488
 - Eurasian Collared Dove, 499
 - Mediterranean ocean forecast, 507
 - Sea surface temperature, 476
- Causation, 1, 9, 12, 20, 32, 48–50, 87–88, 91, 119, 297, 309
- CCA, *see* canonical correlation analysis (CCA)
- Cellular automata (CA), 415
- Centered difference, 332, 388, 510
- Centroid, 176, 189–190, 304
- CEOF, *see* Complex empirical orthogonal function (CEOF)
- Chain graph, 50, 345–346
- Change-of-resolution Kalman filter, 161, 163, 165, 234, 403
- Change-of-support, 12–13, 32, 149, 151–152, 161, 197, 233, 239–241, 368–369, 434
- Change-point detection, 519
- Chaos, 6, 75–80, 373, 404
- Chaos theory, 404
- Characteristic equation, 67, 280
- Characteristic polynomial, 67, 280
- Children (directed graph), 161
- Cholesky decomposition, 428, 460
- Choquet capacity of infinite order, 225
- Choquet’s Theorem, 225–226
- Choropleth map, 190–193
- Chuuk, 109–113, 259–260
- Classical statistical modeling, 27
- Climate, 10, 12, 36, 119, 121, 131, 142, 233, 293, 295–296, 322, 364, 424, 438, 482–483, 489, 498, 520
- Climate System Model (CSM), 142
- Climatology, 243, 262, 291, 353, 380, 406, 477
- Clique, 177, 183
- Clustering, 211, 241, 359
- CMCK, *see* Covariance-matching constrained kriging (CMCK)
- Coarse-to-fine-resolution model, 162–163
- Coherence, 110–113, 234, 259, 261, 263
- Cokriging, 234
- Columbus, OH, 160, 311
- Complementary error function, 301
- Complete data, 451–452, 513
- Complete likelihood, 47
- Completely monotone, 318
- Completely spatially random (CSR), 207, 212–213, 228
- Completeness, 102, 267
- Complex conjugate, 63–64, 69, 107, 111, 126, 275, 280–281, 307
- Complex empirical orthogonal function (CEOF), 274, 276–277, 294
- Complex plane, 63, 69, 281
- Complex principal component analysis, 274
- Complex POP (CPOP), 294
- Components-of-variation model, 351
- Composite likelihood, 132, 163, 216
- Compromise, data/model/computing, 53, 491, 493, 498
- Computational considerations and issues, 32, 42, 143, 164, 235, 460, 498, 520
- Conditional autoregressive (CAR) model, 154, 170–172, 183–190, 196, 199–200, 220, 237–239, 342, 345
- Conditional distribution, 18
- Conditional expectation, 444–445, 465
- Conditional independence, 50–51
- Conditional intensity function, 216, 223, 240, 348–349
- Conditional likelihood, 231
- Conditional-nonpositive-definiteness, 126
- Conditional probabilities, 14, 20, 53, 170–171, 175–176, 181–182, 184, 187, 204, 234, 297–298, 345, 352, 358
- Conditional simulation, 166–167
- Conditionally specified Gaussian model, 184
- Cone (directed graph), 223
- Confounding, 9, 236
- Continuous-spatial index, 336
- Continuous-time process, 330
- Control theory, 374, 377, 430, 474
- Convolution, 154, 200, 232, 329, 351, 354, 422, 435, 439
- Coregionalization, 159, 234, 379, 422, 433, 435, 438–439
- Correlation function, 129, 249, 300–301, 308–312, 318–319, 335
- Co-spectrum, 110–111, 263
- Covariance function, 125, 129–130, 152, 232, 249, 300–301, 308–312, 318–319, 335
 - anisotropic, 130
 - exponential, 127
 - fully symmetric, 312, 314–315
 - isotropic, 130, 232
 - nonseparable, 311, 313
 - products of, 315
 - powered-exponential, 127

- Covariance function (*Continued*)
 - separable, 311, 314
 - stationary, 129–130
 - sums of, 315
- Covariance-matching constrained kriging (CMCK), 150–151
- Covariance structure, one person's, 352
- Cox process, 207–208, 214, 241, 349
- CPOP, see Complex POP (CPOP)
- Credible intervals, 47, 505–506
- Cross-covariance, 340, 491–492, 497
- Cross-covariance function, 83–84, 96, 110, 159, 234, 250
 - generalized, 159
- Cross-covariance matrix, 250–251, 281–, 290, 340, 419, 491–492, 494, 497
- Cross-prediction error, 142
- Cross-periodogram, 111
- Cross-spectrum, 110–111, 264
- Cross-validation, 39–40, 42, 121–122, 146
- Cross-variogram, 159, 234
- CSM, see Climate System Model (CSM)
- CSR, see Completely spatially random (CSR)
- Curse of dimensionality, 100, 362, 369, 382, 405, 415, 419–421, 424, 428, 436
- Cycles, 76, 104, 106, 109, 112, 260–261, 266, 277, 294, 508
- Cyclostationarity, 295
- D**
- Data assimilation, 343, 356, 438, 476, 509, 517
- Data mining, 33–34
- Data model, 15–16, 21, 28, 113–114, 361, 363, 380, 434–435
- Day trading, 12
- Demographic group, 194
- Dependence
 - spatial, 10, 19, 36, 119, 121, 125–126, 143, 153, 159–160, 162–163, 166, 168, 175, 180, 183–188, 190, 192, 195–196, 198–199, 201–202, 207, 209–211, 214, 217, 222–223, 232–239, 250, 337–338, 342, 345–346, 354, 377, 385, 387, 428–430, 485
 - spatio-temporal, 250, 253–254, 303, 308, 310, 316, 320, 342, 345–347, 357, 420, 422, 430
 - temporal, 8, 19–20, 35–36, 87, 95, 125, 236, 270, 338, 342, 344, 354, 430–431, 495
- Degeneracy, 468–470
- Delay coordinate function, 79
- Delay time, 79
- Delayed rejection adaptive Metropolis (DRAM), 465, 474
- Density-dependent, 71, 403, 407, 499–500
- Descriptive statistical model, 297
- Design, 7
- Design criterion, 431–432
- Detection probability, 25
- Deterministic PDE, 6, 30, 32, 55–56, 58–60, 62, 80–81, 83, 89, 98, 100, 133, 156, 233, 243, 268, 281–282, 291, 298–300, 304–305, 327, 352–353, 364, 367, 371–372, 380, 387, 393–399, 406, 409, 411, 413, 415–416, 429, 433, 437, 476, 490, 502, 509, 513, 517, 520
- Deviance information criterion (DIC), 33, 40, 506
- DFT, see Discrete Fourier Transform (DFT)
- Diagnostics, 8, 33, 39–42, 243, 292
- Diagonally dominant CAR model, 188, 238
- Diameter at breast height (DBH), 220
- DIC, see Deviance information criterion (DIC)
- Difference, 332
 - backward, 332
 - centered, 332
 - forward, 332
- Difference equations, 8, 68, 280, 237, 332–335, 352–353, 387, 393, 407, 411
- Differential equations, 8, 20, 30, 58–59, 61, 298, 358, 386–387
- Differential evolution adaptive Metropolis (DREAM), 465, 474
- Differential evolution MCMC, 465, 474
- Diffusion, 27, 30, 299–300, 309, 320, 328–329, 332, 334, 339, 351, 382, 386–393, 395, 398, 401, 407, 410–412, 420, 428, 436, 464, 471, 503
- Diffusion equation, 300, 387–390, 392, 398, 410, 503
- Diffusion-injection equation, 299, 320, 328–329, 332, 334, 339, 351, 388
- Dimension reduction, 36, 80, 103, 106–107, 271, 282, 326, 353, 362, 369–374, 376–378, 381, 396, 399, 401, 414, 419, 433, 435, 437, 470, 475, 484, 490, 493
- Dirac delta function, 469
- Dirichlet prior, 418
- Directed graph, 338, 343
- Directed Markov Point Process (DMPP), 223, 348
- Discrete Fourier Transform (DFT), 111, 157, 263
- Discrete-kernel convolution, 354, 422
- Discrete space, 334
- Discrete spatial index, 341
- Discrete time, 330, 334
- Disease mapping, 176, 191, 195–196, 217
- Disease rate, 192

- Disease risk, 193
- Disease surveillance, 359
- Dispersal, 415, 417–418, 499–500, 502–507
- DMPP, see Directed Markov Point Process (DMPP)
- Doctor-prescription amounts per consultation, 189, 191–193
- Downscaling, 233
- DRAM, See Delayed rejection adaptive Metropolis (DRAM)
- DREAM, See Differential evolution adaptive Metropolis (DREAM)
- DSTM, see Dynamical spatio-temporal model (DSTM)
- Durbin-Levinson algorithm, 91, 93
- Dyadic interaction, 409, 414
- Dynamical, 8, 204
- Dynamical design, 430–431, 439, 519
- Dynamical factor models, 379, 422
- Dynamical interaction, 385, 392
- Dynamical model, 13, 31, 81, 297, 304, 320, 327, 337, 340, 350, 353–355, 370, 377–378, 387, 394, 403–404, 418, 420, 428–429, 439, 472, 508, 513, 519
- Dynamical point process model, 350
- Dynamical spatio-temporal model (DSTM), 16, 298, 350, 356, 490
 - linear, 384, 397, 404, 406–407, 411, 418, 429, 460, 475–482, 485, 491
 - multiresolution, 402
 - nonlinear, 361, 404, 407, 474–477, 482, 484–489, 502, 507
- Dynamical system, 6
 - affine, 60
 - deterministic, 6, 59–60, 80, 89, 371
 - first-order, 61–62, 279–280
 - linear discrete, 60, 70
 - logistic, 71–76, 80, 411–412
 - multivariate, 67, 79
 - nonlinear, 71, 98, 117
 - stochastic, 6, 60, 80
 - vector, 67
- E**
- Earthquakes, 350–351
- ECD, see Eurasian Collared Dove (ECD)
- ECMWF, see European Center for Medium Range Weather Forecasting (ECMWF)
- Ecological, 32
 - bias, 197, 240
 - fallacy, 32, 197
 - inference, 239
- Ecology, 10–11, 25, 70, 240, 328, 392–393, 404, 410, 436–437
- Edge correction, 212
- Edge effects, 211, 401
- Edges, 49
 - directed, 49, 52, 204
 - undirected, 49, 52, 204
- EFM, see Exponential-family model (EFM)
- E-folding time, 281–282
- EHM, see Empirical hierarchical model (EHM)
- Eigenvalue, 69–70, 96, 155–156, 186, 255–256, 266–268, 270–271, 275–276, 278, 280–281, 283, 285, 333, 339, 372, 374–376, 429, 494, 497
- Einstein, Albert, 7
- Einsteinian Physics, 11
- El Niño, 245, 247–248, 253, 255, 258, 271, 276, 284, 295, 476–477, 479, 482–483, 485, 488
- EM algorithm, see Expectation-Maximization (EM) algorithm
- Empirical
 - autocovariance, 83, 108, 255
 - cross-covariance, 250
 - likelihood, 232
 - mean, 83–84, 97, 288
 - normal mode, 282
 - variance, 83, 250
- Empirical Bayes, 15, 114, 118, 151
- Empirical hierarchical model (EHM), 15, 21, 23, 114, 120, 356, 451
- Empirical orthogonal functions (EOFs), 156
 - basis functions, 107, 158, 268, 281–282, 353, 371–377, 401–402, 433, 435, 513
 - Karhunen-Loève expansion, 156, 266–267, 373
 - spectral representation, 513
- EKF, see Extended Kalman filter (EKF)
- EnKf, see Ensemble Kalman filter (EnKF)
- Ensemble, 296, 466–468, 471, 509, 515, 517
- Ensemble Kalman filter (EnKF), 470–471, 473
- Ensemble smoother, 467
- ENSO, 247, 255, 266, 276–277, 279, 284
- Entropy, 5, 174
- Environmental processes, 116, 357, 387, 439
- EOFs, see Empirical orthogonal functions (EOFs)
- Equatorial waves, 109, 117
- Equilibrium value (see fixed point)
 - attracting, 61, 65, 71–75
 - neutral, 61
 - repelling, 61, 65, 71, 73
 - stable, 61, 65, 68–69, 71–73
 - unstable, 61, 65, 71–72
- Ergodic Theorem, 45
- Ergodicity, 35, 82
- Error covariance matrix, 115, 151, 419, 445, 450, 491

- Estimation, 8, 17, 24, 31, 36, 79, 90, 93–94, 96, 98, 100, 103, 108–109, 114, 116, 118, 132, 147, 163, 172, 175–176, 188–191, 211–212, 222, 232, 240, 253, 293, 321, 356, 359, 366, 380, 384, 386, 389, 395, 399, 406, 409, 417, 429, 432, 434, 436–437, 451, 465, 470–474, 491–494, 496–497, 503, 520
- Euclidean distance, 166, 189, 291
- Euler's relationship, 63, 102
- Eurasian Collared Dove (ECD), 246–247, 249, 411, 476, 499–502, 504–507
- European Center for Medium Range Weather Forecasting (ECMWF), 511–514
- Events, 204, 221, 241
- Evolution distribution, 442–444, 450, 467
- Exact interpolator, 324
- Exceedance regions, 121
- Exceedances, 121
- Expectation-Maximization (EM) algorithm, 31, 46, 132, 437, 451–453, 493
- Expected risk, 194
- Experimental data, 9
- Experimental design, 8–10, 32
- Explanatory variables, 183, 496
- Exploratory data analysis, 8, 34, 243, 495
- Explosive, 87, 89, 284, 429
- Exponential covariance, 127–128, 130, 134, 153, 504
- Exponential decay, 68, 89
- Exponential-family model (EFM), 142–143, 180, 183–184, 436
- Extended EOF, 278–279, 294
- Extended Kalman filter (EKF), 406, 461–463, 473
- Extremes, 233
- F**
- Factors, 9
 - levels of, 9
- Family (directed graph), 203
- FAR, see Functional coefficient autoregression (FAR)
- Fast Fourier transform (FFT), 107
- FFT, see Fast Fourier transform (FFT)
- Feature-positioning model, 222
- Field comparison, 291–292, 295–296, 519
- Field trials, 120
- Field view, 13
- Filtering, 37–38, 48, 106, 108, 115, 151, 163, 322, 327, 350, 356, 406, 441–450, 458, 468–471, 473, 490, 493, 497–498
- Filtering distribution, 442–447, 449, 468
- Filtration, 349
- Finite differences, 388, 392, 407
- Fisher, R.A., 9, 15, 119–120
- Fixed point, 18, 60–61, 74, 450
- Fixed Rank Filtering (FRF), 490, 493, 496–498
- Fixed Rank Kriging (FRK), 158, 164, 234, 490
- Fleming, Alexander, 9
- Fluid dynamics, 319, 374, 377, 404, 413
- Foci, 229–231
- Fontainebleau, France, 241
- Forecast distribution, 442–446, 449, 462, 468, 471, 475, 479–482, 485–487
- Forecast verification, 291, 295
- Forecasting, 37, 356
- Forcing matrix, 347
- Forward difference, 332, 388
- Forward filtering, backward sampling algorithm, 458
- Fourier
 - basis functions, 157
 - coefficient, 102
 - discrete, 107, 111, 157, 263
 - fast, see fast Fourier transform (FFT)
 - representation, 35
 - transform, 35, 82, 102, 111, 153, 157, 262–263, 316–317, 330–332, 401
- Fredholm integral equation, 155, 267–269
- Frequency, 7, 63–64, 88, 90, 92–93, 103–105, 108–113, 116, 259–262, 264–266, 274, 281–282, 293–294, 349, 354, 398, 507
- Frequency-wavenumber analysis, 293
- FRF, see Fixed Rank Filtering (FRF)
 - predictor, 493
 - standard error, 493
- FRK, see Fixed Rank Kriging (FRK)
- Frobenius norm, 291–292, 378, 494
- Full conditional distributions, 46, 48, 152, 455–457, 459, 462–464, 479
- Full symmetry, 309
- Functional coefficient autoregression (FAR), 99, 438
- Functional data analysis, 436
- G**
- G-functions, 178–180, 182
 - pairwise, 182
 - singleton, 182
- GARCH, see Generalized autoregression conditional heteroskedastic (GARCH)
- Gasconade, MO, 2
- Gauss-Newton algorithm, 94
- Gaussian distribution, 17
- Gaussian process, 34–35, 122–125, 132, 139, 142–144, 148, 153–154, 167, 169, 173, 189, 199, 208–209, 214, 218, 221–222,

- 226–230, 235, 304, 313–314, 317–319, 322, 324–325, 331, 349–350, 430, 471, 490
 - Gaussian spatio-temporal process, 313, 438
 - General linear model, 173
 - General quadratic nonlinearity (GQN), 408–410, 413–415, 425, 438, 464, 471, 474, 499
 - Generalized autoregression conditional heteroskedastic (GARCH), 100, 117, 366
 - Generalized least squares (GLS) estimator, 146–148, 324
 - Generalized linear dynamical spatio-temporal model (GLDSTM), 381
 - Generalized linear model (GLM), 143, 199
 - Geographical Information System (GIS), 13–14
 - Geometric probability, 242
 - Geophysical, 117, 244, 268, 293–295, 323, 413, 435, 438
 - Geophysics, 255, 403, 411, 438
 - Geostatistical model, 185–186, 201, 220, 239
 - Geostatistical process, 124, 231, 336
 - Geostatistics, 6, 84, 121, 123–125, 131, 136–138, 144–145, 148, 151, 155, 166, 231, 241
 - Geostrophy, 423, 425
 - Gibbs process, 217
 - Gibbs sampler, 45–46, 425, 451, 454–455, 457–459, 462–463, 465, 479
 - Gibbsian form, 216
 - GIS, see Geographical Information System (GIS)
 - GLDSTM, see Generalized linear dynamical spatio-temporal model (GLDSTM)
 - GLM, see Generalized linear model (GLM)
 - Global Positioning System (GPS), 221–222
 - Global warming, 11
 - GLS, see Generalized least squares (GLS) estimator
 - Goldilocks Principle, 7, 15, 33
 - Goodness-of-fit, 41
 - GPS, see Global Positioning System (GPS)
 - GQN, see General quadratic nonlinearity (GQN)
 - Graphical model, 52
 - spatial, 52
 - spatio-temporal, 52
 - temporal, 52
 - Graph, 48
 - directed, 48, 51, 175, 202–204
 - undirected, 48, 51, 175, 204
 - Green's function, 329
 - Growth, 68, 70–71, 78, 87, 89, 153, 227, 229–231, 246, 284, 294, 359, 382, 394, 403, 407, 410–412, 429, 436, 476, 499–500, 502–505
 - Growth parameter, 71, 411, 502, 504–505
 - GSLIB, 167
- ## H
- Hammersley-Clifford Theorem, 177, 179, 181, 237
 - Harmonic analysis, 103
 - HB, see Hierarchical Bayes (HB)
 - HCAR, see Homogeneous CAR (HCAR) model
 - Heavy metals, 52
 - HEOF, see Hilbert EOF (HEOF)
 - Hermann, MO, 2
 - Hermite polynomials, 353
 - Hermitian, 275
 - Hessian, 328, 410, 454
 - Heterogeneity, 33, 136, 139, 145, 366, 385, 418, 502
 - Heteroskedasticity, 100, 220
 - Hierarchical Bayes (HB), 118, 231, 371, 395, 436
 - Hierarchical statistical model (HM), 14–16, 20, 28, 32, 56, 100, 117–120, 327, 347, 404, 415, 425, 472, 475
 - Hilbert EOF (HEOF), 271, 274–277, 281
 - Hilbert transform, 274–276
 - Hit-or-miss topology, 224–225
 - Hitting function, 225–226, 229
 - HM, see Hierarchical statistical model (HM)
 - Homogeneity, 62, 172, 183–184, 187, 207, 209–211, 215, 217, 222–223, 227–228, 280, 299, 332, 339, 348, 385, 418, 427
 - Homogeneous CAR (HCAR) model, 187
 - Homogeneous reaction-diffusion model, 299
 - Homo sapiens*, 10
 - Household environment, 52
 - Hovmöller diagram, 244, 292
 - Hybrid sampling, 425
 - Hyperparameters, 363, 381, 418, 439, 457, 471, 484, 500, 504, 508
- ## I
- IAR, see Intrinsic autoregressive (IAR) model
 - ICA, see Independent component analysis (ICA)
 - IDE, see Integro-difference equation (IDE)
 - Identifiability, 53, 344, 352, 354, 378–379, 402, 422, 426, 435
 - iid, see independent and identically distributed (iid)
 - Image analysis, 175, 237, 242
 - Importance density, 466–467
 - Importance sampling (IS), 23, 35, 238, 462, 456–466, 469–473
 - Importance sampling Monte Carlo (ISMC), 465–466
 - Incidence matrix, 144, 162, 367–368, 431, 502
 - Independence, 19, 29, 40, 42, 48–51, 68, 116, 167, 183, 193, 207, 209, 299, 305, 347, 349, 362–363, 366, 380, 424, 443, 445, 467

- Independent component analysis (ICA), 378, 435
- Independent and identically distributed (iid), 4
- Independent increments, 153, 328
- Indicated pair count, 287–290
- Index, 18
 - continuous, 304, 311
 - discrete, 304, 311
 - spatial, 18
 - spatio-temporal, 297
 - temporal, 18, 311
- Individual-level model, 198
- Inference, 53
- Information, 6, 32
- Information content, 236
- Inhomogeneity, 186, 196
- Innovations algorithm, 93–94
- Instantaneous spatial dependence, 119, 345–346
- Integrated nested Laplace approximation (INLA), 471–472
- Integro-difference equation (IDE), 330–332, 353, 358, 392–399, 401–402, 407, 419–210, 429, 347–439
- Intensity function, 205, 207, 209–210, 212, 214–218, 221–223, 227–230, 240, 349–350
 - first-order, 206–208, 212, 214, 218, 222, 230, 240
 - second-order, 206, 209–211, 214
- Interaction, 2, 29, 57, 96, 98, 206, 216, 223, 294, 305, 309, 320, 343, 363, 382, 385–386, 389, 392, 403–404, 408–409, 414–415, 420, 424, 435, 438, 476, 508, 520
- Internal standardization, 195
- Intrinsic autoregressive (IAR) model, 238
- Invariant-temporal-covariance model, 306
- Inverse Fourier transform, 316, 331–332
- Iowa, 352–353
- IS, see Importance sampling (IS)
- Ising model, 176, 183, 187
- Isofactorial model, 167
- Isotropy, 34, 126
 - geometric, 130
 - spatio-temporal, 309
 - spatial, 308
- Invasive species, 30, 246, 410–411, 476, 499, 502–503, 507
- Inverse Fourier transform, see also Fourier transform, 82, 316–317, 331–332
- Inverse-gamma distribution, 235, 426, 459, 478, 484, 504, 514
- Invertible, 93, 128, 199, 344
- ISMC, see Importance sampling Monte Carlo (ISMC)
- Isotropy, 34, 36, 128, 130–132, 166, 308–309
- J**
 - Joint modeling, 419
 - Joint probability, 179, 181
- K**
 - K function, 209–213, 222
 - homogeneous, 210
 - inhomogeneous, 212
 - Kalman filter, 30, 38, 46, 123, 163, 165, 327, 379, 403, 406, 431, 343, 446–449, 453, 460–461, 470–471, 473, 493, 498
 - change-of-resolution, 163, 165
 - Kalman forecasting, 38
 - Kalman gain, 446, 471
 - Kalman smoothing, 38, 444, 449–450, 453, 460
 - Karhunen-Loève (K-L) expansion, 156, 266–267, 373, 378
 - K-cycle, 72
 - Kernel, 153–155, 206, 210, 212, 232–233, 240, 331, 354, 377–378, 393–397, 400–402, 407, 420–422, 435, 466–467, 469–470, 503
 - Kernel-convolution methods, 354, 422
 - Kernel smoothing, 401–402
 - Kidney stones, 12
 - Knowledge, 6, 44
 - Knowledge pyramid, 23, 28
 - Krige, D.G., 136
 - Kriged surface, 324
 - Kriging, 37, 121, 123, 132, 135, 232
 - coefficients, 145
 - disjunctive, 150
 - equations, 137, 148
 - for dynamical models, 327
 - indicator, 150
 - ordinary, 145–146, 148, 322, 324
 - predictor, 134, 144
 - simple, 133, 136, 139, 322
 - spatio-temporal, 321, 323, 357
 - standard error, 134
 - universal, 145, 148–149, 322
 - variance, 137, 144, 146, 149, 324
 - Kriging-standard-error surface, 324
 - Kronecker product, 97, 326, 334, 408
- L**
 - L function, 211–213, 348
 - La Niña, 245, 247–248, 255, 258, 271, 276, 284, 476–477, 479, 482–483, 485, 488
 - Labrador Sea, 424, 507
 - Lack of memory, 58, 95, 171
 - Lag differences, 253
 - Lagged nearest-neighbor, 352, 386, 388, 436
 - Lag-one covariance smoother, 453

- Lagrange multipliers, 145, 147
- Laplace approximation, 45, 238, 471, 474
- Laplacian, 302
- Latent root, 67–69
- Lattice data, 167, 202–203, 223, 236, 240
- Lattice process, 167–168, 188, 201, 220, 236, 240, 341, 359
- Law of Geography, 4, 119
- Leaves-to-root filtering, 163
- Level 2, 489, 496
- Level 3, 489, 496
- LGCP, see Log-Gaussian Cox process (LGCP)
- Lienzo, 2
- Lienzo de Quauhquechollan, 2
- Lifting eigenvalues, 494, 497
- Likelihood, 27, 349
- Linear mixed model, 125, 200
- Linear model, 186
- Linear Model of Coregionalization (LMC), 159–160, 234
- Linear wave theory, 398–399
- Lip cancer in Scotland, 197
- LISA, see Local indicator of spatial association (LISA)
- LMC, see Linear Model of Coregionalization (LMC)
- Loadings, 258, 271
- Location error, 221–222
- Local indicator of spatial association (LISA), 254–257
- Local linear approximation, 405, 409
- Log-Gaussian process, 144, 214, 227–229
- Log-Gaussian Cox process (LGCP), 208–209, 214, 240, 349–350
- Logistic
 - dynamical system, 71–72
 - equation, 71, 73–76
 - growth, 411–412
- Lognormal distribution, 214
- Long-lead forecast, 407, 475–479, 484–485, 488
- Long-leaf pines, 204–205, 207, 212–213, 220–221
- Long-range dependence, 184, 393
- Low-rank representation, see also Spectral representation, 435, 437
- Lyapunov
 - exponent, 77, 79
 - time, 79
- M**
- M-step, 47, 451, 453
- MA, see Moving Average (MA)
- MAF, see Minimum/maximum autocorrelation factor (MAF)
- Magnitude squared coherence (MSC), 110–113, 259–261
- Mallard, 287–290
- Manifold, 362, 370, 490
- Map, 134, 217
- Mapping, 21, 60, 173, 176, 191–192, 195–196, 217–220, 224, 232–233, 365–369, 379–381, 430–431, 434–435, 511
- Mapping (function), 416
- Marginal likelihood, 173
- Marginal probabilities, 21, 202, 297–298, 350–351
- Marginalization, 237
- Mark process, 220–221, 240–241, 351
- Marked point process, 220–221, 240, 348, 350
- Markov, 29–30, 35, 45, 58, 95, 115, 154, 168, 170–177, 179, 181, 202–203, 220, 237–239, 330, 342, 345, 348, 352, 359, 361, 378, 383, 387, 392, 399, 405, 416, 439, 442, 464
 - assumption, 171
 - chain, 14, 45–48, 170, 470
 - first-order, 29
- Markov chain Monte Carlo (MCMC), 23, 31, 45–48, 133, 143–144, 152, 173–174, 176, 179, 181, 185, 188, 197, 203–204, 216, 219, 231, 235–239, 379, 428, 455, 459–460, 462, 464–465, 470–474, 479, 484–485, 504, 515
- Markov mesh model, 202
- Markov point process, 216–217, 222–223, 348
- Markov random field (MRF), 171, 174, 176–177, 237, 239, 345, 359
- Martingale, 349
- Mass balance, 5, 403
- Massive spatio-temporal datasets, 323
- Matérn covariance function, 126, 131, 153, 157, 303
- Matérn cross-covariance function, 234
- Matérn semivariogram, 126
- Mathematical morphology, 241–242
- Matheron, G., 124, 135, 224, 241
- Matrix, model, 70, 407, 499, 502
- Mauna Loa Observatory, Hawaii, 1
- MAUP, see Modifiable areal unit problem (MAUP)
- Maximum likelihood estimation (MLE), 31, 41, 46–47, 93–94, 96, 98, 132, 190, 395, 451, 493
- MC integration, see Monte Carlo integration
- MCAR, see Multivariate CAR (MCAR) model
- MCMC, see Markov chain Monte Carlo (MCMC)
- MCMC algorithm, 48, 143, 152, 216

- Mean function, 81, 83, 124, 129, 136, 322, 327, 350
- Mean squared error (MSE), 101–102
- Mean squared prediction error (MSPE), see also Kriging variance, 37–39, 136–137, 142, 145–148, 150, 321–324, 446, 493
- Mean structure, another person's, 352
- Measurement distribution, 442, 445, 461
- Measurement error, 10, 15–16, 29, 56, 59, 114, 116, 120–123, 131–132, 136, 142, 149, 151, 162, 167, 190, 200, 202, 221–222, 232, 270, 321–322, 324, 355, 364–366, 369, 372, 380, 426, 445, 450, 459, 490, 511
- Mechanistic model, 160
- Mediterranean Forecast System (MFS), 509
- Mediterranean Sea, 24, 476, 509, 512, 517
- Mercer's Theorem, 156
- Mesoamerica, 1
- Meteorology, 70, 109, 124, 243, 262, 266, 277, 293–294, 299, 347, 380, 418
- Method-of-moments, 42–43, 91, 96–97, 190, 230, 282, 287, 437, 451, 475, 490, 493–494, 497
- Metropolis algorithm, 46, 227, 464–465
- Metropolis-Hastings algorithm, 45, 227, 463–464, 474
- Metropolis-Hastings importance resampling (MHIR), 473
- Metropolis-within-Gibbs algorithm, 463
- MFS, see Mediterranean Forecast System (MFS)
- MHIR, see Metropolis-Hastings importance resampling (MHIR)
- Microscale, 6, 123, 126, 232, 305, 427
- Midi-Pyrénées region, France, 167, 189–193
- Midwest "corn belt", 352
- Minimum/maximum autocorrelation factor (MAF), 295
- MISR, see Multi-angle Imaging SpectroRadiometer (MISR) instrument data, 489
- Missouri River, 2
- Mixed-effects model, 304, 351
- Mixed Rossby gravity wave, 109–112, 259
- Mixing matrix, 378
- Mixture covariance model, 306
- MLE, see Maximum likelihood estimation (MLE)
- Mobius inversion formulas, 179
- Model, 8, 14–15
 - data, 15, 21, 23, 28, 32, 120, 355
 - diagnostics, 8
 - evaluation, 8
 - marginal/conditional, 8
 - parameter, 15, 21, 32, 356
 - process, 15, 21, 23, 29, 32, 120, 355
 - selection, 33, 40, 236, 414, 519
- Model-based geostatistics, 136
- Modifiable areal unit problem (MAUP), 12, 197
- Modified Bessel function, 126, 303, 319
- Moment measures, 206, 209, 343
- Monitoring network, 430–432, 439
- Monte Carlo, 14, 44, 48, 133, 143, 240, 270, 296, 425, 465, 471–472
- Monte Carlo approach to inference, 44
- Monte Carol integration, 465
- Monte Carlo testing, 240
- Moral graph, 204
- Moran's I , 167
- Morphometric analysis, 292
- Moving Average (MA) process, 91–96, 108, 153–154, 156, 158–159, 166, 175, 199–201, 233, 343–344
- MRF, see Markov random field (MRF)
- MRF support condition, 177, 181, 187
- MSC, see Magnitude squared coherence (MSC)
- MSE, see Mean squared error (MSE)
- MSPE, see Mean squared prediction error (MSPE)
- Multichannel SSA, 294
- Multi-angle Imaging SpectroRadiometer (MISR) instrument, 488, 490, 495–497
- Multiple datasets, 364, 508
- Multiple-point statistics, 167
- Multiple very fast simulated annealing (MVFSA), 465
- Multiplicative error, 383, 411
- Multiresolution algorithm, 107
- Multiresolution statistical model, 233
- Multitaper, 109
- Multivariate CAR model, 239
- Multivariate EOF, 277–278, 284, 295
- Multivariate geostatistical process, 158
 - conditional-distribution path, 158–160, 234–235
 - joint-distribution path, 158–159, 161, 234–235
- Multivariate (in space) time series, 323
- Multivariate (in time) spatial process, 323, 234
- Multivariate time series, 342–343
- MVFSA, see Multiple very fast simulated annealing (MVFSA)

N

- NASA, see National Aeronautics and Space Administration (NASA)
- National Aeronautics and Space Administration (NASA), 5, 163, 475, 488

National Center for Atmospheric Research (NCAR), 121, 133, 142
 NCAR, *see* National center for Atmospheric Research (NCAR)
 Negpotential function, 178–179, 188
 Neighborhoods, 10–11, 154, 167, 171–172, 175–177, 179, 184, 187–190, 204, 237, 342, 357, 360, 386, 415–419
 Neighbors, 19, 119, 169, 175–177, 184, 187, 220, 238, 303, 333, 345, 352–353, 386–389, 416–419, 436
 Network design, 164, 431
 Newton-Raphson, 451, 454
 Newtonian physics, 11
 Newton's second law, 7
 Nonautonomous, 60
 Nondynamical point process model, 350
 Non-Gaussian data model, 143–144, 157, 362, 380–382, 432, 435, 438, 462, 465, 476
 Non-Gaussian geostatistical model, 142–143
 Non-Gaussian process model, 143–144, 167, 362, 383, 438, 465, 502
 Nonlinear advection, 404, 408, 410–413
 Nonlinear autoregression, 98–99, 437
 Nonlinear mapping, 379–380
 Nonlinear prediction, 327
 Nonlinear spatio-temporal process, 403–405, 411, 415, 429, 437–438, 465, 476
 Nonlinear-state-dependent, 143–144, 167, 362, 383, 438, 465, 502
 Nonlinear stochastic PDE, 329
 Nonnegativity, 404, 408, 410–413
 Nonnegative-definite, 129, 357
 function, 307, 316
 Nonorthogonal basis functions, 280
 Non-overlapping random disk model, 231
 Nonparametric method, 99–100, 117, 144, 206, 212, 240, 380, 438, 473
 Nonseparability, 310, 313, 317–318, 323, 331–332, 351, 355, 357, 382, 386
 Nonstationarity, 86, 98, 136, 139, 149, 154, 157, 158, 232, 323, 337, 340, 355, 372, 382, 385, 403, 427, 437–438, 520
 Normal distribution, *see* Gaussian distribution
 Normal mode, 107, 280–282, 284, 371, 508
 Normalizing constant, 203, 216
 North American Breeding Bird Survey (BBS), 246–247, 249, 299
 Nowcast, 429
 Nugget effect, 6, 122–123, 125
 Nuisance parameter, 142, 150
 Numerical quadrature, 23, 268
 Nutrient, 328
 Nyquist frequency, 103–104

O

Objective analysis, 124
 Objective function, 145
 Objects, 13–14, 224–226, 231, 242, 296, 519
 Observability Gramian, 375
 Observational study, 10
 Occam's razor, 7
 Occurrence probability, 25
 Oceanography, 70, 243, 266, 473, 476
 ODE, *see* Ordinary differential equation (ODE)
 OLS, *see* Ordinary least squares (OLS)
 estimation
 Optimal design, 430–432
 Optimal fingerprint, 296
 Optimal inference, 36
 Optimal prediction, 36, 356, 493
 Optimal spatial prediction, 121, 123, 132–133, 135, 139, 173–174, 208, 232–233
 Ordering, 168
 complete, 168, 171
 partial, 168, 171, 203, 223
 Ordinary differential equation (ODE), 58, 61, 387
 Ordinary least squares (OLS) estimation, 91, 98, 103, 496, 498
 Ore deposit, 119
 Orthogonal basis functions, 101–102, 353–354, 427, 434
 Orthogonal polynomials, 102
 Orthogonality, 68, 101, 153–154, 157, 266, 271, 280, 283, 293, 370–371, 373, 376, 398, 401, 419
 Orthonormality, 101–103, 107, 155–157, 268, 280
 Oscillation, 61–62, 64–65, 69–70, 89, 262, 266, 279, 282, 284, 294
 Outliers, 33–34, 255

P

Pacific Ocean, 244–255, 259–261, 264–266, 271, 274, 279, 283, 285–287, 407, 475–479, 482–483, 495, 508
 Pair-correlation function, 209–210, 348
 Parallel coordinates plot, 257–58, 293
 Parametric bootstrap, 31, 454, 469
 Parametric model, 36, 43, 94, 98–100, 109, 159, 207, 404
 Parents (directed graph), 161, 203–204
 Parsimonious parameterization, 343
 Partial correlation coefficient, 187–188, 190, 197
 Partial differential equation (PDE), 30, 298–302, 312–313, 327–334, 336, 343–344, 352–353, 358, 387–390, 392, 398–399, 401, 405, 407–408, 410–411, 419, 424, 428–429, 436, 476, 499, 507, 509

- Partially ordered Markov model (POMM), 171, 202–204, 223
- Particle filtering, 48, 379, 468–471, 473
- Pattern, 233
- Pattern Analysis, 226, 242
- PC, see Process convolution (PC) model
- PCA, see Principal components analysis (PCA)
- PDE, see Partial differential equation (PDE)
- Pendulum, 7
- Percent foreign born, 197
- Percent literate, 197
- Periodogram, 107–113, 261, 264
- Permutation, 132, 167, 179–183
 - distribution, 167
 - invariance, 179–183
 - test, 132
- Person years at risk, 192, 195
- Phase space, 59
- Phase spectrum, 111–113, 260–261
- Phase transition, 184
- Physical statistical model, 8, 298–299
- Pilbara region, 1
- PIPs, see Principal interaction patterns (PIPs)
- Plot (agricultural), 9, 120
- Point pattern, 218
- Poisson approximation, 193
- Poisson distribution, 172–173, 175, 193, 215, 502, 504
- Poisson point process, 56, 205–212, 207–211, 215, 217–218, 221–222, 227–230, 348–350, 502
 - homogeneous, 205, 209–211, 222, 227–228, 348
 - inhomogeneous, 207–209, 217, 222, 227, 348–349
- Poissonness, life of, 212
- Policy, 6
- POMM, see Partially ordered Markov model (POMM)
- POPs, see Principal oscillation patterns (POPs)
- Population, 7, 9, 14, 57, 60–61, 66, 70–71, 194, 195, 217, 242, 246, 287–289, 357, 393, 410, 437, 476, 499–500, 502–506
- Population abundance, 500, 502, 504
- Population dynamics, 71, 403, 502, 505
- Positive-definite function, 17, 124–125, 159–161, 172, 174, 185–186, 196, 199, 219, 270, 286, 307, 317, 321, 323, 339, 357, 373, 491, 494, 497
- Positivity condition, 177, 181
- Post color, 108
- Posterior, 14, 38
 - distribution, 14, 16, 22–28, 31, 38–48, 53, 114, 121–122, 132–133, 136, 139–144, 150, 152, 163–167, 173–174, 196, 216, 218, 226–227, 232–233, 322–323, 350, 356, 390, 424–425, 441–443, 449, 451, 455, 459–460, 466–471, 473–475, 479–482, 484–486, 488, 492, 505, 508, 515, 517
 - mean, 38, 141, 191–192
 - mode, 38
 - standard deviation, 191
 - standard error, 193
 - variance, 141
- Posterior predictive, 40
 - diagnostics, 41
 - distribution, 40, 42, 122
 - model assessment, 40–42
 - p-value, 41–42
- Power law, 428
- Powered exponential covariance, 127–128
- Prairie grass, 18
- Predictand, 37
- Prediction, 17
 - error, 37, 39, 136–137, 142, 145–148, 321–324, 431, 446, 493
 - intervals, 146
 - standard error, 142, 493–494, 498
 - variance, 130, 143–144, 320, 448
- Predictive distribution, 24
- Predictive oscillation pattern, 295
- Predictor, 37
- Prescription amounts, 189
- Pre-smoothing, 373
- Pre-whiten, 108
- Principal components analysis (PCA), 156, 255, 257, 266–267, 274–275, 294
- Principal interaction patterns (PIPs), 294, 435
- Principal oscillation patterns (POPs), 279–284, 294–295, 374
- Prior, 21–22, 27, 174, 356
 - conjugate, 235
 - distribution, 20–27, 29–30, 32, 40, 114, 149, 163, 174, 191, 200, 216, 235, 241, 350, 356, 361, 363, 371–373, 377–380, 389, 395, 399, 403, 418, 426–428, 439, 442, 451, 454, 459, 467–468, 471, 478–479, 482, 484, 493, 500, 505, 514
 - informative, 174
 - noninformative, 235
 - maximum-entropy, 174
 - objective, 235
 - uniform, 235
- Prior predictive distribution, 40
- Probabilities, 14

- conditional, 14–16, 20–25, 28–32, 34, 42–43, 45, 49, 52–53, 57–58, 160, 170, 175–177, 179, 181–182, 184, 187, 203–204, 234–236, 297–298, 304–305, 345, 347, 352, 355, 358, 363, 382, 418, 423–424
- joint, 15, 20, 30, 42, 47, 57, 115, 176, 177, 179–182, 235, 425
- marginal, 14, 32–33, 181, 240, 297–298, 304–305, 350–351, 355
- Probes, 242
- Process, 18
 - chaotic, 59, 75, 77, 80
 - continuous-time, 56–60, 81–82, 117, 330, 435
 - convolution, 154, 200, 232–233, 435, 439
 - discrete-time, 56–57, 59–60, 80, 84, 330, 335
 - dynamical, 19
 - hidden, 14–15, 21, 30, 56–57, 112, 136, 140, 162, 176, 214, 222, 226–227, 232, 322, 355–356, 363–364, 369, 377, 379, 406, 420–423, 434, 447, 485, 490
 - latent, 14, 99–100, 165, 232, 361, 401, 462, 471, 477, 483, 502–503, 507
 - marked temporal point, 56, 359
 - model, 15–16, 20–21, 29, 282, 403, 418, 490, 502, 509
 - spatial, 18
 - state, 56, 59–60, 65–66, 79, 98, 100, 114–116, 361, 366–367, 369, 401, 405–407, 413–414, 418, 441–442, 447–448, 451, 456, 458–461, 465, 470–471, 474, 483, 485, 502
 - stochastic, 15, 20, 58–59, 98, 100, 136, 150, 204, 208, 299, 327–328, 332, 349, 357, 425
 - temporal, 19
 - temporal point, 56
- Process convolution (PC) model, 154, 200, 232–233, 435, 439
- Procrustes, 292
- Propagator matrix, 96, 115, 279, 281–282, 322–333, 352–353, 355, 378, 384–385, 387, 389, 392, 395, 398–399, 401–403, 406, 409, 419, 421–423, 428–429, 431, 436–437, 445, 453, 484, 491, 502
- Prostate cancer, 191–192, 194
- Pseudo-cross-variogram, 159
- Pseudo-likelihood, 31, 359
- Pseudo-replication, 35
- Pyramid, data-information-knowledge, 6
- Q**
 - Quadrature spectrum, 110–111, 262, 264
 - Quarterly trade figures, 12
 - Quasi-geostrophic (quasi-geostrophy), 413, 425, 508
 - Quasi-periodic, 101, 476
 - Queen's neighborhood, 416–417
- R**
 - Racoon rabies, 417
 - RACS, see Random closed set (RACS)
 - Radon-Nikodym derivative, 215
 - Rainfall, 359
 - Random closed set (RACS), 224–226, 228
 - Random coefficient, 414
 - Random effects, 125
 - Random field, 30, 154, 170–171, 174, 176–177, 179, 181, 220, 237, 239, 293, 345, 352, 359, 379, 386, 401, 411, 416, 439
 - Random process, 14, 16, 18, 58, 59, 84, 99, 119, 120, 124, 133, 136, 153, 159, 169–170, 179, 207, 231, 297, 304, 307, 309–310, 315, 351, 365, 435, 490
 - Random set, 224, 226, 241–242, 359
 - Random-set process, 241
 - Random walk, 85–87, 96, 238, 354, 385, 470
 - Randomization, 9–10, 119
 - Range, 112, 155, 210–211, 238, 243, 346–247, 259, 296
 - Rayleigh friction equations (RFE), 509
 - Rao-Blackwellization, 48
 - Reaction-diffusion equation, 299–300, 410
 - Reanalysis, 322
 - Red noise, 87, 98
 - Redistribution kernel, 331, 393
 - Redistribution weights, 384
 - Reduced rank model, 233
 - Regime switching, 100, 482
 - Regional effects model, 305
 - Regional environment, 52
 - Regression, 27, 33, 91, 138, 143–145, 160, 174, 183, 186, 190, 222, 235, 293, 350, 352, 438, 484, 496
 - Regularity, 211
 - Rejection sampling, 45, 238, 463–464
 - Relative risk, 194, 217, 219
 - REML, 132
 - Remote sensing, 2, 233, 243, 354, 475
 - Reparameterization, 67, 184, 460
 - Replication, 9–11, 35, 149
 - Representation, spectral domain
 - Bochner's theorem, 136, 330
 - Karhunen-Loève expansion, 156, 266–267, 373
 - Mercer's theorem, 156
 - spectral representation theorem, 82, 102
 - Repulsion, 382, 407

- Resampling, 31, 240
- Residual analysis, 124, 166, 240, 354, 370
- Response, 9
- RFE, see Rayleigh friction equations (RFE)
- Ricker growth equation, 503
- Risk map, 218
- RMSE, see Root mean squared error (RMSE)
- Robust, 465, 494, 496–497
- Root mean squared error (RMSE), 291
- Root-to-leaves smoothing, 163
- Rotation
 - oblique, 293
 - orthogonal, 68, 101–102, 153–154, 156–158, 166, 266–267, 271, 274, 280, 283, 293, 353–354, 370–373, 376, 378, 398, 401, 419, 427, 434
- Runge-Kutta, 392
- S**
- Sahara Desert, 496–497
- Sampling, 6–7, 23, 35, 43, 45, 103–104, 164, 166, 220, 236, 238, 242, 246–247, 270, 287–288, 304, 324, 330, 373, 382, 425, 430–432, 454, 458, 462–466, 470–473, 500, 502, 505
 - importance, 45, 238
 - perfect, 45
 - rejection, 45, 238
 - slice, 45, 238
- Sampling importance resampling (SIR), 469
- SAR, see Simultaneous autoregression (SAR)
- SARMA, see Spatial autoregressive moving average (SARMA) model
- SARMAX model, 201, 236
- Scale, 12, 233
 - analysis, 414
 - spatial, 12
 - temporal, 12
- Scatterometer, 364, 424–425, 476, 507–508, 510–514
- SCDF, see Spatial cumulative distribution function (SCDF)
- Schur decomposition, 375
- Science and Art, 16
- Science-based parameterizations, 415
- Scientific learning, 22
- Scientific method, 8
- Scientific-statistical model, 8
- SDE, see Stochastic differential equation (SDE)
- Sea/ice coverage, 8
- Sea level, changes of, 8
- Sea level pressure (SLP), 507, 510, 513
- Sea surface temperature (SST), 244–245, 248, 254, 256–258, 407, 475–477, 479–481, 483, 488–487, 519
 - exploratory data analysis, 244–245, 248, 251–254, 256–258, 407
 - long-lead forecasting, 407, 475–477, 480, 485, 488
- Second-order product density, 206
- Self-exciting, 350
- Semistable, 71, 73
- Semivariogram, 126–131, 133–134, 145, 147–149, 153–155, 167, 315–316, 321, 494, 496, 497
 - empirical, 131, 494
 - exponential, 128
 - linear, 128
 - power, 128
 - powered-exponential, 128
 - robust, 494, 496
 - wave, 128
- Sensitivity matrix, 69–70
- Sensitivity to initial conditions, 59, 75, 77, 79–80
- Sequential designs, 431
- Separability, 309
- Sequential Monte Carlo, 48, 468, 470, 472, 519
- Sequential smoothing algorithm, 444
- Sequential updates, 446
- Set-valued autoregressive process, 230
- Shape analysis, 242
- Sherman-Morrison-Woodbury identity, 140, 493
- Shrinkage, 195
- Signal-to-noise ratio, 278, 427
- Sill, 125
- Simple kriging predictor, 145
- Simpson's paradox, 12, 31, 150, 197, 239
- Simulated annealing, 465
- Simulation-based inference, 43
- Simultaneous autoregression (SAR), 171, 184, 198–200, 236, 342, 344
- Singular spectrum analysis (SSA), 294
- Singular vector, 67–68, 280–283, 290–291
- Sinusoids, 398
- SIR, see Sampling importance resampling (SIR)
- Skewness, 393–396–397, 401
- Skill measures, 296
- Slice sampling, 45, 238, 464
- SLP, see Sea-level pressure (SLP)
- SMA, see Spatial moving average (SMA) model
- Small area, 167, 176, 188, 193, 195–197, 218, 358
- Small area estimation, 175, 188–189
- Smoothing, 37, 356
- Smoothing distribution, 443–444, 449, 473

- Smoothing kernels, 377–378, 401
- SMR, see Standardized mortality/morbidity ratio (SMR)
- Software, 13, 47, 121, 167, 292, 294, 471–472, 490
- SOA, see Stochastic optimal analysis (SOA)
- SOI, see Southern Oscillation Index (SOI)
- SOs, see Stochastic optimals (SOs)
- Southern Oscillation Index (SOI), 483
- Space-time autoregressive (STAR) model, 487
- Space-time continuum, 119
- Space-time index (STI), 303
- Sparse, 172, 185, 199, 233, 237
- Spatial autoregressive model, 385
- Spatial autoregressive moving average (SARMA) model, 200–201, 236
- Spatial average, 262, 431
- Spatial coherence, 234
- Spatial convolution operator, 329
- Spatial correlation function, 301
- Spatial correlation matrix, 250
- Spatial covariance, 34
 - isotropic, 34
 - matrix, 249, 255, 268, 270, 428, 478, 482
 - nonstationary, 357
 - stationary, 34, 357
- Spatial cross-correlation matrix, 251
- Spatial cumulative distribution function (SCDF), 232
- Spatial description, 18
- Spatial dependence, 10, 19, 36, 119, 121,
 - 125–126, 131, 143, 153, 159–160,
 - 162–263, 166, 168, 175, 180, 183–188,
 - 190, 192, 195–196, 198–199, 201–202,
 - 207, 250, 337–338, 342, 345–346, 354,
 - 377, 385, 387, 428, 430, 485
- Spatial design, 164
- Spatial econometrics, 199, 236
- Spatial lag, 301, 334, 357
- Spatial lattice, 168
 - irregular, 168, 176, 187–188
 - regular, 168, 176, 187–188
- Spatial lattice process, 236
- Spatial moving average (SMA) model, 152–154, 158, 200–201, 233
- Spatial neighborhood, 167, 172, 187, 362, 417
- Spatial process of time series, 336, 358
- Spatial point process, 204, 209–210, 240–241
 - isotropic, 210
 - simple, 204
 - stationary, 210
- Spatial Random Effects (SRE) model, 158
- Spatial rates model, 190, 196–197, 220, see autocorrelated CAR (ACAR) model
- Spatial sampling, 164
- Spatial trend surface, 351
- Spatially colored, 328
- Spatially varying parameters, 351, 401
- Spatio-temporal
 - point process, 347–350, 359, 519
 - process, 6, 12, 52, 243, 253, 262, 279, 281, 299, 304, 313, 320, 331, 335–336, 339–340, 342, 347, 351, 354, 358, 361, 371, 378, 382–383, 385, 387, 402, 404, 409–410, 423, 427, 429–430, 432–433, 435–436, 438–439, 365, 473, 475, 490, 429
 - spectral analysis, 260–264, 267
- Spatio-temporal autoregressive moving-average (STARMA) model, 94, 343–344, 347
- Spatio-temporal data, 1
- Spatio-temporal correlation function, 300
 - separable, 309
- Spatio-temporal covariance function, 304–305, 321, 382
 - fully symmetric, 310
 - nonseparable, 310, 316, 357
 - separable, 310, 316, 357
- Spatio-temporal dynamical model, 320
- Spatio-temporal interaction, 309
- Spatio-temporal marked point process, 359
- Spatio-temporal model, 96–97, 100, 124, 243, 298, 303, 304, 309, 351–352, 355, 357, 361–362, 368, 381, 387, 396, 425, 438–439, 472, 519
 - descriptive, 355
 - dynamical, 355
- Spatio-temporal semivariogram, 315
- Spatio-temporal set process, 230
- Spatio-temporal variogram, 315, 321
- Spatially varying parameters, 351, 401
- Spectral
 - analysis, 103, 107–113, 127, 259–265, 282, 293
 - basis function, 100–101, 372, 399, 402, 420
 - coefficients, 101, 106–107, 353, 370–371, 397–398, 414, 420, 433–434, 513–514
 - decomposition, 107, 117, 157–158, 269–270, 279, 371, 419–420, 434
 - density, 35, 82–83, 85, 87, 89–92, 109–112, 130–131, 153, 264–266, 316, 329–332
 - distribution function, 82
 - domain, 101, 107, 232, 372, 397, 399
 - expansion, 101, 103, 157, 433–434
 - measure, 316
 - representation, 130–131, 157, 316, 353–354
 - representation theorem, 82, 102
 - transformation matrix, 370

- Spectral (*Continued*)
 - truncation, 401
 - Spectrum, see also Spectral analysis, Spectral
 - density, 35, 69–70, 85, 87, 89, 103, 108, 110–113, 125, 260–264, 283, 294, 428, 508
 - Sphere, 210–211
 - Splines, 138, 149, 354, 433–434
 - Split-cosine bell taper, 109
 - Squared-error loss function, see Loss function, 37–38, 44, 173
 - SRE, see Spatial Random Effects (SRE) model
 - SSA, see Singular spectrum analysis (SSA)
 - SST, see Sea surface temperature (SST)
 - St. Louis, MO, 160, 311
 - Standardized mortality/morbidity ratio (SMR), 194
 - Standing oscillation, 262, 264, 294
 - STARMA, see Spatio-temporal autoregressive moving-average (STARMA) model
 - State
 - process, 56, 59–60, 65–66, 79, 98, 100, 114–116, 361, 366–367, 369, 401, 405–407, 413–414, 418, 441–442, 447–448, 251, 456, 458–461, 465, 470–471, 474, 483, 485, 502
 - space, 59, 77, 79–80, 115–116, 361, 384, 399, 436, 439, 451, 453, 460, 464, 470, 472–474, 477
 - transition, 96
 - variables, 59–60, 79–80, 404, 471, 509, 516–518
 - Stationarity, 34
 - intrinsic, 130
 - second-order, 35, 82–83, 122, 125, 129, 209, 281, 307
 - spatial, 308
 - spatio-temporal, 307–308
 - strong, 34
 - temporal, 308
 - weak, 35, 129, 307
 - Stationary distribution, 45
 - Stationary process, 35, 82, 108, 110, 129–130, 309, 371, 437
 - Stationary spatio-temporal correlation function, 308
 - Stationary spatio-temporal covariance function, 307
 - Statistical inference, 17
 - Statistical Science, 17
 - Stereology, 242
 - STI, see Space-time index (STI)
 - Stochastic difference equation, 327, 332, 334, 352
 - Stochastic differential equation (SDE), 20, 59, 327
 - Stochastic IDE, 331–332
 - Stochastic geometry, 242
 - Stochastic optimal analysis (SOA), 374
 - Stochastic optimals (SOs), 375, 435
 - Stochastic PDE, 299–300, 302, 327–328, 330, 334, 336, 344, 352, 358
 - Stochastic process, 15, 20, 58–59, 98, 100, 136, 150, 204, 208, 299, 327–328, 332, 349, 357, 425
 - Stochastic spatio-temporal difference equation, 334
 - Stochastic volatility, 100, 117, 366
 - Strange attractor, 77
 - Strauss process, 216–217
 - Stream network, 166
 - Strong law of large numbers, 44
 - Structure function, 126
 - Structuring elements, 225
 - Subjective priors, 32
 - Submarine, 24
 - Subsampling, 240
 - Summability, 181, 183
 - Super-population modeling, 195
 - Superposition, 204, 398
 - Support, see also Change-of-support, 12–13, 32, 149, 151, 156, 161, 177–178, 181, 183, 197, 204, 233, 239–241, 363, 368–369, 434
 - Surface vector winds (SVW), 507–511, 513–518
 - SVW, see Surface vector winds (SVW)
- T**
- T-walk, 465
 - Tangent linear, 462
 - Tapering, 108, 158
 - Targeted design, 430
 - Taylor series, 78, 379–380, 405–406, 461
 - Taylor's frozen field, 320
 - Taylor's hypothesis, 319–320
 - TCO, see Total column ozone (TCO)
 - Teleconnection, 289, 330
 - Temperature, 1, 11, 59, 65, 101, 103, 121–122, 133–135, 142, 160, 244–245, 248, 251–258, 295, 311, 352–353, 407, 418, 423, 426, 475–477, 479–481, 483, 485–487, 509, 517
 - Temporal correlation function, 301
 - Temporal dynamics, 18
 - Temporal lag, 301, 334, 357
 - Temporally varying parameters, 351, 365
 - Temporally white, 328
 - Test set, 225–226
 - Terra satellite, 488

- Threshold, 100, 106, 292, 426, 483–484
- Threshold autoregression, 99–100, 406
- Thinning function, 217
- Thomas County, Georgia, 204–205
- Time, discrete/continuous, 8
- Time-lagged CCA, 290, 295
- Time series
 - linear, 1–2, 4, 6, 13, 16, 18–20, 29–30, 33, 55–58, 80–87, 91, 94–108, 111–118, 120, 125, 129, 154, 174, 199, 238, 245–246, 253, 257–260, 262–264, 267, 270, 280, 282, 284, 286–287, 289, 290, 293–295, 307, 310, 332, 336–337, 339–345, 347, 356–358, 366, 279–380, 404, 406, 416, 422, 424, 432–433, 436–439, 472, 504
 - nonlinear, 98, 117–118
- Time series of lattice processes, 339, 358
- Time series of spatial processes, 336, 358
- Time-varying coefficients, 366
- Tolerance region, 131
- TOMS, see Total Ozone Mapping Spectrometer (TOMS)
- Topology, 224
- Total column ozone (TCO), 163
- Total Ozone Mapping Spectrometer (TOMS), 163
- Toulouse, France, 191–193
- Trajectory, 59, 61, 437, 461
- Transformations, 101, 128, 186, 189, 218, 225, 264, 366, 370–372, 380, 396–397, 419, 435, 461, 495, 502
- Transition
 - function, 60, 115
 - matrix, 70, 96, 115, 375, 384–385, 401, 435
 - operator, 384–385
- Translation, 34, 209, 229, 393–394
- Traveling waves, 262–264, 266
- Treatments, 9
- Tree-ring width, 330
- Tree-structured, 161, 402
- Trend, 4, 8, 55, 116, 139, 151, 209, 351–353, 436, 438, 491, 497–498
- Triad interactions, 415
- Truk, 109–110, 112–113, 259
- Tumor growth, 230
- Tumor recession, 230
- Turbulence, 6, 414–415, 508
- U
 - Unbiasedness, 145, 147
 - condition, 145
 - uniform, 145
- Uncertainty, 4–7, 9–11, 14–17, 20, 24, 26–28, 30–31, 33–38, 42, 44, 47, 53, 59, 80–81, 120, 123–124, 134–135, 146, 174, 190, 200, 226, 236, 241–242, 281, 292, 299, 327, 378, 384, 389, 399, 426, 430, 432, 460, 467, 482, 485, 489, 491, 498–499, 502, 405, 507, 509, 515–520
- data, 6
- models, 7
 - role of Statistics, 4, 15
- Unconscious statistician, law of the, 47
- Unilateral spatial process, 169, 198
- Unit-root tests, 238
- Universal kriging predictor, 145
- Universidad Francisco Marroquín, 2
- Update step, 447, 461
- Upscaling, 233
- USS Scorpion, 24
- V
 - Validation, 39–40, 42, 121–122, 146
 - VAR, see Vector autoregressive (VAR) model
 - Variability, 353
 - pixel-scale, 354
 - spatio-temporal, 353
 - Variability balance, 5
 - Variation, 490
 - fine-scale, 490, 497
 - large-scale, 186, 217, 490
 - micro-scale, 123, 126, 351
 - small-scale, 490, 516
 - Variogram, 125–126, 130
 - empirical, 131
 - Vector autoregressive (VAR) model, 96, 294, 334, 336, 342, 345, 374, 429
 - View (modeling), 13
 - field, 13, 224
 - object, 13, 224
- W
 - WCAR, see Weighted CAR (WCAR) model
 - W-wavelet, 496
 - Waterfowl, 264–267, 410
 - Wave number, 263, 265–266, 398
 - Wavelets, 102, 107, 138, 157, 234, 292, 354, 371, 401–402, 433–434, 437, 496, 508, 510, 513–514
 - Wavelet basis functions, 157, 234
 - Waypoint analysis, 437
 - Weakly stationary process, 129
 - Weather, 1, 8, 119, 259, 289, 291, 295, 330, 352, 364, 406, 439, 508, 511
 - Weighted CAR (WCAR) model, 187, 196–197

Weighted least squares (WLS), 132, 494

When, 1, 31

Where, 1, 31

White noise, 84–87, 91, 94, 96–98, 115, 121,
134, 154, 209, 270, 302, 305, 328, 354,
378, 393–397, 478

White noise process, 84–87, 91, 94, 96, 121,
124, 154, 302, 354

Why, 1, 31

Wiener process, 130

Wind, 32, 56–57, 59, 109–113, 243, 252–253,
259, 261, 264, 271, 390, 398, 423–425,
428–429, 476, 483, 507–518

Wind stress curl, 425, 515–516

Wishart distribution, 454, 456, 478, 484

Wittgenstein, Ludwig, 2

Y

Years at risk, 192

Yule-Walker equations, 71



Lightning Source UK Ltd.
Milton Keynes UK
UKHW021149281118

