

Computer Networks - The Data Link Layer

Duration: 10 minutes.

* Indicates required question

1. Email *

2. Full name *

3. Student ID *

4. How many octets are there in a MAC address? *

2 points

Mark only one oval.

☐ 4

☐ 8

☐ 5

☐ 6

5. What address is used for Ethernet broadcasts? *

2 points

Mark only one oval.

☐ FF:FF:FF:FF:FF:00

☐ 11:11:11:11:11:11

☐ FF:FF:FF:FF:FF:FF

☐ 00:00:00:00:00:00

6. What is a cyclical redundancy check? *

2 points

Mark only one oval.

- ☐ A mathematical calculation used to ensure that all data arrived intact.
- ☐ A technique that allows for multiple logical LANs to operate on the same equipment.
- ☐ The actual data being transported by an Ethernet frame.
- ☐ A way for two computers to synchronize their clocks.

7. Which of the following are ways for transmitting data at the Ethernet level? *

2 points

Check all that apply.

- ☐ Unicast
- ☐ Broadcast
- ☐ Duplex
- ☐ Multicast

8. Which of the following are parts of an Ethernet frame? *

2 points

Check all that apply.

- ☐ Data payload
- ☐ Preamble
- ☐ EtherType field
- ☐ Broadcast

This content is neither created nor endorsed by Google.

Google Forms

