

Distributed Systems - Remote Procedure Calls

Duration: 10 minutes.

* Required

1. Full name *

2. Student ID *

3. Which is a one-way unreliable communication with no confirmation regarding reaching the message to the destination between the client and the server? *

1 point

Mark only one oval.

☐ TCP.

☐ UDP.

☐ Both of them.

4. A remote procedure call is ____ *

1 point

Mark only one oval.

☐ inter-process communication.

☐ a single process.

☐ a single thread.

☐ a single stream.

5. RPC works between two processes. These processes must be ____ *

2 points

Mark only one oval.

- ☐ on the same computer.
- ☐ on different computers connected with a network.
- ☐ on the same computer and also on different computers connected with a network.

6. Remote procedure call is a ____ *

2 points

Mark only one oval.

- ☐ synchronous operation.
- ☐ asynchronous operation.
- ☐ time independent operation.
- ☐ channel specific operation.

7. Processes on the remote systems are identified by ____ *

2 points

Mark only one oval.

- ☐ host ID.
- ☐ host name and identifier.
- ☐ identifier.
- ☐ process ID.

8. What is the risk of using multiple field tags in a single Go struct? *

1 point

Mark only one oval.

- ☐ Every field must have all tags to compile.
- ☐ It tightly couples different layers of your application.
- ☐ Missing tags panic at runtime.

9. What is the default case sensitivity of the JSON Unmarshal function? *

1 point

Mark only one oval.

- ☐ The default behavior is case insensitive, but it can be overridden.
- ☐ The default behavior is case sensitive, but it can be overridden.
- ☐ Fields are matched case sensitive.

This content is neither created nor endorsed by Google.

Google Forms

