

Web Application Development - State

Duration: 15 minutes.

* Indicates required question

1. Full Name *

2. Student ID *

3. Which of the following statements are true about state in React? *

2 points

Check all that apply.

- ☐ State is a plain JavaScript object that React uses to hold information.
- ☐ When designing a component, it must have state.
- ☐ State is a component's configuration.
- ☐ Attributes a component needs to change at some point in time should be part of its state.
- ☐ State is managed within the component.

4. Which of the following is true about the useState hook? *

2 points

Check all that apply.

- ☐ The useState hook's return value in React is the array data structure.
- ☐ The useState hook allows you to work with state in components.
- ☐ The useState hook invocation returns a two-member array.
- ☐ When using the useState hook, you must use the state-updating function to update state.

5. You can use an object with multiple properties as the initial value of the state variable. *

1 point

Mark only one oval.

- ☐ True
- ☐ False

6. The useState hook gives us a reliable way to ____ . *

1 point

Mark only one oval.

- ☐ deal with state updates in React components.
- ☐ deal with state updates in React prompts.
- ☐ deal with state updates in React dependency arrays.
- ☐ deal with state updates in React useEffect invocations.

7. Is this a valid useState hook invocation and destructuring? *

2 points

```
const [car, setCar] = useState({ color: 'blue', mileage: 0})
```

Mark only one oval.

- ☐ Yes
- ☐ No
- ☐ It would be valid, if it was spread over multiple lines.

8. You can clone a JS object using the . operator (the dot operator). *

1 point

Mark only one oval.

- ☐ True
- ☐ False
- ☐ It would be valid, if it was spread over multiple lines.

9. Consider the following code:

* 1 point

```
const [person, setPerson] = useState({ name: 'John', age: 21})
```

Imagine you are using a `setPerson()` state-updating function to update the value of the state variable named `person`. You only want to update the value of `age`, from 21 to 22. Choose the correct code snippet to do that.

Mark only one oval.

- ☐ `setPerson(prev => ({ ...prev, age: 22 }));`
- ☐ `setPerson(() => ({ age: 22 }));`
- ☐ `setPerson(person.age = 22);`

This content is neither created nor endorsed by Google.

Google Forms

