

FPT UNIVERSITY

DBI-202



FPT UNIVERSITY

BÁO CÁO THU HOẠCH ASSIGNMENT CUỐI KỲ DBI-202

Giảng viên: Ngô Tùng Sơn

Sinh viên: Nguyễn Quang Huy

Lớp : IA1604

Ha Noi , Tuesday, July 12th , 2022

Bản Phân Tích Dữ Liệu Assignment

Bảng Syllabus

5 assessment(s)

Category	Type	Part	Weight	Completion Criteria	Duration	CLO	Question Type	No Question	Knowledge and Skill	Grading Guide	Note
Progress Tests	quiz	2	10.0%	>0	20'		Multiple choices Marked by Computer or a suitable format	20	up to 04 covered chapters	by instructor using computer	Instruction and schedules for Progress tests must be presented in the Course Implementation Plan approved by director of the campus. Progress test must be taken right after the last lectures of required material. Instructor has responsibility to review the test for students after graded.
Assignment	on-going	1	20.0%	>0	at home		Design; Implementation; Presentation		Simple RDBS design and implementation using a DBMS	guided by instructor, prepare at home present in class	40% Design, 20% Implementation, 40% Presentation of the whole Project
Labs	on-going	5	15.0%	>0	in lab session		practical exercises		related to studied modules	Guided by instructor	may be continued at home.
Practical Exam	practical exam	1	25.0%	>0	85'		Preferable to be marked by Scripts		DB programming skills	by exam board and department	Practical Exam database is up load in CMS in advanced.
Final Exam	final exam	1	30.0%	5	60'		Multiple choices Marked by Computer	60	Knowledge and skills in the course, but with much focus on the items in Chapters 2 to 6, >= 70% new questions (for the current semester);	by exam board	

- Category

Tên danh sách các điểm thành phần của môn học :

- Labs (0-5)
- Progress Tests
- Assignment
- Practice Exam
- Final Exam

- Type

Các hình thức test định kỳ :

- Quiz
- On-going
- practice Exam
- final Exam

- Part

Số lượng bài test tương ứng với mỗi hình thức test

- Weight

Tổng phần trăm điểm của mỗi dạng điểm thành phần

- Completion Criteria

Điều kiện điểm bắt buộc của mỗi điểm thành phần

- Duration

Thời gian và địa điểm thực hiện bài test

- CLO

- Question Type

Cấu trúc và dạng bài test

- No Question

Số câu hỏi trong bài test

- Knowledge and Skill

Kiến thức và kỹ năng được đề ra

- Grading Guide

- Note

Bảng Academic Transcript

NO.	SUBJECT CODE	SUBJECT NAME	SEMESTER	GROUP	STARTDATE	ENDDATE	AVERAGE MARK	STATUS
1	SSL101c	Academic Skills for University Success	Spring2021					Not Passed
2	SSG103	Communication and In-Group Working Skills	Summer2021					Passed
3	NWC203c	Computer Networking	Summer2021					Passed
4	CEA201	Computer Organization and Architecture	Spring2021					Passed
5	MAD101	Discrete mathematics	Summer2021					Passed
6	JPD113	Elementary Japanese 1-A1.1	Fall2021					Passed
7	CSI104	Introduction to Computer Science	Spring2021					Passed
8	DBI202	Introduction to Databases	Fall2021					Not Passed
9	LUK1	Level 1	Fall2019					Passed
10	LUK2	Level 2	Spring2020					Passed
11	LUK3	Level 3	Spring2020					Passed
12	LUK4	Level 4	Summer2020					Pass (with conditions)
13	LUK5	Level 5	Summer2020					Passed
14	LUK6	Level 6	Fall2020					Passed
15	MAE101	Mathematics for Engineering	Spring2021					Passed
16	GDQP	Military training	Fall2019					Passed
17	PRO192	Object-Oriented Programming	Fall2021					Passed
18	PRO192	Object-Oriented Programming	Fall2021					Not Passed
19	OSG202	Operating Systems	Summer2021					Passed
20	PRF192	Programming Fundamentals	Summer2021					Not Passed
21	PRF192	Programming Fundamentals	Spring2021					Attendance Fail
22	DTB102	Traditional musical instrument	Summer2020					Passed
23	VOV114	Vovinam 1	Fall2019					Passed
24	VOV124	Vovinam 2	Summer2020					Passed
25	VOV134	Vovinam 3	Summer2020					Passed

- NO

Số môn học

- Subject code

Mã môn học

- Subject name

Tên đầy đủ các môn học

- Semester

Thời gian và năm học (SeasonYear)

- Group

Tên lớp học xác định theo khóa + kì học

- StartDate

Thời gian bắt đầu học môn học tương ứng

- EndDate

Thời gian kết thúc học môn học tương ứng

- Average Mark

Điểm trung bình của môn học

- Status

Trạng thái Passed(with conditions) or Not Passed

Bảng Student Transcripts

GRADE CATEGORY	GRADE ITEM	WEIGHT	VALUE	COMMENT
Quiz 2	Quiz 2	7.0 %	7.8	
	Total	7.0 %	7.8	
Quiz 1	Quiz 1	8.0 %	7.6	
	Total	8.0 %	7.6	
Activity	Activity	10.0 %	8.5	
	Total	10.0 %	8.5	
Group Assignment	Group Assignment	15.0 %	9	
	Total	15.0 %	9	
Group Project	Group Project	30.0 %	8.3	
	Total	30.0 %	8.3	
Final Exam	Final Exam	30.0 %	8.6	
	Total	30.0 %	8.6	
Final Exam Resit	Final Exam Resit	30.0 %		
	Total	30.0 %		
COURSE TOTAL		AVERAGE	8.4	
		STATUS	PASSED	

- Grade category

Tên danh sách các điểm thành phần của môn học tương ứng giống Category ở bảng Syllabus

- Grade Item

Tên thành phần đầu điểm nhỏ


- Weight

Phần trăm đầu điểm chiếm tổng số trong tổng điểm môn học

- Value

Điểm đã đạt được khi test với các đầu điểm tương ứng

ERD Diagram



Xác Định Entities and Attribute

Student

- StudentID
- FName
- LName
- Address
- Gender
- DOB
- Email

Group

- GroupID
- GroupName
- Major

Subject

- SubjectID
- SubjectName

Semester

- SesID
- SesName
- StartDate
- EndDate

Weight

- WeightID
- weight_details

Instruct

- InstructID
- Know_Skill
- Grading_Guide
- Note
- CategoryID


Category

- CategoryID
- CategoryName
- [Completion Criteria]
- Type

Assessment

- AssID
- Part
- Duration
- [No Question]
- CLO
- Weight
- CategoryID

Database Diagrams



STUDENTS ⇔ GROUP

- Một học sinh có thể đăng ký nhiều lớp và một lớp có nhiều học sinh
- => Quan hệ n-n => tạo ra bảng JOIN

GROUP \Leftrightarrow SEMESTER

- Một kỳ có nhiều lớp học diễn ra và một lớp sẽ có nhiều kỳ học
- \Rightarrow Quan hệ n-n \Rightarrow tạo ra bảng ENROLL

SUBJECT \Leftrightarrow STUDENTS

- Một môn học có nhiều học sinh học và một học sinh có thể học nhiều môn học
- \Rightarrow Quan hệ n-n \Rightarrow tạo ra bảng [Student Transcripts]

STUDENTS \Leftrightarrow SUBJECT \Leftrightarrow WEIGHT

- Một học sinh có thể học nhiều môn nên cũng có nhiều weight và ngược lại
- \Rightarrow Quan hệ n-n \Rightarrow tạo ra bảng GRADE

SEMESTER \Leftrightarrow STUDENTS

- Một kỳ có nhiều học sinh học và một học sinh học nhiều kỳ
- \Rightarrow Quan hệ n-n \Rightarrow tạo ra bảng SHOW

CATEGORY \Leftrightarrow SUBJECT

- Một thành phần điểm sẽ có trong nhiều môn học và một môn học sẽ có nhiều thành phần điểm
- \Rightarrow Quan hệ n-n \Rightarrow tạo ra bảng CAT_SUB

ASSESSMENT \Leftrightarrow SUBJECT

- Một đánh giá có thể đánh giá cho nhiều môn học nhưng một môn học chỉ có một đánh giá
- \Rightarrow Quan hệ 1-n

INSTRUCT \Leftrightarrow SUBJECT

- \Rightarrow Quan hệ 1-1

Chuẩn hóa thuộc tính và xác định Primary Key, Foreign Key, Attributes của các TABLES

1. TABLE STUDENTS

Attributes	Data Type	Requires	Key
StudentID	varchar(10)	Not Null	Primary Key
FName	nvarchar(50)	Null	
LName	nvarchar(50)	Null	
Gender	bit	Null	
Email	varchar(50)	Null	
DoB	date	Null	
Address	nvarchar(50)	Null	

2. TABLE GROUP

Attributes	Data Type	Requires	Key
GroupID	varchar(10)	Not Null	Primary Key
GroupName	varchar(50)	Null	
Major	varchar(50)	Null	

3. TABLE SEMESTER

Attributes	Data Type	Requires	Key
SesID	varchar(10)	Not Null	Primary Key
SesName	varchar(50)	Null	
StartDate	date	Null	
EndDate	date	Null	

4. TABLE WEIGHT

Attributes	Data Type	Requires	Key
WeightID	varchar(50)	Not Null	Primary Key
weightName	nvarchar(MAX)	Null	
weight_details	float	Null	

5. TABLE SUBJECT

Attributes	Data Type	Requires	Key
SubID	varchar(10)	Not Null	Primary Key
SubName	nvarchar(50)	Null	
Sub_Status	varchar(50)	Null	

InstructID	varchar(50)	Null	Foreign Key
------------	-------------	------	-------------

6. TABLE INSTRUCT

Attributes	Data Type	Requires	Key
InstructID	varchar(50)	Not Null	Primary Key
Know_Skill	nvarchar(MAX)	Null	
Grading_Guide	nvarchar(MAX)	Null	
Note	nvarchar(MAX)	Null	
CategoryID	varchar(50)	Null	Foreign Key

7. TABLE CATEGORY

Attributes	Data Type	Requires	Key
CategoryID	varchar(50)	Not Null	Primary Key
CategoryName	nvarchar(50)	Null	
Type	varchar(50)	Null	
Completion Criteria	varchar(50)	Null	

8. TABLE ASSESSMENT

Attributes	Data Type	Requires	Key
AssID	varchar(50)	Not Null	Primary Key
Duration	varchar(50)	Null	
No Question	int	Null	
Weight	float	Null	
Part	int	Null	
CLO	nvarchar(MAX)	Null	
CategoryID	varchar(50)	Null	Foreign Key

9. TABLE JOIN

Attributes	Data Type	Requires	Key
StudentID	varchar(10)	Not Null	PK_FK
GroupID	varchar(10)	Not Null	PK_FK

10. TABLE SHOW

Attributes	Data Type	Requires	Key
StudentID	varchar(10)	Not Null	PK_FK

SesID	varchar(10)	Not Null	PK_FK
Average	float	Null	
Ranking	varchar(50)	Null	

11. TABLE GRADE

Attributes	Data Type	Requires	Key
StudentID	varchar(10)	Not Null	PK_FK
SubID	varchar(10)	Not Null	PK_FK
WeightID	varchar(50)	Not Null	PK_FK
Value	float	Null	
Status	nvarchar(MAX)	Null	
Date	date	null	

12. TABLE ACADEMIC

Attributes	Data Type	Requires	Key
SesID	varchar(10)	Not Null	Primary Key
SubID	varchar(10)	Not Null	Primary Key

Triển Khai DataBase

```
CREATE TABLE [dbo].[ACADEMIC](
    [NO.] [varchar](10) NOT NULL,
    [SesID] [varchar](10) NOT NULL,
    [SubID] [varchar](10) NOT NULL,
    CONSTRAINT [PK_ACADEMIC] PRIMARY KEY CLUSTERED
(
    [NO.] ASC,
    [SesID] ASC,
    [SubID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
```

```
CREATE TABLE [dbo].[Assessment](
    [AssID] [varchar](50) NOT NULL,
    [Duration] [varchar](50) NULL,
    [No Question] [int] NULL,
    [Weight] [float] NULL,
    [Part] [int] NULL,
    [CLO] [nvarchar](max) NULL,
    [CategoryID] [varchar](50) NULL,
    [SubID] [varchar](10) NULL,
    CONSTRAINT [PK_Assessment] PRIMARY KEY CLUSTERED
(
    [AssID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
```

```
CREATE TABLE [dbo].[Category](
    [CategoryID] [varchar](50) NOT NULL,
    [CategoryName] [nvarchar](50) NULL,
    [Type] [varchar](50) NULL,
    [Completion Criteria] [nchar](10) NULL,
    CONSTRAINT [PK_Category] PRIMARY KEY CLUSTERED
(
    [CategoryID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
```

```
CREATE TABLE [dbo].[ENROLL](
    [GroupID] [varchar](10) NOT NULL,
    [SesID] [varchar](10) NOT NULL,
```

```

CONSTRAINT [PK_ENROLL] PRIMARY KEY CLUSTERED
(
    [GroupID] ASC,
    [SesID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]

```

```

CREATE TABLE [dbo].[GRADE](
    [StudentID] [varchar](10) NOT NULL,
    [SubID] [varchar](10) NOT NULL,
    [WeightID] [varchar](50) NOT NULL,
    [Value] [float] NULL,
    [Status] [nvarchar](max) NULL,
    [Date] [date] NULL,
    CONSTRAINT [PK_GRADE] PRIMARY KEY CLUSTERED
(
    [StudentID] ASC,
    [WeightID] ASC,
    [SubID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]

```

```

CREATE TABLE [dbo].[Group](
    [GroupID] [varchar](10) NOT NULL,
    [GroupName] [varchar](50) NULL,
    [Major] [varchar](50) NULL,
    CONSTRAINT [PK_Group] PRIMARY KEY CLUSTERED
(
    [GroupID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]

```

```

CREATE TABLE [dbo].[Instruct](
    [InstructID] [varchar](50) NOT NULL,
    [Know_Skill] [nvarchar](max) NULL,
    [Grading_Guide] [nvarchar](max) NULL,
    [Note] [nvarchar](max) NULL,
    [CategoryID] [varchar](50) NULL,
    CONSTRAINT [PK_Instruct] PRIMARY KEY CLUSTERED
(
    [InstructID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]

```



```

CREATE TABLE [dbo].[JOIN](
    [StudentID] [varchar](10) NOT NULL,
    [GroupID] [varchar](10) NOT NULL,
    CONSTRAINT [PK_JOIN] PRIMARY KEY CLUSTERED
(
    [StudentID] ASC,
    [GroupID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]

```

```

CREATE TABLE [dbo].[Semester](
    [SesID] [varchar](10) NOT NULL,
    [SesName] [nvarchar](50) NULL,
    [StartDate] [date] NULL,
    [EndDate] [date] NULL,
    CONSTRAINT [PK_Semester] PRIMARY KEY CLUSTERED
(
    [SesID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]

```

```

CREATE TABLE [dbo].[SHOW](
    [StudentID] [varchar](10) NOT NULL,
    [SesID] [varchar](10) NOT NULL,
    [Average] [float] NULL,
    [Ranking] [varchar](50) NULL,
    CONSTRAINT [PK_Show] PRIMARY KEY CLUSTERED
(
    [StudentID] ASC,
    [SesID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]

```

```

CREATE TABLE [dbo].[Students](
    [StudentID] [varchar](10) NOT NULL,
    [FName] [nvarchar](50) NULL,
    [LName] [nvarchar](50) NULL,
    [Gender] [bit] NULL,
    [Email] [varchar](50) NULL,
    [DoB] [date] NULL,
    [Address] [nvarchar](50) NULL,
    CONSTRAINT [PK_Students] PRIMARY KEY CLUSTERED
(
    [StudentID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]

```

```
) ON [PRIMARY]
```

```
CREATE TABLE [dbo].[Subject](
    [SubID] [varchar](10) NOT NULL,
    [SubName] [nvarchar](50) NULL,
    [Sub_Status] [nvarchar](50) NULL,
    [InstructID] [varchar](50) NULL,
    CONSTRAINT [PK_Subject] PRIMARY KEY CLUSTERED
(
    [SubID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY]
```

```
CREATE TABLE [dbo].[Weight](
    [WeightID] [varchar](50) NOT NULL,
    [weight_details] [float] NULL,
    [weightName] [nvarchar](max) NULL,
    CONSTRAINT [PK_Weight] PRIMARY KEY CLUSTERED
(
    [WeightID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY = OFF) ON
[PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
```

```
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'1', N'SP22', N'SSL101c')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'10', N'FA22', N'AIG201c')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'11', N'FA22', N'JPD113')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'12', N'FA22', N'MAS291')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'13', N'FA22', N'MAI391')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'2', N'SP22', N'CSI104')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'3', N'SP22', N'MAE101')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'4', N'SP22', N'CEA201')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'5', N'SP22', N'PFP191')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'6', N'SU22', N'CSD203')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'7', N'SU22', N'SSG104')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'8', N'SU22', N'MAD101')
INSERT [dbo].[ACADEMIC] ([NO.], [SesID], [SubID]) VALUES (N'9', N'SU22', N'DBI202')
```

```
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CEA201_ASS', N'Follow lecturers proposal', 0, 0.3, 2,
NULL, N'ASS', N'CEA201')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CEA201_Ex', N'Follow lecturers proposal', 0, 0.3, 4,
NULL, N'Ex', N'CEA201')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CEA201_FE', N'60 mins', 50, 0.4, 1, NULL, N'FE',
N'CEA201')
```

```

INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CSI104_FE', N'60 mins', 70, 0.4, 1, NULL, N'FE',
N'CSI104')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CSI104_LAB', N'90 mins', 0, 0.2, 2, NULL, N'LAB',
N'CSI104')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CSI104_PRE', N'30 mins', 0, 0.1, 2, N'LO1, LO2, LO3,
LO4, LO5, LO6, LO7, LO8, LO9, LO10, LO11, LO12', N'PRE', N'CSI104')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'CSI104_PT', N'70 mins', 50, 0.3, 2, NULL, N'PT',
N'CSI104')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAD101_ASS', N'Follow lecturers proposal', 0, 0.3, 3,
NULL, N'ASS', N'MAD101')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAD101_FE', N'60 mins', 50, 0.4, 1, NULL, N'FE',
N'MAD101')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAD101_PT', N'Test 1: 40 mins,Test 2&3: 30 mins', 15,
0.3, 3, NULL, N'PT', N'MAD101')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAE101_ASS', N'Follow lecturers proposal', 0, 0.3, 3,
NULL, N'ASS', N'MAE101')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAE101_FE', N'60 mins', 50, 0.4, 1, NULL, N'FE',
N'MAE101')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAE101_PT', N'Test 1: 40 mins,Test 2&3: 30 mins', 15,
0.3, 3, NULL, N'PT', N'MAE101')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAI391_ASS', N'at home', 0, 0.3, 2, N'LO0, LO1, LO2,
LO3, LO4, LO5, LO8', N'ASS', N'MAI391')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAI391_CP', N'at home', 0, 0.2, 1, N'LO5, LO6, LO7,
LO8', N'CP', N'MAI391')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAI391_FE', N'60 mins', 40, 0.3, 1, N'LO 0, LO 1, LO 2,
LO 3, LO 4', N'FE', N'MAI391')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAI391_PT', N'30 mins', 12, 0.2, 3, N'LO0, LO1, LO2,
LO3, LO4', N'PT', N'MAI391')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAS291_ASS', N'at home', 0, 0.2, 2, N'All LOs', N'ASS',
N'MAS291')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAS291_CP', N'at home', 0, 0.15, 1, N'All LOs', N'CP',
N'MAS291')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAS291_FE', N'60 mins', 50, 0.35, 1, NULL, N'FE',
N'MAS291')
INSERT [dbo].[Assessment] ([AssID], [Duration], [No Question], [Weight], [Part], [CLO],
[CategoryID], [SubID]) VALUES (N'MAS291_PT', N'30 mins', 15, 0.3, 3, N'All LOs', N'PT',
N'MAS291')

```

```

INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'ASS', N'Assignment ', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'ASS1', N'Assignment 1', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'ASS2', N'Assignment 2', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'CP', N'Computer Project', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'Ex', N'Exercises', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'FE', N'Final Exam', N'final exam', N'>4 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'FER', N'Final Exam Resit', N'final exam', N'>4 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LAB', N'Lab', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LAB1', N'Lab 1', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LAB2', N'Lab 2', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LAB3', N'Lab 3', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LAB4', N'Lab 4', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LAB5', N'Lab 5', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'LOC', N'Line of Code', N'On-Going', N'>=750 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'PE', N'Practical Exam', N'practice exam', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'PRE', N'Group presentation', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'PT', N'Progress Test', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'PT1', N'Progress Test 1', N'On-Going', N'>0 ')
INSERT [dbo].[Category] ([CategoryID], [CategoryName], [Type], [Completion Criteria])
VALUES (N'PT2', N'Progress Test 2', N'On-Going', N'>0 ')

```

```

INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'AI1607', N'FA22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'AI1607', N'SP22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'AI1607', N'SU22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'AI1701', N'FA22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IA1604', N'FA22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IA1604', N'SP22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IA1604', N'SU22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IA1622', N'FA22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IA1622', N'SP22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IA1622', N'SU22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IOT1634', N'SP22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'IOT1634', N'SU22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'SE1666', N'FA22')
INSERT [dbo].[ENROLL] ([GroupID], [SesID]) VALUES (N'SE1666', N'SU22')

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'ASS1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'ASS2', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'ASS3', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'FE', 9.7, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'FE', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'LAB1', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'LAB2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'PRE', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'PT2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'CSI104', N'PT3', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'QZ1', 10, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'QZ2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1001', N'SSL101c', N'QZ3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CEA201', N'ASS1', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSD203', N'ASS1', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'DBI202', N'ASS1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'ASS1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'ASS1', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'ASS1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'ASS1', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'PFP191', N'ASS1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CEA201', N'ASS2', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSD203', N'ASS2', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'DBI202', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'ASS2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'ASS2', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'ASS2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'ASS2', 8.3, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'PFP191', N'ASS2', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CEA201', N'ASS3', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'ASS3', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'ASS3', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'ASS3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'ASS3', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CEA201', N'EX1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'SSG104', N'EX1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CEA201', N'EX2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'SSG104', N'EX2', 4.9, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CEA201', N'FE', 8.6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'FE', 8.7, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'JPD113', N'FE', 6.7, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'FE', 9.3, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'FE', 5.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'FE', 7.9, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'FE', 6.5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'SSG104', N'FE', 6.1, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSD203', N'FE_CODE', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'DBI202', N'FE_CODE', 6.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'PFP191', N'FE_CODE', 5.6, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSD203', N'LAB', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'DBI202', N'LAB', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'PFP191', N'LAB', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'LAB1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'LAB2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'JPD113', N'LIS', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'AIG201c', N'ONLY_GRADE', 9.3, NULL, CAST(N'2022-08-13' AS Date))

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSD203', N'PE', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'DBI202', N'PE', 9.2, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'PFP191', N'PE', 6.5, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'PRE', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'PT1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'DBI202', N'PT1', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'PT1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'PT1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'PT1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'PT1', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'PT2', 9.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'PT2', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'PT2', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'PT2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'PT2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'CSI104', N'PT3', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAD101', N'PT3', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAE101', N'PT3', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAI391', N'PT3', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'MAS291', N'PT3', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'SSG104', N'QZ1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'SSG104', N'QZ2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'SSG104', N'QZ3', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'JPD113', N'VOCAB', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1002', N'JPD113', N'WRITE', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CEA201', N'ASS1', 9.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSD203', N'ASS1', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'DBI202', N'ASS1', 7.4, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'ASS1', 9.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAE101', N'ASS1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAI391', N'ASS1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAS291', N'ASS1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'PFP191', N'ASS1', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CEA201', N'ASS2', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSD203', N'ASS2', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'DBI202', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'ASS2', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAE101', N'ASS2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAI391', N'ASS2', 10, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAS291', N'ASS2', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'PFP191', N'ASS2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CEA201', N'ASS3', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'ASS3', 9.1, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAE101', N'ASS3', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAI391', N'ASS3', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAS291', N'ASS3', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CEA201', N'EX1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'SSG104', N'EX1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CEA201', N'EX2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'SSG104', N'EX2', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CEA201', N'FE', 5.7, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'FE', 8.5, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'JPD113', N'FE', 8.3, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'FE', 8.6, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAE101', N'FE', 7.5, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAI391', N'FE', 7, NULL, CAST(N'2022-11-21' AS Date))

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAS291', N'FE', 5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'SSG104', N'FE', 9.7, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSD203', N'FE_CODE', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'DBI202', N'FE_CODE', 8.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'PFP191', N'FE_CODE', 5.6, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSD203', N'LAB', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'DBI202', N'LAB', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'PFP191', N'LAB', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'LAB1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'LAB2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'JPD113', N'LIS', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'AIG201c', N'ONLY_GRADE', 5.9, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSD203', N'PE', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'DBI202', N'PE', 9.2, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'PFP191', N'PE', 8.7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'PRE', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'PT1', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'DBI202', N'PT1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'PT1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAE101', N'PT1', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAI391', N'PT1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAS291', N'PT1', 9.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'PT2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'PT2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAE101', N'PT2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAI391', N'PT2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAS291', N'PT2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'CSI104', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HA1003', N'MAD101', N'PT3', 8.8, NULL, NULL)

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'MAE101', 'PT3', 7.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'MAI391', 'PT3', 9.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'MAS291', 'PT3', 9.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'SSG104', 'QZ1', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'SSG104', 'QZ2', 9.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'SSG104', 'QZ3', 9.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'JPD113', 'VOCAB', 7.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HA1003', 'JPD113', 'WRITE', 9.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CEA201', 'ASS1', 4.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CSD203', 'ASS1', 9.1, NULL, NULL)  
  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'DBI202', 'ASS1', 5.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAD101', 'ASS1', 5.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAE101', 'ASS1', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAI391', 'ASS1', 7.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAS291', 'ASS1', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'PFP191', 'ASS1', 7.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CEA201', 'ASS2', 5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CSD203', 'ASS2', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'DBI202', 'ASS2', 6.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAD101', 'ASS2', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAE101', 'ASS2', 7.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAI391', 'ASS2', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAS291', 'ASS2', 4.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'PFP191', 'ASS2', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CEA201', 'ASS3', 5.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAD101', 'ASS3', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAE101', 'ASS3', 8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAI391', 'ASS3', 5.1, NULL, NULL)
```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'MAS291', N'ASS3', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CEA201', N'EX1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'SSG104', N'EX1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CEA201', N'EX2', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'SSG104', N'EX2', 7.2, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CEA201', N'FE', 7.1, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSI104', N'FE', 5.5, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'JPD113', N'FE', 9.3, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'MAD101', N'FE', 5.6, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'MAE101', N'FE', 6.9, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'MAI391', N'FE', 6.6, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'MAS291', N'FE', 7.3, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'SSG104', N'FE', 7.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSD203', N'FE_CODE', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'DBI202', N'FE_CODE', 8.7, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'PFP191', N'FE_CODE', 5.4, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSD203', N'LAB', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'DBI202', N'LAB', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'PFP191', N'LAB', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSI104', N'LAB1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSI104', N'LAB2', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'JPD113', N'LIS', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'AIG201c', N'ONLY_GRADE', 5, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSD203', N'PE', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'DBI202', N'PE', 7.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'PFP191', N'PE', 9.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSI104', N'PRE', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1001', N'CSI104', N'PT1', 8.9, NULL, NULL)

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'DBI202', 'PT1', 5.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAD101', 'PT1', 8.6, NULL, NULL)  
  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAE101', 'PT1', 5.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAI391', 'PT1', 9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAS291', 'PT1', 5.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CSI104', 'PT2', 6.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAD101', 'PT2', 5.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAE101', 'PT2', 6.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAI391', 'PT2', 6.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAS291', 'PT2', 5.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'CSI104', 'PT3', 7.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAD101', 'PT3', 8.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAE101', 'PT3', 5.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAI391', 'PT3', 6.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'MAS291', 'PT3', 5.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'SSG104', 'QZ1', 9.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'SSG104', 'QZ2', 6.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'SSG104', 'QZ3', 6.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'JPD113', 'VOCAB', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1001', 'JPD113', 'WRITE', 8.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'CEA201', 'ASS1', 9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'CSD203', 'ASS1', 7.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'DBI202', 'ASS1', 9.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'MAD101', 'ASS1', 6.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'MAE101', 'ASS1', 6.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'MAI391', 'ASS1', 5.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'MAS291', 'ASS1', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'PFP191', 'ASS1', 7.5, NULL, NULL)
```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CEA201', N'ASS2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSD203', N'ASS2', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'DBI202', N'ASS2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAD101', N'ASS2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAE101', N'ASS2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAI391', N'ASS2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAS291', N'ASS2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'PFP191', N'ASS2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CEA201', N'ASS3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAD101', N'ASS3', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAE101', N'ASS3', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAI391', N'ASS3', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAS291', N'ASS3', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CEA201', N'EX1', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'SSG104', N'EX1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CEA201', N'EX2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'SSG104', N'EX2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CEA201', N'FE', 6.4, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'FE', 5.5, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'JPD113', N'FE', 7.7, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAD101', N'FE', 5.2, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAE101', N'FE', 6.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAI391', N'FE', 6.5, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAS291', N'FE', 7.8, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'SSG104', N'FE', 7.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSD203', N'FE_CODE', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'DBI202', N'FE_CODE', 7.1, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'PFP191', N'FE_CODE', 9.3, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSD203', N'LAB', 5.2, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'DBI202', N'LAB', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'PFP191', N'LAB', 9.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'LAB1', 4.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'LAB2', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'JPD113', N'LIS', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'AIG201c', N'ONLY_GRADE', 8.5, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSD203', N'PE', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'DBI202', N'PE', 9.6, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'PFP191', N'PE', 6.9, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'PRE', 4.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'PT1', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'DBI202', N'PT1', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAD101', N'PT1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAE101', N'PT1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAI391', N'PT1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAS291', N'PT1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'PT2', 3.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAD101', N'PT2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAE101', N'PT2', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAI391', N'PT2', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAS291', N'PT2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'CSI104', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAD101', N'PT3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAE101', N'PT3', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAI391', N'PT3', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'MAS291', N'PT3', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'SSG104', N'QZ1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1002', N'SSG104', N'QZ2', 9.1, NULL, NULL)

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'SSG104', 'QZ3', 6.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'JPD113', 'VOCAB', 7.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1002', 'JPD113', 'WRITE', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CEA201', 'ASS1', 8.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CSD203', 'ASS1', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'DBI202', 'ASS1', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAD101', 'ASS1', 9.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAE101', 'ASS1', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAI391', 'ASS1', 7.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAS291', 'ASS1', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'PFP191', 'ASS1', 5.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CEA201', 'ASS2', 5.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CSD203', 'ASS2', 6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'DBI202', 'ASS2', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAD101', 'ASS2', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAE101', 'ASS2', 9.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAI391', 'ASS2', 8.5, NULL, NULL)  
  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAS291', 'ASS2', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'PFP191', 'ASS2', 6.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CEA201', 'ASS3', 5.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAD101', 'ASS3', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAE101', 'ASS3', 9.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAI391', 'ASS3', 9.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAS291', 'ASS3', 5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CEA201', 'EX1', 8.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'SSG104', 'EX1', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CEA201', 'EX2', 6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'SSG104', 'EX2', 7.8, NULL, NULL)
```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CEA201', N'FE', 7.4, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSI104', N'FE', 5.9, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'JPD113', N'FE', 5.1, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAD101', N'FE', 9.4, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAE101', N'FE', 8.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAI391', N'FE', 7.3, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAS291', N'FE', 6.4, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'SSG104', N'FE', 7.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSD203', N'FE_CODE', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'DBI202', N'FE_CODE', 5.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'PFP191', N'FE_CODE', 6.1, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSD203', N'LAB', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'DBI202', N'LAB', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'PFP191', N'LAB', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSI104', N'LAB1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSI104', N'LAB2', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'JPD113', N'LIS', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'AIG201c', N'ONLY_GRADE', 7.5, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSD203', N'PE', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'DBI202', N'PE', 5.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'PFP191', N'PE', 5, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSI104', N'PRE', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSI104', N'PT1', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'DBI202', N'PT1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAD101', N'PT1', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAE101', N'PT1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAI391', N'PT1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'MAS291', N'PT1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1003', N'CSI104', N'PT2', 5, NULL, NULL)

```



```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAD101', 'PT2', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAE101', 'PT2', 7.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAI391', 'PT2', 7.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAS291', 'PT2', 7.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'CSI104', 'PT3', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAD101', 'PT3', 6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAE101', 'PT3', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAI391', 'PT3', 6.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'MAS291', 'PT3', 9.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'SSG104', 'QZ1', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'SSG104', 'QZ2', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'SSG104', 'QZ3', 5.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'JPD113', 'VOCAB', 5.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1003', 'JPD113', 'WRITE', 5.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'CEA201', 'ASS1', 5.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'CSD203', 'ASS1', 5.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'DBI202', 'ASS1', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAD101', 'ASS1', 8.2, NULL, NULL)  
  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAE101', 'ASS1', 9.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAI391', 'ASS1', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAS291', 'ASS1', 5.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'PFP191', 'ASS1', 7.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'CEA201', 'ASS2', 6.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'CSD203', 'ASS2', 7.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'DBI202', 'ASS2', 8.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAD101', 'ASS2', 7.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAE101', 'ASS2', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1004', 'MAI391', 'ASS2', 6.6, NULL, NULL)
```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAS291', N'ASS2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'PFP191', N'ASS2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CEA201', N'ASS3', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAD101', N'ASS3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAE101', N'ASS3', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAI391', N'ASS3', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAS291', N'ASS3', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CEA201', N'EX1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'SSG104', N'EX1', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CEA201', N'EX2', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'SSG104', N'EX2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CEA201', N'FE', 7.6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'FE', 7.8, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'JPD113', N'FE', 5.5, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAD101', N'FE', 9.2, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAE101', N'FE', 7.6, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAI391', N'FE', 6, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAS291', N'FE', 9, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'SSG104', N'FE', 5.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSD203', N'FE_CODE', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'DBI202', N'FE_CODE', 9.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'PFP191', N'FE_CODE', 7.2, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSD203', N'LAB', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'DBI202', N'LAB', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'PFP191', N'LAB', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'LAB1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'LAB2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'JPD113', N'LIS', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'AIG201c', N'ONLY_GRADE', 8.7, NULL, CAST(N'2022-08-13' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSD203', N'PE', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'DBI202', N'PE', 6.5, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'PFP191', N'PE', 6.4, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'PRE', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'PT1', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'DBI202', N'PT1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAD101', N'PT1', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAE101', N'PT1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAI391', N'PT1', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAS291', N'PT1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'PT2', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAD101', N'PT2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAE101', N'PT2', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAI391', N'PT2', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAS291', N'PT2', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'CSI104', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAD101', N'PT3', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAE101', N'PT3', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAI391', N'PT3', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'MAS291', N'PT3', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'SSG104', N'QZ1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'SSG104', N'QZ2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'SSG104', N'QZ3', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'JPD113', N'VOCAB', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1004', N'JPD113', N'WRITE', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CEA201', N'ASS1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSD203', N'ASS1', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'DBI202', N'ASS1', 7.2, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'ASS1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'ASS1', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'ASS1', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'ASS1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'PFP191', N'ASS1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CEA201', N'ASS2', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSD203', N'ASS2', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'DBI202', N'ASS2', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'ASS2', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'ASS2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'ASS2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'PFP191', N'ASS2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CEA201', N'ASS3', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'ASS3', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'ASS3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'ASS3', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'ASS3', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CEA201', N'EX1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'SSG104', N'EX1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CEA201', N'EX2', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'SSG104', N'EX2', 7.9, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CEA201', N'FE', 8.8, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'FE', 7.9, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'JPD113', N'FE', 5.4, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'FE', 7.9, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'FE', 7.6, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'FE', 7.7, NULL, CAST(N'2022-11-21' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'FE', 7.1, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'SSG104', N'FE', 7.9, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSD203', N'FE_CODE', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'DBI202', N'FE_CODE', 5.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'PFP191', N'FE_CODE', 5.2, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSD203', N'LAB', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'DBI202', N'LAB', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'PFP191', N'LAB', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'LAB1', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'LAB2', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'JPD113', N'LIS', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'AIG201c', N'ONLY_GRADE', 5.9, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSD203', N'PE', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'DBI202', N'PE', 9.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'PFP191', N'PE', 8.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'PRE', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'PT1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'DBI202', N'PT1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'PT1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'PT1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'PT1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'PT1', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'PT2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'PT2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'PT2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'PT2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'PT2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'CSI104', N'PT3', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAD101', N'PT3', 7.1, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAE101', N'PT3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAI391', N'PT3', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'MAS291', N'PT3', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'SSG104', N'QZ1', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'SSG104', N'QZ2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'SSG104', N'QZ3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'JPD113', N'VOCAB', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1005', N'JPD113', N'WRITE', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CEA201', N'ASS1', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSD203', N'ASS1', 9.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'DBI202', N'ASS1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAD101', N'ASS1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAE101', N'ASS1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAI391', N'ASS1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAS291', N'ASS1', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'PFP191', N'ASS1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CEA201', N'ASS2', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSD203', N'ASS2', 9.9, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'DBI202', N'ASS2', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAD101', N'ASS2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAE101', N'ASS2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAI391', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAS291', N'ASS2', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'PFP191', N'ASS2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CEA201', N'ASS3', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAD101', N'ASS3', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAE101', N'ASS3', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAI391', N'ASS3', 6.7, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAS291', N'ASS3', 9.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CEA201', N'EX1', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'SSG104', N'EX1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CEA201', N'EX2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'SSG104', N'EX2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CEA201', N'FE', 8.6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSI104', N'FE', 5.8, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'JPD113', N'FE', 8.7, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAD101', N'FE', 5.3, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAE101', N'FE', 5.3, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAI391', N'FE', 9.1, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'MAS291', N'FE', 9.9, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'SSG104', N'FE', 8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSD203', N'FE_CODE', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'DBI202', N'FE_CODE', 8.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'PFP191', N'FE_CODE', 8.7, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSD203', N'LAB', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'DBI202', N'LAB', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'PFP191', N'LAB', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSI104', N'LAB1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSI104', N'LAB2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'JPD113', N'LIS', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'AIG201c', N'ONLY_GRADE', 9.1, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSD203', N'PE', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'DBI202', N'PE', 6.4, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'PFP191', N'PE', 8, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSI104', N'PRE', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1006', N'CSI104', N'PT1', 8.9, NULL, NULL)

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'DBI202', 'PT1', 9.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAD101', 'PT1', 7.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAE101', 'PT1', 9.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAI391', 'PT1', 6.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAS291', 'PT1', 9.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'CSI104', 'PT2', 8.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAD101', 'PT2', 8.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAE101', 'PT2', 8.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAI391', 'PT2', 8.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAS291', 'PT2', 5.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'CSI104', 'PT3', 6.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAD101', 'PT3', 8.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAE101', 'PT3', 10, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAI391', 'PT3', 8.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'MAS291', 'PT3', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'SSG104', 'QZ1', 9.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'SSG104', 'QZ2', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'SSG104', 'QZ3', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'JPD113', 'VOCAB', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1006', 'JPD113', 'WRITE', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'CEA201', 'ASS1', 8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'CSD203', 'ASS1', 8.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'DBI202', 'ASS1', 4.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'MAD101', 'ASS1', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'MAE101', 'ASS1', 8.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'MAI391', 'ASS1', 6.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'MAS291', 'ASS1', 5.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'PFP191', 'ASS1', 6.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1007', 'CEA201', 'ASS2', 8.6, NULL, NULL)
```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSD203', N'ASS2', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'DBI202', N'ASS2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAD101', N'ASS2', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAE101', N'ASS2', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAI391', N'ASS2', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAS291', N'ASS2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'PFP191', N'ASS2', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CEA201', N'ASS3', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAD101', N'ASS3', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAE101', N'ASS3', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAI391', N'ASS3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAS291', N'ASS3', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CEA201', N'EX1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'SSG104', N'EX1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CEA201', N'EX2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'SSG104', N'EX2', 9, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CEA201', N'FE', 7.3, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'FE', 9.4, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'JPD113', N'FE', 5.3, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAD101', N'FE', 6.3, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAE101', N'FE', 6.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAI391', N'FE', 7.8, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAS291', N'FE', 6.4, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'SSG104', N'FE', 6.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSD203', N'FE_CODE', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'DBI202', N'FE_CODE', 5.7, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'PFP191', N'FE_CODE', 6.2, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSD203', N'LAB', 5.1, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'DBI202', N'LAB', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'PFP191', N'LAB', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'LAB1', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'LAB2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'JPD113', N'LIS', 5.3, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'AIG201c', N'ONLY_GRADE', 5.4, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSD203', N'PE', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'DBI202', N'PE', 7.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'PFP191', N'PE', 9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'PRE', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'PT1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'DBI202', N'PT1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAD101', N'PT1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAE101', N'PT1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAI391', N'PT1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAS291', N'PT1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'PT2', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAD101', N'PT2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAE101', N'PT2', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAI391', N'PT2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAS291', N'PT2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'CSI104', N'PT3', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAD101', N'PT3', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAE101', N'PT3', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAI391', N'PT3', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'MAS291', N'PT3', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'SSG104', N'QZ1', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1007', N'SSG104', N'QZ2', 8.4, NULL, NULL)

```

[illegible]

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CEA201', N'FE', 8.8, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'FE', 8.2, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'JPD113', N'FE', 9.8, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAD101', N'FE', 8.3, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAE101', N'FE', 7.6, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAI391', N'FE', 8.4, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAS291', N'FE', 8.4, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'SSG104', N'FE', 6.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSD203', N'FE_CODE', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'DBI202', N'FE_CODE', 9, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'PFP191', N'FE_CODE', 7.6, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSD203', N'LAB', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'DBI202', N'LAB', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'PFP191', N'LAB', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'LAB1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'LAB2', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'JPD113', N'LIS', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'AIG201c', N'ONLY_GRADE', 5.4, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSD203', N'PE', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'DBI202', N'PE', 9.5, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'PFP191', N'PE', 7.3, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'PRE', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'PT1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'DBI202', N'PT1', 9.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAD101', N'PT1', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAE101', N'PT1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAI391', N'PT1', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAS291', N'PT1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'PT2', 5.8, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAD101', N'PT2', 9.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAE101', N'PT2', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAI391', N'PT2', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAS291', N'PT2', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'CSI104', N'PT3', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAD101', N'PT3', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAE101', N'PT3', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAI391', N'PT3', 9.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'MAS291', N'PT3', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'SSG104', N'QZ1', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'SSG104', N'QZ2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'SSG104', N'QZ3', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'JPD113', N'VOCAB', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1008', N'JPD113', N'WRITE', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CEA201', N'ASS1', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSD203', N'ASS1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'DBI202', N'ASS1', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'ASS1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'ASS1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'ASS1', 5.7, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'ASS1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'PFP191', N'ASS1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CEA201', N'ASS2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSD203', N'ASS2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'DBI202', N'ASS2', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'ASS2', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'ASS2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'ASS2', 5.7, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'ASS2', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'PFP191', N'ASS2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CEA201', N'ASS3', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'ASS3', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'ASS3', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'ASS3', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'ASS3', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CEA201', N'EX1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'SSG104', N'EX1', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CEA201', N'EX2', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'SSG104', N'EX2', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CEA201', N'FE', 5.5, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'FE', 6.5, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'JPD113', N'FE', 6.6, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'FE', 8.1, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'FE', 7.2, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'FE', 9, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'FE', 5.9, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'SSG104', N'FE', 4.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSD203', N'FE_CODE', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'DBI202', N'FE_CODE', 6.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'PFP191', N'FE_CODE', 8.7, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSD203', N'LAB', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'DBI202', N'LAB', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'PFP191', N'LAB', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'LAB1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'LAB2', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'JPD113', N'LIS', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'AIG201c', N'ONLY_GRADE', 9.4, NULL, CAST(N'2022-08-13' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSD203', N'PE', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'DBI202', N'PE', 8.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'PFP191', N'PE', 8.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'PRE', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'PT1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'DBI202', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'PT1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'PT1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'PT1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'PT2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'PT2', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'PT2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'PT2', 4.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'PT2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'CSI104', N'PT3', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAD101', N'PT3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAE101', N'PT3', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAI391', N'PT3', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'MAS291', N'PT3', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'SSG104', N'QZ1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'SSG104', N'QZ2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'SSG104', N'QZ3', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'JPD113', N'VOCAB', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1009', N'JPD113', N'WRITE', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CEA201', N'ASS1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSD203', N'ASS1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'DBI202', N'ASS1', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'ASS1', 8.4, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAE101', N'ASS1', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAI391', N'ASS1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAS291', N'ASS1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'PFP191', N'ASS1', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CEA201', N'ASS2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSD203', N'ASS2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'DBI202', N'ASS2', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'ASS2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAE101', N'ASS2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAI391', N'ASS2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAS291', N'ASS2', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'PFP191', N'ASS2', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CEA201', N'ASS3', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'ASS3', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAE101', N'ASS3', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAI391', N'ASS3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAS291', N'ASS3', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CEA201', N'EX1', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'SSG104', N'EX1', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CEA201', N'EX2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'SSG104', N'EX2', 9.1, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CEA201', N'FE', 8, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'FE', 7.1, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'JPD113', N'FE', 8.6, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'FE', 6.6, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAE101', N'FE', 5, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAI391', N'FE', 8.5, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAS291', N'FE', 5.8, NULL, CAST(N'2022-11-20' AS Date))

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'SSG104', N'FE', 8.6, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSD203', N'FE_CODE', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'DBI202', N'FE_CODE', 7.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'PFP191', N'FE_CODE', 6.7, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSD203', N'LAB', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'DBI202', N'LAB', 5.8, NULL, NULL)
GO
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'PFP191', N'LAB', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'LAB1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'LAB2', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'JPD113', N'LIS', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'AIG201c', N'ONLY_GRADE', 7.1, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSD203', N'PE', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'DBI202', N'PE', 6.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'PFP191', N'PE', 6.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'PRE', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'PT1', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'DBI202', N'PT1', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'PT1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAE101', N'PT1', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAI391', N'PT1', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAS291', N'PT1', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'PT2', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'PT2', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAE101', N'PT2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAI391', N'PT2', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAS291', N'PT2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'CSI104', N'PT3', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1101', N'MAD101', N'PT3', 5.7, NULL, NULL)

```

[illegible]

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CEA201', N'EX1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'SSG104', N'EX1', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CEA201', N'EX2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'SSG104', N'EX2', 6.1, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CEA201', N'FE', 8.5, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSI104', N'FE', 5.8, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'JPD113', N'FE', 8.2, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'MAD101', N'FE', 8.8, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'MAE101', N'FE', 4.9, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'MAI391', N'FE', 7.4, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'MAS291', N'FE', 9.2, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'SSG104', N'FE', 8.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSD203', N'FE_CODE', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'DBI202', N'FE_CODE', 5.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'PFP191', N'FE_CODE', 5.3, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSD203', N'LAB', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'DBI202', N'LAB', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'PFP191', N'LAB', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSI104', N'LAB1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSI104', N'LAB2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'JPD113', N'LIS', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'AIG201c', N'ONLY_GRADE', 8.5, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSD203', N'PE', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'DBI202', N'PE', 5.7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'PFP191', N'PE', 8.7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSI104', N'PRE', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'CSI104', N'PT1', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1111', N'DBI202', N'PT1', 5.9, NULL, NULL)

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAD101', 'PT1', 9.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAE101', 'PT1', 8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAI391', 'PT1', 6.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAS291', 'PT1', 6.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'CSI104', 'PT2', 8.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAD101', 'PT2', 5.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAE101', 'PT2', 9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAI391', 'PT2', 8.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAS291', 'PT2', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'CSI104', 'PT3', 6.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAD101', 'PT3', 8.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAE101', 'PT3', 9.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAI391', 'PT3', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'MAS291', 'PT3', 6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'SSG104', 'QZ1', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'SSG104', 'QZ2', 9.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'SSG104', 'QZ3', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'JPD113', 'VOCAB', 6.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1111', 'JPD113', 'WRITE', 6.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'CEA201', 'ASS1', 9.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'CSD203', 'ASS1', 8.7, NULL, NULL)  
  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'DBI202', 'ASS1', 5.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'MAD101', 'ASS1', 5.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'MAE101', 'ASS1', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'MAI391', 'ASS1', 7.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'MAS291', 'ASS1', 5.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'PFP191', 'ASS1', 7.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1112', 'CEA201', 'ASS2', 9.3, NULL, NULL)
```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSD203', N'ASS2', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'DBI202', N'ASS2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAD101', N'ASS2', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAE101', N'ASS2', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAI391', N'ASS2', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAS291', N'ASS2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'PFP191', N'ASS2', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CEA201', N'ASS3', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAD101', N'ASS3', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAE101', N'ASS3', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAI391', N'ASS3', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAS291', N'ASS3', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CEA201', N'EX1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'SSG104', N'EX1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CEA201', N'EX2', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'SSG104', N'EX2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CEA201', N'FE', 7.6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'FE', 5.8, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'JPD113', N'FE', 5.2, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAD101', N'FE', 5.8, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAE101', N'FE', 8.1, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAI391', N'FE', 5.5, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAS291', N'FE', 6.5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'SSG104', N'FE', 5.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSD203', N'FE_CODE', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'DBI202', N'FE_CODE', 9.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'PFP191', N'FE_CODE', 7.5, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSD203', N'LAB', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'DBI202', N'LAB', 4.9, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'PFP191', N'LAB', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'LAB1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'LAB2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'JPD113', N'LIS', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'AIG201c', N'ONLY_GRADE', 5.6, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSD203', N'PE', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'DBI202', N'PE', 7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'PFP191', N'PE', 7.5, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'PRE', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'PT1', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'DBI202', N'PT1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAD101', N'PT1', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAE101', N'PT1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAI391', N'PT1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAS291', N'PT1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'PT2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAD101', N'PT2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAE101', N'PT2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAI391', N'PT2', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAS291', N'PT2', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'CSI104', N'PT3', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAD101', N'PT3', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAE101', N'PT3', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAI391', N'PT3', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'MAS291', N'PT3', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'SSG104', N'QZ1', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'SSG104', N'QZ2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'SSG104', N'QZ3', 6.7, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'JPD113', N'VOCA1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1112', N'JPD113', N'WRITE', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CEA201', N'ASS1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSD203', N'ASS1', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'DBI202', N'ASS1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAD101', N'ASS1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAE101', N'ASS1', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAI391', N'ASS1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAS291', N'ASS1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'PFP191', N'ASS1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CEA201', N'ASS2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSD203', N'ASS2', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'DBI202', N'ASS2', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAD101', N'ASS2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAE101', N'ASS2', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAI391', N'ASS2', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAS291', N'ASS2', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'PFP191', N'ASS2', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CEA201', N'ASS3', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAD101', N'ASS3', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAE101', N'ASS3', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAI391', N'ASS3', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAS291', N'ASS3', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CEA201', N'EX1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'SSG104', N'EX1', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CEA201', N'EX2', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'SSG104', N'EX2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CEA201', N'FE', 9.1, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSI104', N'FE', 7.5, NULL, CAST(N'2022-03-30' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'JPD113', N'FE', 9.3, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAD101', N'FE', 9.5, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAE101', N'FE', 7, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAI391', N'FE', 6.3, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAS291', N'FE', 9.2, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'SSG104', N'FE', 7.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSD203', N'FE_CODE', 7.4, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'DBI202', N'FE_CODE', 5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'PFP191', N'FE_CODE', 5.1, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSD203', N'LAB', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'DBI202', N'LAB', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'PFP191', N'LAB', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSI104', N'LAB1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSI104', N'LAB2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'JPD113', N'LIS', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'AIG201c', N'ONLY_GRADE', 9.1, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSD203', N'PE', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'DBI202', N'PE', 5.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'PFP191', N'PE', 7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSI104', N'PRE', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSI104', N'PT1', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'DBI202', N'PT1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAD101', N'PT1', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAE101', N'PT1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAI391', N'PT1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAS291', N'PT1', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'CSI104', N'PT2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE114', N'MAD101', N'PT2', 6.6, NULL, NULL)

```


[illegible]

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CEA201', N'ASS3', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAD101', N'ASS3', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAE101', N'ASS3', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAI391', N'ASS3', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAS291', N'ASS3', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CEA201', N'EX1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'SSG104', N'EX1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CEA201', N'EX2', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'SSG104', N'EX2', 5.4, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CEA201', N'FE', 5.3, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'FE', 5.6, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'JPD113', N'FE', 6, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAD101', N'FE', 6.9, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAE101', N'FE', 8.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAI391', N'FE', 4.9, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAS291', N'FE', 8.5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'SSG104', N'FE', 5.7, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSD203', N'FE_CODE', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'DBI202', N'FE_CODE', 8.9, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'PFP191', N'FE_CODE', 7.3, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSD203', N'LAB', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'DBI202', N'LAB', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'PFP191', N'LAB', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'LAB1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'LAB2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'JPD113', N'LIS', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'AIG201c', N'ONLY_GRADE', 5.3, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSD203', N'PE', 7.5, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'DBI202', N'PE', 6.4, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'PFP191', N'PE', 7.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'PRE', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'PT1', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'DBI202', N'PT1', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAD101', N'PT1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAE101', N'PT1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAI391', N'PT1', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAS291', N'PT1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'PT2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAD101', N'PT2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAE101', N'PT2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAI391', N'PT2', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAS291', N'PT2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'CSI104', N'PT3', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAD101', N'PT3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAE101', N'PT3', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAI391', N'PT3', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'MAS291', N'PT3', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'SSG104', N'QZ1', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'SSG104', N'QZ2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'SSG104', N'QZ3', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'JPD113', N'VOCAB', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1400', N'JPD113', N'WRITE', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CEA201', N'ASS1', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSD203', N'ASS1', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'DBI202', N'ASS1', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'ASS1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'ASS1', 5.1, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'ASS1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'ASS1', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'PFP191', N'ASS1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CEA201', N'ASS2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSD203', N'ASS2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'DBI202', N'ASS2', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'ASS2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'ASS2', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'ASS2', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'ASS2', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'PFP191', N'ASS2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CEA201', N'ASS3', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'ASS3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'ASS3', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'ASS3', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'ASS3', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CEA201', N'EX1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'SSG104', N'EX1', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CEA201', N'EX2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'SSG104', N'EX2', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CEA201', N'FE', 5.9, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'FE', 5.3, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'JPD113', N'FE', 6.9, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'FE', 9.5, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'FE', 7, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'FE', 5.1, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'FE', 8.4, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'SSG104', N'FE', 7.3, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSD203', N'FE_CODE', 5.9, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'DBI202', N'FE_CODE', 8.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'PFP191', N'FE_CODE', 5.1, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSD203', N'LAB', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'DBI202', N'LAB', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'PFP191', N'LAB', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'LAB1', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'LAB2', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'JPD113', N'LIS', 9.2, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'AIG201c', N'ONLY_GRADE', 7.7, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSD203', N'PE', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'DBI202', N'PE', 6, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'PFP191', N'PE', 5.4, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'PRE', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'PT1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'DBI202', N'PT1', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'PT1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'PT1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'PT1', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'PT1', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'PT2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'PT2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'PT2', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'PT2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'PT2', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'CSI104', N'PT3', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAD101', N'PT3', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAE101', N'PT3', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAI391', N'PT3', 7.4, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'MAS291', N'PT3', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'SSG104', N'QZ1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'SSG104', N'QZ2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'SSG104', N'QZ3', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'JPD113', N'VOCAB', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1401', N'JPD113', N'WRITE', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CEA201', N'ASS1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSD203', N'ASS1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'DBI202', N'ASS1', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAD101', N'ASS1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAE101', N'ASS1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAI391', N'ASS1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAS291', N'ASS1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'PFP191', N'ASS1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CEA201', N'ASS2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSD203', N'ASS2', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'DBI202', N'ASS2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAD101', N'ASS2', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAE101', N'ASS2', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAI391', N'ASS2', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAS291', N'ASS2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'PFP191', N'ASS2', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CEA201', N'ASS3', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAD101', N'ASS3', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAE101', N'ASS3', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAI391', N'ASS3', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAS291', N'ASS3', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CEA201', N'EX1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'SSG104', N'EX1', 6.8, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CEA201', N'EX2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'SSG104', N'EX2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CEA201', N'FE', 6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSI104', N'FE', 8.7, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'JPD113', N'FE', 5.5, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAD101', N'FE', 9.5, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAE101', N'FE', 7.5, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAI391', N'FE', 9.2, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAS291', N'FE', 8.5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'SSG104', N'FE', 5.8, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSD203', N'FE_CODE', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'DBI202', N'FE_CODE', 8.1, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'PFP191', N'FE_CODE', 6.4, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSD203', N'LAB', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'DBI202', N'LAB', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'PFP191', N'LAB', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSI104', N'LAB1', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSI104', N'LAB2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'JPD113', N'LIS', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'AIG201c', N'ONLY_GRADE', 8.9, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSD203', N'PE', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'DBI202', N'PE', 7.8, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'PFP191', N'PE', 6.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSI104', N'PRE', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'CSI104', N'PT1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'DBI202', N'PT1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAD101', N'PT1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAE101', N'PT1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1406', N'MAI391', N'PT1', 5.5, NULL, NULL)

```

[illegible]


```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAI391', N'ASS2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAS291', N'ASS2', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'PFP191', N'ASS2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CEA201', N'ASS3', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAD101', N'ASS3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAE101', N'ASS3', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAI391', N'ASS3', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAS291', N'ASS3', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CEA201', N'EX1', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'SSG104', N'EX1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CEA201', N'EX2', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'SSG104', N'EX2', 5.1, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CEA201', N'FE', 5.3, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'FE', 6.2, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'JPD113', N'FE', 7.6, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAD101', N'FE', 5.9, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAE101', N'FE', 6.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAI391', N'FE', 5.4, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAS291', N'FE', 8.2, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'SSG104', N'FE', 5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSD203', N'FE_CODE', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'DBI202', N'FE_CODE', 6.7, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'PFP191', N'FE_CODE', 8.3, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSD203', N'LAB', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'DBI202', N'LAB', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'PFP191', N'LAB', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'LAB1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'LAB2', 5.4, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'JPD113', N'LIS', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'AIG201c', N'ONLY_GRADE', 9, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSD203', N'PE', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'DBI202', N'PE', 6.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'PFP191', N'PE', 8.1, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'PRE', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'PT1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'DBI202', N'PT1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAD101', N'PT1', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAE101', N'PT1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAI391', N'PT1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAS291', N'PT1', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'PT2', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAD101', N'PT2', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAE101', N'PT2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAI391', N'PT2', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAS291', N'PT2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'CSI104', N'PT3', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAD101', N'PT3', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAE101', N'PT3', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAI391', N'PT3', 9.5, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'MAS291', N'PT3', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'SSG104', N'QZ1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'SSG104', N'QZ2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'SSG104', N'QZ3', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'JPD113', N'VOCAB', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1501', N'JPD113', N'WRITE', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CEA201', N'ASS1', 6.3, NULL, NULL)

```

[illegible]

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAI391', N'FE', 8.7, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAS291', N'FE', 5.5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'SSG104', N'FE', 8.5, NULL, CAST(N'2022-08-01' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSD203', N'FE_CODE', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'DBI202', N'FE_CODE', 5.6, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'PFP191', N'FE_CODE', 6.2, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSD203', N'LAB', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'DBI202', N'LAB', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'PFP191', N'LAB', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSI104', N'LAB1', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSI104', N'LAB2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'JPD113', N'LIS', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'AIG201c', N'ONLY_GRADE', 8.4, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSD203', N'PE', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'DBI202', N'PE', 9.3, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'PFP191', N'PE', 7.2, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSI104', N'PRE', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSI104', N'PT1', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'DBI202', N'PT1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAD101', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAE101', N'PT1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAI391', N'PT1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAS291', N'PT1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSI104', N'PT2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAD101', N'PT2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAE101', N'PT2', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAI391', N'PT2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAS291', N'PT2', 5.5, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'CSI104', N'PT3', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAD101', N'PT3', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAE101', N'PT3', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAI391', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'MAS291', N'PT3', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'SSG104', N'QZ1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'SSG104', N'QZ2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'SSG104', N'QZ3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'JPD113', N'VOCAB', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1502', N'JPD113', N'WRITE', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CEA201', N'ASS1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSD203', N'ASS1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'DBI202', N'ASS1', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAD101', N'ASS1', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAE101', N'ASS1', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAI391', N'ASS1', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAS291', N'ASS1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'PFP191', N'ASS1', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CEA201', N'ASS2', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSD203', N'ASS2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'DBI202', N'ASS2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAD101', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAE101', N'ASS2', 6, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAI391', N'ASS2', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAS291', N'ASS2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'PFP191', N'ASS2', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CEA201', N'ASS3', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAD101', N'ASS3', 9.2, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAE101', N'ASS3', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAI391', N'ASS3', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAS291', N'ASS3', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CEA201', N'EX1', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'SSG104', N'EX1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CEA201', N'EX2', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'SSG104', N'EX2', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CEA201', N'FE', 7.8, NULL, CAST(N'2022-03-31' AS Date))
GO
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSI104', N'FE', 5.9, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'JPD113', N'FE', 7.8, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAD101', N'FE', 5.1, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAE101', N'FE', 8.1, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAI391', N'FE', 4.8, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'MAS291', N'FE', 8.9, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'SSG104', N'FE', 9.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSD203', N'FE_CODE', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'DBI202', N'FE_CODE', 9.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'PFP191', N'FE_CODE', 7.7, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSD203', N'LAB', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'DBI202', N'LAB', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'PFP191', N'LAB', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSI104', N'LAB1', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSI104', N'LAB2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'JPD113', N'LIS', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'AIG201c', N'ONLY_GRADE', 6.4, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'CSD203', N'PE', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'DBI202', N'PE', 5.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1505', N'PFP191', N'PE', 5, NULL, CAST(N'2022-07-23' AS Date))

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'CSI104', 'PRE', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'CSI104', 'PT1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'DBI202', 'PT1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAD101', 'PT1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAE101', 'PT1', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAI391', 'PT1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAS291', 'PT1', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'CSI104', 'PT2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAD101', 'PT2', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAE101', 'PT2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAI391', 'PT2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAS291', 'PT2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'CSI104', 'PT3', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAD101', 'PT3', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAE101', 'PT3', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAI391', 'PT3', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'MAS291', 'PT3', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'SSG104', 'QZ1', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'SSG104', 'QZ2', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'SSG104', 'QZ3', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'JPD113', 'VOCAB', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1505', 'JPD113', 'WRITE', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'CEA201', 'ASS1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'CSD203', 'ASS1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'DBI202', 'ASS1', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'MAD101', 'ASS1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'MAE101', 'ASS1', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'MAI391', 'ASS1', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES ('HE1600', 'MAS291', 'ASS1', 7.9, NULL, NULL)
```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'PFP191', N'ASS1', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CEA201', N'ASS2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSD203', N'ASS2', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'DBI202', N'ASS2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAD101', N'ASS2', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAE101', N'ASS2', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAI391', N'ASS2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAS291', N'ASS2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'PFP191', N'ASS2', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CEA201', N'ASS3', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAD101', N'ASS3', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAE101', N'ASS3', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAI391', N'ASS3', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAS291', N'ASS3', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CEA201', N'EX1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'SSG104', N'EX1', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CEA201', N'EX2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'SSG104', N'EX2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CEA201', N'FE', 5, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'FE', 7.6, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'JPD113', N'FE', 8.4, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAD101', N'FE', 6, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAE101', N'FE', 8.4, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAI391', N'FE', 6.7, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAS291', N'FE', 7.3, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'SSG104', N'FE', 9.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSD203', N'FE_CODE', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'DBI202', N'FE_CODE', 7.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'PFP191', N'FE_CODE', 9.5, NULL, CAST(N'2022-07-30' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSD203', N'LAB', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'DBI202', N'LAB', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'PFP191', N'LAB', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'LAB1', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'LAB2', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'JPD113', N'LIS', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'AIG201c', N'ONLY_GRADE', 9.2, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSD203', N'PE', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'DBI202', N'PE', 5.3, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'PFP191', N'PE', 9.3, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'PRE', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'PT1', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'DBI202', N'PT1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAD101', N'PT1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAE101', N'PT1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAI391', N'PT1', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAS291', N'PT1', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'PT2', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAD101', N'PT2', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAE101', N'PT2', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAI391', N'PT2', 5.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAS291', N'PT2', 6.3, NULL, NULL)
GO
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'CSI104', N'PT3', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAD101', N'PT3', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAE101', N'PT3', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAI391', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'MAS291', N'PT3', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1600', N'SSG104', N'QZ1', 5.4, NULL, NULL)

```

[illegible]

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CEA201', N'FE', 8, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSI104', N'FE', 9.6, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'JPD113', N'FE', 5.3, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAD101', N'FE', 5.3, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAE101', N'FE', 8.1, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAI391', N'FE', 6.5, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAS291', N'FE', 9.5, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'SSG104', N'FE', 8.7, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSD203', N'FE_CODE', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'DBI202', N'FE_CODE', 7.3, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'PFP191', N'FE_CODE', 8.9, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSD203', N'LAB', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'DBI202', N'LAB', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'PFP191', N'LAB', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSI104', N'LAB1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSI104', N'LAB2', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'JPD113', N'LIS', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'AIG201c', N'ONLY_GRADE', 6.1, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSD203', N'PE', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'DBI202', N'PE', 8, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'PFP191', N'PE', 5, NULL, CAST(N'2022-07-23' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSI104', N'PRE', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'CSI104', N'PT1', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'DBI202', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAD101', N'PT1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAE101', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAI391', N'PT1', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1601', N'MAS291', N'PT1', 7.8, NULL, NULL)

```

```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'CSI104', 'PT2', 4.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAD101', 'PT2', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAE101', 'PT2', 7.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAI391', 'PT2', 5.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAS291', 'PT2', 7.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'CSI104', 'PT3', 7.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAD101', 'PT3', 8.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAE101', 'PT3', 5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAI391', 'PT3', 8.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'MAS291', 'PT3', 6.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'SSG104', 'QZ1', 4.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'SSG104', 'QZ2', 8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'SSG104', 'QZ3', 6.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'JPD113', 'VOCAB', 8.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1601', 'JPD113', 'WRITE', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'CEA201', 'ASS1', 7.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'CSD203', 'ASS1', 8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'DBI202', 'ASS1', 6.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAD101', 'ASS1', 6.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAE101', 'ASS1', 6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAI391', 'ASS1', 8.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAS291', 'ASS1', 5.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'PFP191', 'ASS1', 4.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'CEA201', 'ASS2', 6.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'CSD203', 'ASS2', 6.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'DBI202', 'ASS2', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAD101', 'ASS2', 7.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAE101', 'ASS2', 9.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HE1602', 'MAI391', 'ASS2', 6.5, NULL, NULL)
```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAS291', N'ASS2', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'PFP191', N'ASS2', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CEA201', N'ASS3', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAD101', N'ASS3', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAE101', N'ASS3', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAI391', N'ASS3', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAS291', N'ASS3', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CEA201', N'EX1', 9.3, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'SSG104', N'EX1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CEA201', N'EX2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'SSG104', N'EX2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CEA201', N'FE', 7.1, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'FE', 7.3, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'JPD113', N'FE', 8.6, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAD101', N'FE', 7, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAE101', N'FE', 7.3, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAI391', N'FE', 5.7, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAS291', N'FE', 9.4, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'SSG104', N'FE', 5.1, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSD203', N'FE_CODE', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'DBI202', N'FE_CODE', 5.1, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'PFP191', N'FE_CODE', 7.5, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSD203', N'LAB', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'DBI202', N'LAB', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'PFP191', N'LAB', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'LAB1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'LAB2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'JPD113', N'LIS', 8.7, NULL, NULL)

```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'AIG201c', N'ONLY_GRADE', 9.4, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSD203', N'PE', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'DBI202', N'PE', 7.2, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'PFP191', N'PE', 4.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'PRE', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'PT1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'DBI202', N'PT1', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAD101', N'PT1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAE101', N'PT1', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAI391', N'PT1', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAS291', N'PT1', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'PT2', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAD101', N'PT2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAE101', N'PT2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAI391', N'PT2', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAS291', N'PT2', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'CSI104', N'PT3', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAD101', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAE101', N'PT3', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAI391', N'PT3', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'MAS291', N'PT3', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'SSG104', N'QZ1', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'SSG104', N'QZ2', 4.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'SSG104', N'QZ3', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'JPD113', N'VOCAB', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1602', N'JPD113', N'WRITE', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CEA201', N'ASS1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSD203', N'ASS1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'DBI202', N'ASS1', 8.7, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAD101', N'ASS1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAE101', N'ASS1', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAI391', N'ASS1', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAS291', N'ASS1', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'PFP191', N'ASS1', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CEA201', N'ASS2', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSD203', N'ASS2', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'DBI202', N'ASS2', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAD101', N'ASS2', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAE101', N'ASS2', 8.7, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAI391', N'ASS2', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAS291', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'PFP191', N'ASS2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CEA201', N'ASS3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAD101', N'ASS3', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAE101', N'ASS3', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAI391', N'ASS3', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAS291', N'ASS3', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CEA201', N'EX1', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'SSG104', N'EX1', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CEA201', N'EX2', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'SSG104', N'EX2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CEA201', N'FE', 6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'FE', 8.3, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'JPD113', N'FE', 8.5, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAD101', N'FE', 4.8, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAE101', N'FE', 7.5, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAI391', N'FE', 5.9, NULL, CAST(N'2022-11-21' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAS291', N'FE', 6.7, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'SSG104', N'FE', 7.2, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSD203', N'FE_CODE', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'DBI202', N'FE_CODE', 6.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'PFP191', N'FE_CODE', 7.2, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSD203', N'LAB', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'DBI202', N'LAB', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'PFP191', N'LAB', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'LAB1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'LAB2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'JPD113', N'LIS', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'AIG201c', N'ONLY_GRADE', 5.9, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSD203', N'PE', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'DBI202', N'PE', 8.8, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'PFP191', N'PE', 6.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'PRE', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'PT1', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'DBI202', N'PT1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAD101', N'PT1', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAE101', N'PT1', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAI391', N'PT1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAS291', N'PT1', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'PT2', 8.3, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAD101', N'PT2', 5.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAE101', N'PT2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAI391', N'PT2', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'MAS291', N'PT2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HE1603', N'CSI104', N'PT3', 9.2, NULL, NULL)

```

[illegible]

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'MAS291', N'ASS3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CEA201', N'EX1', 9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'SSG104', N'EX1', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CEA201', N'EX2', 6.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'SSG104', N'EX2', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CEA201', N'FE', 5.6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSI104', N'FE', 8.9, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'JPD113', N'FE', 5.4, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'MAD101', N'FE', 4.9, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'MAE101', N'FE', 6.1, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'MAI391', N'FE', 7.1, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'MAS291', N'FE', 8.4, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'SSG104', N'FE', 8.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSD203', N'FE_CODE', 6.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'DBI202', N'FE_CODE', 8.1, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'PFP191', N'FE_CODE', 8.9, NULL, CAST(N'2022-07-30' AS Date))

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSD203', N'LAB', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'DBI202', N'LAB', 8.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'PFP191', N'LAB', 7.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSI104', N'LAB1', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSI104', N'LAB2', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'JPD113', N'LIS', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'AIG201c', N'ONLY_GRADE', 5, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSD203', N'PE', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'DBI202', N'PE', 9.5, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'PFP191', N'PE', 7.7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSI104', N'PRE', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1001', N'CSI104', N'PT1', 7.8, NULL, NULL)

```



```
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'DBI202', 'PT1', 8.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAD101', 'PT1', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAE101', 'PT1', 8.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAI391', 'PT1', 5.9, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAS291', 'PT1', 9.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'CSI104', 'PT2', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAD101', 'PT2', 8.6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAE101', 'PT2', 6.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAI391', 'PT2', 5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAS291', 'PT2', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'CSI104', 'PT3', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAD101', 'PT3', 7.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAE101', 'PT3', 6.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAI391', 'PT3', 7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'MAS291', 'PT3', 6.3, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'SSG104', 'QZ1', 7.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'SSG104', 'QZ2', 9.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'SSG104', 'QZ3', 5.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'JPD113', 'VOCAB', 7.2, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1001', 'JPD113', 'WRITE', 7.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'CEA201', 'ASS1', 8.4, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'CSD203', 'ASS1', 4.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'DBI202', 'ASS1', 8.8, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'MAD101', 'ASS1', 6.7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'MAE101', 'ASS1', 5.5, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'MAI391', 'ASS1', 6, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'MAS291', 'ASS1', 5.1, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'PFP191', 'ASS1', 7, NULL, NULL)  
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES  
('HS1002', 'CEA201', 'ASS2', 6.9, NULL, NULL)
```



```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSD203', N'ASS2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'DBI202', N'ASS2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAD101', N'ASS2', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAE101', N'ASS2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAI391', N'ASS2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAS291', N'ASS2', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'PFP191', N'ASS2', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CEA201', N'ASS3', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAD101', N'ASS3', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAE101', N'ASS3', 6.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAI391', N'ASS3', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAS291', N'ASS3', 5.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CEA201', N'EX1', 7.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'SSG104', N'EX1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CEA201', N'EX2', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'SSG104', N'EX2', 4.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CEA201', N'FE', 7.5, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'FE', 6.7, NULL, CAST(N'2022-03-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'JPD113', N'FE', 8, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAD101', N'FE', 6.5, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAE101', N'FE', 8.8, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAI391', N'FE', 8.7, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAS291', N'FE', 8.7, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'SSG104', N'FE', 6.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSD203', N'FE_CODE', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'DBI202', N'FE_CODE', 7.4, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'PFP191', N'FE_CODE', 8.6, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSD203', N'LAB', 5.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'DBI202', N'LAB', 6.5, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'PFP191', N'LAB', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'LAB1', 7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'LAB2', 9.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'JPD113', N'LIS', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'AIG201c', N'ONLY_GRADE', 4.9, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSD203', N'PE', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'DBI202', N'PE', 6.7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'PFP191', N'PE', 5.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'PRE', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'PT1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'DBI202', N'PT1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAD101', N'PT1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAE101', N'PT1', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAI391', N'PT1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAS291', N'PT1', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'PT2', 6.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAD101', N'PT2', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAE101', N'PT2', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAI391', N'PT2', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAS291', N'PT2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'CSI104', N'PT3', 6.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAD101', N'PT3', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAE101', N'PT3', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAI391', N'PT3', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'MAS291', N'PT3', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'SSG104', N'QZ1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'SSG104', N'QZ2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'SSG104', N'QZ3', 6.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'JPD113', N'VOCAB', 7.9, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1002', N'JPD113', N'WRITE', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CEA201', N'ASS1', 5.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSD203', N'ASS1', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'DBI202', N'ASS1', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'ASS1', 9.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'ASS1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'ASS1', 5.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'ASS1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'PFP191', N'ASS1', 8.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CEA201', N'ASS2', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSD203', N'ASS2', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'DBI202', N'ASS2', 5.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'ASS2', 8.5, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'ASS2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'ASS2', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'ASS2', 6.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'PFP191', N'ASS2', 8.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CEA201', N'ASS3', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'ASS3', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'ASS3', 5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'ASS3', 9.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'ASS3', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CEA201', N'EX1', 5.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'SSG104', N'EX1', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CEA201', N'EX2', 7.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'SSG104', N'EX2', 7.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CEA201', N'FE', 6, NULL, CAST(N'2022-03-31' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'FE', 7, NULL, CAST(N'2022-03-30' AS Date))

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'JPD113', N'FE', 8.2, NULL, CAST(N'2022-11-16' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'FE', 5.9, NULL, CAST(N'2022-08-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'FE', 6.2, NULL, CAST(N'2022-04-02' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'FE', 4.9, NULL, CAST(N'2022-11-21' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'FE', 8.6, NULL, CAST(N'2022-11-20' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'SSG104', N'FE', 8.6, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSD203', N'FE_CODE', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'DBI202', N'FE_CODE', 5.5, NULL, CAST(N'2022-08-01' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'PFP191', N'FE_CODE', 5.3, NULL, CAST(N'2022-07-30' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSD203', N'LAB', 8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'DBI202', N'LAB', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'PFP191', N'LAB', 8.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'LAB1', 7.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'LAB2', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'JPD113', N'LIS', 8.5, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'AIG201c', N'ONLY_GRADE', 8.3, NULL, CAST(N'2022-08-13' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSD203', N'PE', 7.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'DBI202', N'PE', 7, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'PFP191', N'PE', 8.9, NULL, CAST(N'2022-07-23' AS Date))
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'PRE', 6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'PT1', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'DBI202', N'PT1', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'PT1', 8.4, NULL, NULL)

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'PT1', 5.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'PT1', 8.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'PT1', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'PT2', 7.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'PT2', 6.9, NULL, NULL)

```

```

INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'PT2', 8.4, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'PT2', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'PT2', 8.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'CSI104', N'PT3', 8.7, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAD101', N'PT3', 7.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAE101', N'PT3', 7.6, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAI391', N'PT3', 9.3, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'MAS291', N'PT3', 6.9, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'SSG104', N'QZ1', 9.1, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'SSG104', N'QZ2', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'SSG104', N'QZ3', 9.2, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'JPD113', N'VOCAB', 6.8, NULL, NULL)
INSERT [dbo].[GRADE] ([StudentID], [SubID], [WeightID], [Value], [Status], [Date]) VALUES
(N'HS1003', N'JPD113', N'WRITE', 9.3, NULL, NULL)

```

```

INSERT [dbo].[Group] ([GroupID], [GroupName], [Major]) VALUES (N'AI1607', NULL,
N'Artificial Intelligence')
INSERT [dbo].[Group] ([GroupID], [GroupName], [Major]) VALUES (N'AI1701', NULL,
N'Artificial Intelligence')
INSERT [dbo].[Group] ([GroupID], [GroupName], [Major]) VALUES (N'IA1604', NULL,
N'Information Assurance')
INSERT [dbo].[Group] ([GroupID], [GroupName], [Major]) VALUES (N'IA1622', NULL,
N'Information Assurance')
INSERT [dbo].[Group] ([GroupID], [GroupName], [Major]) VALUES (N'IOT1634', NULL,
N'Internet of Things')
INSERT [dbo].[Group] ([GroupID], [GroupName], [Major]) VALUES (N'SE1666', NULL,
N'Software Engineering')

```

```

INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HA1001', N'IA1604')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HA1002', N'IA1604')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HA1003', N'IA1604')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1001', N'IA1604')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1002', N'IA1604')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1003', N'AI1607')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1004', N'AI1607')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1005', N'AI1607')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1006', N'AI1607')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1007', N'AI1607')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1008', N'SE1666')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1009', N'SE1666')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1101', N'SE1666')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1111', N'SE1666')

```



```

INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1112', N'SE1666')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1113', N'IOT1634')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE114', N'IOT1634')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1400', N'IOT1634')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1401', N'IOT1634')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1406', N'IOT1634')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1501', N'IA1622')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1502', N'IA1622')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1505', N'IA1622')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1600', N'IA1622')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1601', N'IA1622')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1602', N'AI1701')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HE1603', N'AI1701')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HS1001', N'AI1701')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HS1002', N'AI1701')
INSERT [dbo].[JOIN] ([StudentID], [GroupID]) VALUES (N'HS1003', N'AI1701')

```

```

INSERT [dbo].[Semester] ([SesID], [SesName], [StartDate], [EndDate]) VALUES (N'FA21',
N'Fall2021', CAST(N'2021-09-06' AS Date), CAST(N'2021-11-16' AS Date))
INSERT [dbo].[Semester] ([SesID], [SesName], [StartDate], [EndDate]) VALUES (N'FA22',
N'Fall2022', CAST(N'2022-09-06' AS Date), CAST(N'2022-11-16' AS Date))
INSERT [dbo].[Semester] ([SesID], [SesName], [StartDate], [EndDate]) VALUES (N'SP22',
N'Spring2022', CAST(N'2022-01-04' AS Date), CAST(N'2022-03-14' AS Date))
INSERT [dbo].[Semester] ([SesID], [SesName], [StartDate], [EndDate]) VALUES (N'SU21',
N'Summer2021', CAST(N'2021-05-17' AS Date), CAST(N'2021-07-27' AS Date))
INSERT [dbo].[Semester] ([SesID], [SesName], [StartDate], [EndDate]) VALUES (N'SU22',
N'Summer2022', CAST(N'2022-05-10' AS Date), CAST(N'2022-07-20' AS Date))

```

```

INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HA1001', N'Dung', N'Lê Kim', 0, N'dungdung@gmail.com', CAST(N'2001-
03-13' AS Date), N'Hòa Bình')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HA1002', N'Khải', N'Nguyễn Văn', 1, N'khaikhai@gmail.com',
CAST(N'2001-04-14' AS Date), N'Tuyên Quang')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HA1003', N'Tuấn', N'Đào Văn', 1, N'tuanvm@gmail.com', CAST(N'2002-
01-25' AS Date), N'Thái Nguyên')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1001', N'Huy', N'Nguyễn Quang', 1, N'huyngqzz@gmail.com',
CAST(N'2002-01-01' AS Date), N'Phú Thọ')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1002', N'Hùng', N'Nguyễn Văn', 1, N'hunghung@gmail.com',
CAST(N'2002-02-02' AS Date), N'Lạng Sơn')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1003', N'Long', N'Nguyễn Thành', 1, N'longlong@gmail.com',
CAST(N'2001-03-22' AS Date), N'Quảng Ninh')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1004', N'Châu', N'Phan Bội', 1, N'chauchau@gmail.com',
CAST(N'2001-12-12' AS Date), N'Hà Nội')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1005', N'Chung', N'Trần Văn', 1, N'chungchung@gmai.com',
CAST(N'2002-11-23' AS Date), N'Thái Bình')

```



```

INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1006', N'Sơn', N'Ngô Tùng', 1, N'sonnt@gmail.com', CAST(N'2001-12-
01' AS Date), N'Hà Nội')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1007', N'Nam', N'Đỗ Duy', 1, N'namnam@gmail.com', CAST(N'2002-06-
06' AS Date), N'Nam Định')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1008', N'Minh', N'Nguyễn Duy', 1, N'minhminh@gmail.com',
CAST(N'2002-07-01' AS Date), N'Thanh Hóa')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1009', N'Hải', N'Phan Mạnh', 1, N'haihhai@gmail.com', CAST(N'2002-
05-13' AS Date), N'Vĩnh Phúc')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1101', N'Nhien', N'Phạm An', 0, N'panhien@gmail.com', CAST(N'2002-
04-11' AS Date), N'Hải Phòng')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1111', N'Đạt ', N'Nguyễn Thành', 1, N'ntdat@gmail.com',
CAST(N'2002-08-11' AS Date), N'Lạng Sơn')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1112', N'Đức ', N'Nguyễn Anh', 1, N'naduc@gmail.com', CAST(N'2002-
09-11' AS Date), N'Nam Định')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1113', N'Gia ', N'Nguyễn Hoàng', 1, N'nhgia@gmail.com',
CAST(N'2002-10-11' AS Date), N'Hà Nội')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE114', N'Quân', N'Vũ Ngọc Minh', 1, N'vnmquan@gmail.com',
CAST(N'2002-11-11' AS Date), N'Hà Nội')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1400', N'Linh', N'Phạm Ái', 0, N'palinh@gmail.com', CAST(N'2002-
10-10' AS Date), N'Hải Phòng')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1401', N'Hạ', N'Phạm An', 0, N'paha@gmail.com', CAST(N'2002-02-11'
AS Date), N'Tuyên Quang')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1406', N'Nhàn', N'Nguyễn Thị', 0, N'ntnhan@gmail.com',
CAST(N'2002-03-11' AS Date), N'Hòa Bình')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1501', N'Hoà', N'Dương Thanh ', 0, N'dthoa@gmail.com',
CAST(N'2002-05-11' AS Date), N'Vĩnh Phúc')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1502', N'Hồng', N'Phạm Ánh', 0, N'pahong@gmail.com', CAST(N'2002-
06-11' AS Date), N'Hà Nội')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1505', N'Nguyệt', N'Trần Nhung', 0, N'tnnguyet@gmail.com',
CAST(N'2002-07-11' AS Date), N'Thanh Hóa')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1600', N'Thương', N'Nguyễn Cảnh', 1, N'thuong@gmail.com',
CAST(N'2002-01-26' AS Date), N'Bắc Giang')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1601', N'Chiến', N'Nguyễn Văn', 1, N'vanchien@gmail.com',
CAST(N'2002-01-23' AS Date), N'Hải Phòng')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1602', N'Dũng', N'Ngô Tiến', 1, N'tiendung@gmail.com',
CAST(N'2001-09-11' AS Date), N'Phú Thọ')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HE1603', N'Cường', N'Văn Tự', 1, N'tucuong@gmail.com', CAST(N'2001-
09-19' AS Date), N'Phú Thọ')

```

```

INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HS1001', N'Linh', N'Đỗ Ngọc', 0, N'lingling@gmail.com', CAST(N'2002-
06-14' AS Date), N'Lào Cai')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HS1002', N'Ngoc', N'Trần Phương', 0, N'ngocngoccc@gmail.com',
CAST(N'2002-01-10' AS Date), N'Yên Bái')
INSERT [dbo].[Students] ([StudentID], [FName], [LName], [Gender], [Email], [DoB],
[Address]) VALUES (N'HS1003', N'Chi', N'Phan Hải', 0, N'chichi@gmail.com', CAST(N'2002-
08-24' AS Date), N'Điện Biên')

```

```

INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'AIG201c', N'Artificial Intelligence', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'CEA201', N'Computer Organization and Architecture', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'CSD203', N'Data Structures and Algorithm with Python', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'CSI104', N'Introduction to Computer Science', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'DBI202', N'Introduction to Databases', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'JPD113', N'Elementary Japanese 1-A1.1', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'MAD101', N'Discrete mathematics', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'MAE101', N'Mathematics for Engineering', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'MAI391', N'Advanced mathematics', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'MAS291', N'Statistics and Probability', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'PPF191', N'Programming Fundamentals with Python', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'SSG104', N'Communication and In-Group Working Skills', NULL, NULL)
INSERT [dbo].[Subject] ([SubID], [SubName], [Sub_Status], [InstructID]) VALUES
(N'SSL101c', N'Academic Skills for University Success', NULL, NULL)

```

```

INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'ASS1', 0.1,
N'Assignment 1')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'ASS2', 0.1,
N'Assignment 2')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'ASS3', 0.1,
N'Assignment 3')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'EX1', 0.15,
N'Exercises 1')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'EX2', 0.15,
N'Exercises 2')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'FE', 0.4,
N'Final Exam')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'FE_CODE',
0.3, N'Final Exam Code')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'FER', 0.4,
N'Final Exam Resit')

```

```
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'LAB', 0.1,
N'Lab')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'LAB1', 0.1,
N'Lab1')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'LAB2', 0.1,
N'Lab2')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'LAB3', 0.1,
N'Lab3')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'LIS', 0.2,
N'Listening')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'ONLY_GRADE',
1, N'Subject has only FE test scores')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'PE', 0.3,
N'Practice Exam')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'PRE', 0.1,
N'Presentation')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'PT1', 0.1,
N'Progress Test 1')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'PT2', 0.1,
N'Progress Test 2')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'PT3', 0.1,
N'Progress Test 3')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'QZ1', 0.1,
N'Quiz1')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'QZ2', 0.1,
N'Quiz2')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'QZ3', 0.1,
N'Quiz3')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'VOCAB', 0.2,
N'Vocabulary')
INSERT [dbo].[Weight] ([WeightID], [weight_details], [weightName]) VALUES (N'WRITE', 0.2,
N'Writing')
```

Final Report

ALL QUERY

---INDEX---

```
CREATE INDEX Check_Name ON Students([FName])
```

```
SELECT * FROM Students WHERE [FName] = N'Hải'
```

-- STORED PROCEDURE --

```
CREATE PROC Count_Weight
    @WeightDetails FLOAT,
    @Count INT OUT
```

```
AS
```

```
BEGIN
```

```
    SELECT @Count = COUNT(*) FROM [Weight] WHERE weight_details = @WeightDetails;
    RETURN 0;
```

```
END
```

```
DECLARE @CountWeight INT = 0;
```

```
EXEC Count_Weight @WeightDetails = 0.1, @Count = @CountWeight OUT;
```

```
PRINT @CountWeight;
```

--TRIGGER--

```
CREATE TRIGGER Check_Grade_FE ON GRADE
```

```
AFTER INSERT, UPDATE
```

```
AS
```

```
    DECLARE @STUDENTID VARCHAR(10);
```

```
    DECLARE @SUBID VARCHAR(10);
```

```
    DECLARE @WEIGHTID VARCHAR(50);
```

```
    DECLARE @VALUE FLOAT;
```

```
    SELECT @STUDENTID = StudentID FROM inserted;
```

```
    SELECT @SUBID = SubID FROM inserted;
```

```
    SELECT @WEIGHTID = WeightID FROM inserted;
```

```
    SELECT @VALUE = Value FROM inserted;
```

```
    IF @WEIGHTID = 'FE' AND @VALUE > 7.5
```

```
    BEGIN
```

```
        UPDATE Grade SET Status = 'Passed' WHERE StudentID = @STUDENTID
        AND SubID = @SUBID
```

```
    END
```

```
SELECT *FROM GRADE WHERE StudentID = 'XXXXX'
```

```
DELETE FROM GRADE WHERE StudentID = 'XXXXX'
```

```

INSERT GRADE(StudentID,SubID,WeightID,[Value]) VALUES
('XXXXX','MAI391','FE',ROUND((RAND()*(10-2)+8),1))
INSERT GRADE(StudentID,SubID,WeightID,[Value]) VALUES
('XXXXX','MAI391','FE',ROUND((RAND()*(10-4)),1))

```

--1: ORDER BY --

```

SELECT * FROM Students ORDER BY StudentID

```

--2: INNER JOIN --

```

SELECT StudentID,SubID,w.WeightID,Value,weight_details FROM GRADE d
inner join [Weight] w ON d.WeightID = w.WeightID

```

--3: AGGREGATE FUNCTION --

```

SELECT count(StudentID) AS [Number of Students] FROM Students

```

--4: GROUP BY AND HAVING

```

SELECT SubID,SUM(Part) FROM
(SELECT s.SubID,s.SubName,CategoryName AS [Category], Type,Part,Weight,[Completion
Criteria],Duration,CLO From Assessment a
inner join Category c ON a.CategoryID = c.CategoryID
inner join [Subject] s ON s.SubID = a.SubID ) AS tbl
GROUP BY tbl.SubName,tbl.SubID
HAVING tbl.SubID <> 'CEA201'

```

--5: A SUB-QUERY AS A RELATION

```

SELECT s.StudentID,LName+' '+FName AS [Full Name],g.GroupID,Major,SesName,SubName
FROM Students s
INNER JOIN [JOIN] AS j ON s.StudentID = j.StudentID
INNER JOIN [Group] AS g ON j.GroupID = g.GroupID
INNER JOIN [ENROLL] AS e ON e.GroupID = g.GroupID
INNER JOIN [Semester] AS ses ON ses.SesID = e.SesID
INNER JOIN [ACADEMIC] AS aca ON ses.SesID = aca.SesID
INNER JOIN [Subject] AS sub ON aca.SubID = sub.SubID
WHERE SesName = 'Fall2022' AND s.StudentID = 'HA1001'
ORDER BY s.StudentID,g.GroupID,Major

```

--6: A SUB-QUERY IN THE WHERE CLAUS

```

SELECT StudentID,SubID,sum(tbl2.avg) AS [Total_Grade] FROM

(SELECT StudentID,SubID,sum([value]*[weight_details]/1) AS [avg] FROM

(SELECT StudentID,SubID,w.WeightID,Value,weight_details FROM GRADE d
inner join [Weight] w ON d.WeightID = w.WeightID
WHERE StudentID = 'HE1603' ) AS tbl
GROUP BY StudentID,SubID,WeightID) AS tbl2
GROUP BY tbl2.StudentID,tbl2.SubID

```

--8: USES A SELF-JOIN

```
SELECT g1.GroupID,g1.Relation AS [Supervisor] FROM [Group] AS g1
LEFT JOIN [Group] AS g2 ON g1.Relation = g2.GroupID
```

--7: PARTIAL MATCHING IN THE WHERE CLAUSE

```
SELECT SubID,CategoryName AS [Category], Type,Part,Weight,[Completion
Criteria],Duration,CLO,AssID,a.CategoryID FROM Assessment a
inner join Category c ON a.CategoryID = c.CategoryID
WHERE AssID LIKE 'CSI104%'
ORDER BY Category DESC
```

--9:

```
SELECT tbl4.StudentID, SesID, ROUND((sum(Total_Grade)/count(SesID)),2) AS [Average]
FROM
(SELECT StudentID, SesID, Total_Grade FROM
(SELECT StudentID,SubID,sum(tbl2.avg) AS [Total_Grade] FROM

(SELECT StudentID,SubID,sum([value]*[weight_details]/1) AS [avg] FROM

(SELECT StudentID,SubID,w.WeightID,Value,weight_details FROM GRADE d
inner join [Weight] w ON d.WeightID = w.WeightID
WHERE StudentID = 'HE1603') AS tbl1
GROUP BY StudentID,SubID,WeightID) AS tbl2
GROUP BY tbl2.StudentID,tbl2.SubID ) AS tbl3
inner join ACADEMIC ac ON ac.SubID = tbl3.SubID) AS tbl4
GROUP BY tbl4.StudentID,tbl4.SesID
```

--10:

```
SELECT tbl5.StudentID, tbl5.[Average Grade All],
(
CASE
WHEN tbl5.[Average Grade All] < 7.1 THEN ' HSY '
WHEN [Average Grade All] >= 7.1 and [Average Grade All] < 8 THEN ' HSTT '
WHEN [Average Grade All] >= 8 THEN ' HSG '
END
) AS Ranking
FROM
(SELECT s.StudentID,LName + ' ' + FName AS [Full Name], [Average Grade All] FROM
(SELECT StudentID,ROUND((SUM(Total_Grade)/COUNT(StudentID)),2) AS [Average Grade All]
FROM
(SELECT StudentID,SubID,SUM(tbl2.AVG) AS [Total_Grade] FROM

(SELECT StudentID,SubID,SUM([value]*[weight_details]/1) AS [avg] FROM

(SELECT StudentID,SubID,w.WeightID,Value,weight_details FROM GRADE d
inner join [Weight] w ON d.WeightID = w.WeightID) AS tbl1
GROUP BY StudentID,SubID,WeightID) AS tbl2
GROUP BY tbl2.StudentID,tbl2.SubID ) AS tbl3
GROUP BY tbl3.StudentID) AS tbl4
INNER JOIN Students s ON tbl4.StudentID = s.StudentID) AS tbl5
```