

OneATSSetup Build Guide

- Required:
 - INNO Setup 6(https://jrsoftware.org/isdl.php) (Inno Setup Compiler version 6.2.1)
 - Python (https://www.python.org/downloads/)
 - Module Setup Files (MongoDB.msi, Fep.msi, DataServer.msi, DataEditor.msi, HMI.exe, His.msi, and Third-party files...)
- Tạo một thư mục chứa các file cài đặt (ở đây là folder "Setup_File") với cấu trúc
 tree như hình (bao gồm 1 folder "Third-party" và các module cài đặt)



Cấu trúc thư mục "Third-party" như hình sau:



Trong đó các thư mục được nén sẵn (MongoDB Initiate, opc-core-component...) thì giải nén và copy vào thư mục tổng theo cấu trúc như các hình trên, (lưu ý vị trí file "MongoDBLicense.txt" (download : https://ldrv.ms/u/s!AlW38pmCsvT6rRUXitUzm1-F1PUE?e=dyLZYw) được đặt trong thư mục "Third-party" và file cài MongoDB đặt ở trong thư mục "Third-party").

- Đảm bảo các file, thư mục được cấu trúc giống như trên rồi chạy file script "oa_setup_build_script.py" và truyền tham số '- -working_dir' là đường dẫn dến thư mục "Setup_File" (source)

Output	11/24/2022 2:08 PM	File folder
a config.ini	11/24/2022 2:08 PM	Configuration sett
🗟 oa_setup_build_script .py	11/24/2022 2:25 PM	Python File
OneATSSetup.iss	11/23/2022 11:24 PM	ISS File

Nếu thành công thì chương sẽ tự sinh ra file "config.ini" và folder "Output" chứa file cài đặt "OneATSSetup.exe"

PS C:\Users\Admin> python "D:\Projects\OneATSSetup_InnoSetup\oa_setup_build_script.py" --working_dir "D:\Setup_file"

Mở command prompt và chay script "oa setup build script.py"

Ví du:

PS C:\Users\Admin> python "D:\Projects\OneATSSetup_InnoSetup\oa_setup_build_script.py" --working_dir "D:\Setup_file"

 Các file: MongoDBLicense.txt, config.ini, ví dụ về cấu trúc thư mục "Setup_File" có trong thư mục "File Utility", download: https://ldrv.ms/u/s!AlW38pmCsvT6rRUXitUzm1-F1PUE?e=dyLZYw

Compile inno script successful:

```
Compressing: D:\Projects\OneATSSetup_InnoSetup\Source\Third-party\MongoDB Initiate\data\mongod.lock
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\sizeStore.ut
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\sizeStore.ut
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\storage.bson
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\WiredTiger.Uck
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\WiredTiger.bck
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\WiredTiger.turtle
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\MongoDB Initiate\data\WiredTiger.wt
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\Third-party\WiredTiger.wt
Compressing: D:\Projects\OneATSSetup_InnoSetup\source\Third-party\Third-party\Projects\OneATSSetup_InnoSetup\source\Third-party\Third-party\Third\OneATSSetup_InnoSetup\source\Third-party\Third-party\Third\OneATSSetup_InnoSetup\source\Third-party\Third-party\Third\OneATSSetup_InnoSetup\source\Third-party\Third-party\Third\OneATSSetup_InnoSetup\source\Third-party\Third-party\Third\OneATSSetup_InnoSetup\source\Third-party\OneATSSetup_InnoSetup\source\Third-party\OneATSSetup_InnoSetup\Source\Third-party\OneATSSetup_InnoSetu
```