# api-suite23

#### **Execution Environment**

Host name huynguyen - 192.168.34.29

OS Mac OS X 64bit
Katalon version 7.2.2.\${buildNumber}

Browser

Summary

ID Test Suites/api-suite23

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-12-27 17:54:57 End 2019-12-27 17:55:02

Elapsed 4.577s

#	ID	Description	Status
1	Test Cases/mockoon		FAILED

## mockoon

#### Information

ID Test Cases/mockoon

Description

Tag

Start 2019-12-27 17:54:58 End 2019-12-27 17:55:02

Elapsed 4.249s Status FAILED

Details

# Description Elapsed Status

## mockoon

	-, ,	0
Description	Elapsed	Stat
sendRequest(findTestObject("mockoon"))	1.493s	FAIL
Unable to send request (Root cause: org.apache.http.conn.		
HttpHostConnectException: Connect to 127.0.0.1:5000 [/127.0.0.1] failed:		
Connection refused (Connection refused)		
at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.		
connect(DefaultHttpClientConnectionOperator.java:151)		
at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.		
connect(PoolingHttpClientConnectionManager.java:353)		
at org.apache.http.impl.execchain.MainClientExec.establishRoute		
(MainClientExec.java:380)		
at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:236)		
at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:		
184)		
at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)		
at org.apache.http.impl.client.InternalHttpClient.doExecute		
(InternalHttpClient.java:184)		
at org.apache.http.impl.client.CloseableHttpClient.execute		
(CloseableHttpClient.java:82)		
at com.kms.katalon.core.webservice.common.RestfulClient.response		
(RestfulClient.java:207)		
at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest		
(RestfulClient.java:140)		
at com.kms.katalon.core.webservice.common.RestfulClient.send (RestfulClient.java:75)		
at com.kms.katalon.core.webservice.keyword.builtin.		
SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:		
42)		
at com.kms.katalon.core.webservice.keyword.builtin.		
SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.		
sendRequest(SendRequestKeyword.groovy:38)		
at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.		
execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.		
sendRequest(WSBuiltInKeywords.groovy:40)		
at com.kms.katalon.core.webservice.keyword.		
WSBuiltInKeywords\$sendRequest.call(Unknown Source)		
at mockoon.run(mockoon:17)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestCaseMainPhase(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:142)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
(TestSuiteExecutor.java:91)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
         at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
         at TempTestSuite1577444095210.run(TempTestSuite1577444095210.
groovy:36)
Caused by: java.net.ConnectException: Connection refused (Connection refused)
         at org.apache.http.conn.socket.PlainConnectionSocketFactory.
connectSocket(PlainConnectionSocketFactory.java:74)
         at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.
connect(DefaultHttpClientConnectionOperator.java:134)
          at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.
connect(PoolingHttpClientConnectionManager.java:353)
         at org.apache.http.impl.execchain.MainClientExec.establishRoute
(MainClientExec.java:380)
         at\ org. apache. http. impl. execchain. Main Client Exec. execute (Main Client Exec.
java:236)
         at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:
184)
         at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
         at org.apache.http.impl.client.InternalHttpClient.doExecute
(InternalHttpClient.java:184)
         at org.apache.http.impl.client.CloseableHttpClient.execute
(CloseableHttpClient.java:82)
         at com.kms.katalon.core.webservice.common.RestfulClient.response
(RestfulClient.java:207)
         at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest
(RestfulClient.java:140)
         at com.kms.katalon.core.webservice.common.RestfulClient.send
(RestfulClient.java:75)
         at com.kms.katalon.core.webservice.keyword.builtin.
SendRequestKeyword$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:
          at com.kms.katalon.core.webservice.keyword.builtin.
SendRequestKeyword$_sendRequest_closure1.call(SendRequestKeyword.groovy)
         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
          at com.kms.katalon.core.webservice.keyword.builtin.SendReguestKeyword.
sendRequest(SendRequestKeyword.groovy:38)
         at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.
execute(SendRequestKeyword.groovy:33)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:72)
         at com.kms.katalon.core.webservice.keyword.WSBuiltlnKeywords.
sendRequest(WSBuiltInKeywords.groovy:40)
         at com.kms.katalon.core.webservice.keyword.
WSBuiltInKeywords$sendRequest.call(Unknown Source)
         at Script1575454852721.run(Script1575454852721.groovy:17)
         ... 13 more
)
```

2 Video 0.001s PASSED

Video recording for test case 'Test Cases/mockoon' .