api-suite23

Execution Environment

Host name huynguyen - 192.168.1.5

OS Mac OS X 64bit

Katalon version 7.0.6.1

Browser

Summary

ID Test Suites/api-suite23

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-12-25 23:01:30 End 2019-12-25 23:01:34

Elapsed 4.334s

#	ID	Description	Status
1	Test Cases/mockoon		FAILED

mockoon

Information

ID Test Cases/mockoon

Description

Tag

Start 2019-12-25 23:01:30 End 2019-12-25 23:01:34

Elapsed 4.069s Status FAILED

Details

Description Elapsed Status

mockoon

D	escription	Elapsed	Stat
se	endRequest(findTestObject("mockoon"))	1.347s	FAIL
	nable to send request (Root cause: org.apache.http.conn.		
	ttpHostConnectException: Connect to 127.0.0.1:5000 [/127.0.0.1] failed:		
	onnection refused (Connection refused)		
C	at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.		
-	onnect(DefaultHttpClientConnectionOperator.java:151)		
CC	at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.		
0.0	onnect(PoolingHttpClientConnectionManager.java:353)		
CC	at org.apache.http.impl.execchain.MainClientExec.establishRoute		
/ N	AainClientExec.java:380)		
(11	at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.		
ia	va:236)		
Ja	at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:		
4.0	at org.apache.http://inpli.execchain.ProtocolExec.execute(ProtocolExec.java. 84)		
10	at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)		
	at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java.oo) at org.apache.http.impl.client.InternalHttpClient.doExecute		
71.	nternalHttpClient.java:184)		
(11	at org.apache.http.impl.client.CloseableHttpClient.execute		
10	CloseableHttpClient.java:82)		
(C	at com.kms.katalon.core.webservice.common.RestfulClient.response		
/ E			
(RestfulClient.java:202)		
/ E	at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest RestfulClient.java:135)		
(
/ F	at com.kms.katalon.core.webservice.common.RestfulClient.send		
(1	RestfulClient.java:75)		
C	at com.kms.katalon.core.webservice.keyword.builtin.		
	endRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:		
42			
0	at com.kms.katalon.core.webservice.keyword.builtin. endRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)		
3	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
/ k	KeywordMain.groovy:68)		
(r	at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.		
0.0	endRequest(SendRequestKeyword.groovy:38)		
30	at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.		
Α.	xecute(SendRequestKeyword.groovy:33)		
C)	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
Δ,	xecuteKeywordForPlatform(KeywordExecutor.groovy:60)		
0,	at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.		
86	endRequest(WSBuiltInKeywords.groovy:40)		
	at com.kms.katalon.core.webservice.keyword.		
W	/SBuiltInKeywords\$sendRequest.call(Unknown Source)		
	at mockoon.run(mockoon:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(5	ScriptEngine.java:119)		
(-	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
<i>(</i> T	estCaseExecutor.java:337)		
١.	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(T	TestCaseExecutor.java:328)		
١.	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
<i>(</i> T	estCaseExecutor.java:307)		
′,	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(T	FestCaseExecutor.java:299)		
Ι,	at com.kms.katalon.core.main.TestCaseExecutor.execute		
(T	FestCaseExecutor.java:233)		
(1	at com.kms.katalon.core.main.TestSuiteExecutor.		
20	ccessTestCaseMainPhase(TestSuiteExecutor.java:169)		
al	at com.kms.katalon.core.main.TestSuiteExecutor.		
24	ccessTestSuiteMainPhase(TestSuiteExecutor.java:142)		
al	at com.kms.katalon.core.main.TestSuiteExecutor.execute		

```
Description
                                                                                            Elapsed
                                                                                                              Status
(TestSuiteExecutor.java:91)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
         at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
         at TempTestSuite1577289630073.run(TempTestSuite1577289630073.
groovy:36)
Caused by: java.net.ConnectException: Connection refused (Connection refused)
         at org.apache.http.conn.socket.PlainConnectionSocketFactory.
connectSocket(PlainConnectionSocketFactory.java:74)
         at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.
connect(DefaultHttpClientConnectionOperator.java:134)
          at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.
connect(PoolingHttpClientConnectionManager.java:353)
         at org.apache.http.impl.execchain.MainClientExec.establishRoute
(MainClientExec.java:380)
         at\ org. apache. http. impl. execchain. Main Client Exec. execute (Main Client Exec.
java:236)
         at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:
184)
         at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
         at org.apache.http.impl.client.InternalHttpClient.doExecute
(InternalHttpClient.java:184)
         at org.apache.http.impl.client.CloseableHttpClient.execute
(CloseableHttpClient.java:82)
         at com.kms.katalon.core.webservice.common.RestfulClient.response
(RestfulClient.java:202)
         at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest
(RestfulClient.java:135)
         at com.kms.katalon.core.webservice.common.RestfulClient.send
(RestfulClient.java:75)
         at com.kms.katalon.core.webservice.keyword.builtin.
SendRequestKeyword$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:
          at com.kms.katalon.core.webservice.keyword.builtin.
SendRequestKeyword$_sendRequest_closure1.call(SendRequestKeyword.groovy)
         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
          at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.
sendRequest(SendRequestKeyword.groovy:38)
         at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.
execute(SendRequestKeyword.groovy:33)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webservice.keyword.WSBuiltlnKeywords.
sendRequest(WSBuiltInKeywords.groovy:40)
         at com.kms.katalon.core.webservice.keyword.
WSBuiltInKeywords$sendRequest.call(Unknown Source)
         at Script1575454852721.run(Script1575454852721.groovy:17)
         ... 13 more
)
```

2 Video 0.001s PASSED

Video recording for test case 'Test Cases/mockoon' .