

api-suite23

Execution Environment

Host name	huynguyen - localhost
OS	Mac OS X 64bit
Katalon version	8.1.0.208
Browser	

Summary

ID	Test Suites/api-suite23		
Description			
Total	3		
Passed	0	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	2022-01-18 17:18:13	End	2022-01-18 17:18:25
Elapsed	12.589s		

#	ID	Description	Status
1	Test Cases/wsd		FAILED
2	Test Cases/client-ssl-cert		FAILED
3	Test Cases/mockoon		FAILED

wsdl

Information

ID	Test Cases/wsdl		
Description			
Tag			
Start	2022-01-18 17:18:13	End	2022-01-18 17:18:17
Elapsed	4.008s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.105s	PASSED

wsdl

#	Description	Elapsed	Status
2	<pre>response = sendRequest(findTestObject("wsdl", ["operandA":80]))</pre> <p>Unable to send request (Root cause: com.kms.katalon.core.webservice.exception. WebServiceException: Service endpoint is undefined. at com.kms.katalon.core.webservice.common.SoapClient. populateCommonData(SoapClient.java:78) at com.kms.katalon.core.webservice.common.SoapClient.buildHttpRequest (SoapClient.java:51) at com.kms.katalon.core.webservice.common.BasicRequestor.send (BasicRequestor.java:55) at com.kms.katalon.core.webservice.helper.WebServiceCommonHelper. sendRequest(WebServiceCommonHelper.java:28) at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy: 42) at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. sendRequest(SendRequestKeyword.groovy:38) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. sendRequest(WSBuiltInKeywords.groovy:40) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$sendRequest.call(Unknown Source) at wsdl.run(wsdl:9) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:430) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:421) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:400) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:392) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:273) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1642501088787.run(TempTestSuite1642501088787. groovy:36))</p>	0.881s	FAILED

wsdl

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	0.002s	PASSED
4	Video Video recording for test case 'Test Cases/wsdl' .	0.001s	PASSED

client-ssl-cert

Information

ID	Test Cases/client-ssl-cert		
Description			
Tag	a		
Start	2022-01-18 17:18:17	End	2022-01-18 17:18:21
Elapsed	4.075s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.003s	PASSED

client-ssl-cert

#	Description	Elapsed	Status
2	<pre>response = sendRequest(findTestObject("client-ssl-cert-4"))</pre> <p>Unable to send request (Root cause: com.kms.katalon.core.webservice.exception. SendRequestException: java.net.UnknownHostException: kattestssl.kms- technology.com: nodename nor servname provided, or not known at com.kms.katalon.core.webservice.common.HttpUtil.sendRequest (HttpUtil.java:154) at com.kms.katalon.core.webservice.common.BasicRequestor.send (BasicRequestor.java:58) at com.kms.katalon.core.webservice.helper.WebServiceCommonHelper. sendRequest(WebServiceCommonHelper.java:28) at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy: 42) at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. sendRequest(SendRequestKeyword.groovy:38) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. sendRequest(WSBuiltInKeywords.groovy:40) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$sendRequest.call(Unknown Source) at client-ssl-cert.run(client-ssl-cert:8) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:430) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:421) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:400) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:392) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:273) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1642501088787.run(TempTestSuite1642501088787. groovy:36) Caused by: java.net.UnknownHostException: kattestssl.kms-technology.com: nodename nor servname provided, or not known at org.apache.http.impl.conn.SystemDefaultDnsResolver.resolve (SystemDefaultDnsResolver.java:45) at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator. connect(DefaultHttpClientConnectionOperator.java:111) at org.apache.http.impl.conn.PoolingHttpClientConnectionManager. connect(PoolingHttpClientConnectionManager.java:353)</p>	1.626s	FAILED

client-ssl-cert

#	Description	Elapsed	Status
	<pre> at org.apache.http.impl.execchain.MainClientExec.establishRoute (MainClientExec.java:380) at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec. java:236) at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java: 184) at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88) at org.apache.http.impl.client.InternalHttpClient.doExecute (InternalHttpClient.java:184) at org.apache.http.impl.client.CloseableHttpClient.execute (CloseableHttpClient.java:82) at com.kms.katalon.core.webservice.common.HttpUtil.sendRequest (HttpUtil.java:126) at com.kms.katalon.core.webservice.common.BasicRequestor.send (BasicRequestor.java:58) at com.kms.katalon.core.webservice.helper.WebServiceCommonHelper. sendRequest(WebServiceCommonHelper.java:28) at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy: 42) at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. sendRequest(SendRequestKeyword.groovy:38) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords. sendRequest(WSBuiltInKeywords.groovy:40) at com.kms.katalon.core.webservice.keyword. WSBuiltInKeywords\$sendRequest.call(Unknown Source) at Script1557202692934.run(Script1557202692934.groovy:8) ... 13 more)</pre>		
3	Start listener action : sampleAfterTestCase	0.001s	PASSED
4	Video Video recording for test case 'Test Cases/client-ssl-cert' .	0.001s	PASSED

mockoon

Information

ID	Test Cases/mockoon		
Description			
Tag			
Start	2022-01-18 17:18:21	End	2022-01-18 17:18:25
Elapsed	4.119s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.005s	PASSED

mockoon

#	Description	Elapsed	Status
2	<p>sendRequest(findTestObject("mockoon"))</p> <p>Unable to send request (Root cause: com.kms.katalon.core.webservice.exception.SendRequestException: org.apache.http.conn.HttpHostConnectException: Connect to 127.0.0.1:5000 [/127.0.0.1] failed: Connection refused (Connection refused) at com.kms.katalon.core.webservice.common.HttpUtil.sendRequest (HttpUtil.java:154) at com.kms.katalon.core.webservice.common.BasicRequestor.send (BasicRequestor.java:58) at com.kms.katalon.core.webservice.helper.WebServiceCommonHelper.sendRequest(WebServiceCommonHelper.java:28) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.sendRequest(SendRequestKeyword.groovy:38) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest(WSBuiltInKeywords.groovy:40) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords\$sendRequest.call(Unknown Source) at mockoon.run(mockoon:17) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:430) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:421) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:400) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:392) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:273) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1642501088787.run(TempTestSuite1642501088787.groovy:36) Caused by: org.apache.http.conn.HttpHostConnectException: Connect to 127.0.0.1:5000 [/127.0.0.1] failed: Connection refused (Connection refused) at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:151) at org.apache.http.impl.conn.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:353) at org.apache.http.impl.execchain.MainClientExec.establishRoute (MainClientExec.java:380)</p>	1.717s	FAILED

mockoon

#	Description	Elapsed	Status
	<pre>at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:236) at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184) at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88) at org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184) at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82) at com.kms.katalon.core.webservice.common.HttpUtil.sendRequest(HttpUtil.java:126) at com.kms.katalon.core.webservice.common.BasicRequestor.send(BasicRequestor.java:58) at com.kms.katalon.core.webservice.helper.WebServiceCommonHelper.sendRequest(WebServiceCommonHelper.java:28) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:74) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.sendRequest(SendRequestKeyword.groovy:38) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest(WSBuiltInKeywords.groovy:40) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords\$sendRequest.call(Unknown Source) at Script1575454852721.run(Script1575454852721.groovy:17) ... 13 more Caused by: java.net.ConnectException: Connection refused (Connection refused) at org.apache.http.conn.socket.PlainConnectionSocketFactory.connectSocket(PlainConnectionSocketFactory.java:74) at org.apache.http.impl.conn.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:134) ... 32 more)</pre>		
3	Start listener action : sampleAfterTestCase	0.001s	PASSED
4	Video Video recording for test case 'Test Cases/mockoon' .	0.001s	PASSED