# **Promotion Management**

## Overview

- Context
- Functionalities

#### Context

#### **Problem:**

Promotions are usually created based on experience and trending events but not following any standard.

This made it more difficult to:

- decide what type of promotion and constraints to apply
- manage & evaluate effectiveness of each promotions

#### Our solution:

Provide a way to *create* & *manage* promotions *systematically* on a beverage chain through a web *control panel*.

#### **Functionalities**

#### **Main functions:**


- Create & manage promotions & constraints systematically
- Create & manage orders
- Suggest applicable promotions for each order and apply them

#### **Additional functions:**

- Authentication
  - Using username & password
  - Using Google account
- Manage other elements: product, store, employee, member

# Components


- Database
- API
- User Interface



#### **API: RESTful**




#### **User Interface: Admin Control Panel**




# **Tools & Technologies**

## Language - Framework










D 0430404 (A)

#### **Github**



Muynhducduy committed 12 hours ago	Ee -	Ju3349C	
update get applicable	È s	954931d	<>
huynhducduy committed 12 hours ago			
change type		d021f99	<>
huynhducduy committed 14 hours ago			
update insomnia	<b>a</b>	dba244a	<>
huynhducduy committed 23 hours ago			
ommits on Apr 13, 2020			
update delete order	Ê	6f52de3	()
nuynhducduy committed yesterday	(62)		
update get applicable	Ē.	2ca7451	<>
nuynhducduy committed yesterday	627		
update	Ē.	e5a4ffa	<b>()</b>
nuynhducduy committed yesterday	45		
update	<b>会</b>	f1e7233	()
nuynhducduy committed yesterday			
update login route	餘	1645132	0
huynhducduy committed 2 days ago			
update create order	Ē. 4	432f9bd	<>
all huynhducduy committed 2 days ago	657		
update rest	Ē-	68a0585	0
nuynhducduy committed 2 days ago	<b>65</b>		
update binary	<b>食</b>	baa4ab3	()
huynhducduy committed 2 days ago	<u> </u>		
update	<b>B</b> :	552d1b7	()
huynhducduy committed 2 days ago	E2 .		
update create order, list order	Ē.	alb6adc	<>
nuynhducduy committed 2 days ago	E <del>s</del>		




## Server: Google Compute Engine - Ubuntu

```
Tasks: 52, 152 thr; 1 running
  CPU [
                                                                [[1.15G/3.61G]
                                                                                Load average: 0.00 0.00 0.00
  Swp [
                                                                                Uptime: 12:57:32
  PID USER
                PRI NI VIRT
                                     SHR S CPU% MEM%
                                                      TIME+ Command
  941 duuuuuuuu 20
                     0 24944
                              3956 3144 R 1.3 0.1 0:00.10 htop
 1524 root
                                   7828 S 0.0 0.6 0:01.50 /usr/bin/python3 /usr/bin/google_clock_skew_daemon
30215 jenkins
                             586M 28232 S 0.0 15.9 3:54.24 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/jenkins/jenkins.war --webroot=/var/cache/jenkins/
                                               0.2 0:00.84 /usr/lib/accountsservice/accounts-daemon
 1313 root
 1022 duuuuuuuu 20
                                                     0:00.04 -bash
                                                1.3 0:38.33 /usr/bin/containerd
 5206 root
                                               0.2 0:00.01 sshd: duuuuuuuuy [priv]
  959 root
                    0 67112 21756 8064 S 0.0 0.6 0:02.41 /usr/bin/python3 /usr/bin/google_network_daemon
 1521 root
 1526 root
                                   7968 S 0.0 0.6 0:03.78 /usr/bin/python3 /usr/bin/google_accounts_daemon
30224 jenkins
                   0 3053M 586M 28232 S 0.0 15.9 0:29.28 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/jenkins/jenkins.war --webroot=/var/cache/jenkins/
   1 root
                     0 37828 5852 4036 S 0.0 0.2 0:04.83 /sbin/init
                                               0.1 0:00.00 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 8081 -container-ip 172.17.0.2 -container-po
  339 root
  340 root
                                                0.1 0:00.00 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 8081 -container-ip 172.17.0.2 -container-po
                                                0.1 0:00.00 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 8081 -container-ip 172.17.0.2 -container-po
  341 root
                                                0.1 0:00.00 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 8081 -container-ip 172.17.0.2 -container-po
  342 root
  336 root
                             3860 2464 S 0.0 0.1 0:00.00 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 8081 -container-ip 172.17.0.2 -container-po
                             4920 4288 $ 0.0 0.1 0:00.00 containerd-shim -namespace moby -workdir /var/lib/containerd/io.containerd.runtime.v1.linux/moby/b8c9274
  352 root
                                                0.1 0:00.00 containerd-shim -namespace moby -workdir /var/lib/containerd/io.containerd.runtime.v1.linux/moby/b8c9274
  353 root
                                                0.1 0:00.00 containerd-shim -namespace moby -workdir /var/lib/containerd/io.containerd.runtime.v1.linux/moby/b8c9274
  354 root
                              4920 4288 5 0.0 0.1 0:00.00 containerd-shim -namespace moby -workdir /var/lib/containerd/io.containerd.runtime.v1.linux/moby/b8c9274
  355 root
                              4920 4288 5 0.0 0.1 0:00.00 containerd-shim -namespace moby -workdir /var/lib/containerd/io.containerd.runtime.v1.linux/moby/b8c9274
  358 root
                        106M 4920 4288 S 0.0 0.1 0:00.00 containerd-shim -namespace moby -workdir /var/lib/containerd/io.containerd.runtime.v1.linux/moby/b8c9274
  359 root
F1Help F2Setup F3SearchF4FilterF5Tree F6SortByF7Nice -F8Nice +F9Kill F10Ouit
```




### Database: MySQL on Google Cloud SQL





## **Swagger - Insomnia**

GET	/promotion/{promotionId} Returns details of a promotion	
order		~
GET	/order Returns a list of all orders	
POST	/order Add a new order	
GET	/order/{orderId} Returns details of an order	
Parameter	rs	Try it out
Name	Description	
orderid integer (path)	required ordertd	
Responses	s	Response content type application/json
Code	Description	
200	successful operation  Example Value   Model	
	(	





#### **Jenkins**

	Declarative: Checkout SCM	prepare	build	test	prepare to deploy	deploy
Average stage times: (Average <u>full</u> run time: ~27s)	1s	1s	30s	261ms	532ms	672ms
Apr 14 No Changes	1s	1s	7s	331ms	1s	1s
Apr 14 1 21:33 commit	1s	1s	53s	300ms	834ms	851ms
Apr 14 No Changes	1s	1s	3s	320ms	828ms	861ms
Apr 14 1 21:20 commit	1s	1s	53s	319ms	601ms	868ms
Apr 14 1 21:19 commit	1s	1s	53s	30ms	42ms	30ms
Apr 14 2 21:16 commits	1s	1s	55s	32ms	37ms	33ms
Apr 14 1 21:02 commit	2s	1s	54s	309ms	315ms	322ms
Apr 14 No Changes	1s	1s	2s	308ms	829ms	888ms

#### Console Output

#### Started by GitHub push by huynhducduy

Obtained Jenkinsfile from git https://github.com/huynhducduy/promotion-management-api/

Running in Durability level: MAX SURVIVABILITY

[Pipeline] Start of Pipeline [Pipeline] node

Running on Jenkins in /var/lib/jenkins/workspace/promotion-management-api

[Pipeline] stage

No credentials specified

> /usr/bin/git rev-parse --is-inside-work-tree # timeout=10

Fetching changes from the remote Git repository

> /usr/bin/git config remote.origin.url https://github.com/huynhducduy/promotion-management-api/ # timeout=10

Fetching upstream changes from https://github.com/huynhducduy/promotion-management-api/

> /usr/bin/git --version # timeout=10

> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10

> /usr/bin/git rev-parse refs/remotes/origin/origin/master^{commit} # timeout=10

Checking out Revision 29617eb378ad7df7a4e8786fcc96089725bf97d2 (refs/remotes/origin/master)

> /usr/bin/git config core.sparsecheckout # timeout=10

> /usr/bin/git checkout -f 29617eb378ad7df7a4e8786fcc96089725bf97d2 # timeout=10 Commit message: "update firebase authentication"

> /usr/bin/qit rev-list --no-walk 7324bd4b5de15fb6c053cc159e6a3ca58c4ad870 # timeout=10

[Pipeline] // stage

[Pipeline] stage

[Pipeline] checkout

No credentials specified

> /usr/bin/git rev-parse --is-inside-work-tree # timeout=10

Fetching changes from the remote Git repository

> /usr/bin/git config remote.origin.url https://github.com/huynhducduy/promotion-management-api/ # timeout=10

Fetching upstream changes from https://github.com/huynhducduy/promotion-management-api/


- > /usr/bin/git --version # timeout=10
- > /usr/bin/git fetch --tags --progress https://github.com/huynhducduy/promotion-management-api/ +refs/heads/\*:refs/remotes/origin/\* # timeout=10

> /usr/bin/git fetch --tags --progress https://github.com/huynhducduy/promotion-management-api/ +refs/heads/\*:refs/remotes/origin/\* # timeout=10

> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10



#### Cloudflare





#### **Docker: Containerize**

```
FROM golang:alpine as builder
RUN apk add ca-certificates git
RUN mkdir -p /root
WORKDIR /root
COPY . .
RUN CGO_ENABLED=0 GOOS=linux GOARCH=amd64 go build
FROM alpine
#RUN apk add ca-certificates rsync openssh
WORKDIR /root
COPY --from=builder /root/promotion-management-api /root/promotion-management-api
COPY .env .env
COPY firebase.json firebase.json
EXPOSE 80
ENTRYPOINT ["./promotion-management-api"]
```

```
FROM golang:alpine
RUN apk add ca-certificates git
RUN mkdir -p /root/src/go
WORKDIR /root/src/go
COPY . .
RUN go mod download
EXPOSE 80
ENTRYPOINT ["go", "run", "main.go"]
```




## Nginx: Reverse Proxy, Loadbalancer

```
duuuuuuuuy@swd391:~$ sudo service nginx status
nginx.service - A high performance web server and a reverse proxy server
  Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor preset: enabled)
  Active: active (running) since Tue 2020-04-14 12:21:53 UTC; 5h 12min ago
  Process: 14703 ExecStop=/sbin/start-stop-daemon --quiet --stop --retry QUIT/5 --pidfile /run/nginx.pid (code=exited, status=2)
 Process: 14720 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
 Process: 14707 ExecStartPre=/usr/sbin/nginx -t -q -q daemon on; master process on; (code=exited, status=0/SUCCESS)
 Main PID: 14727 (nginx)
   Tasks: 2
  Memory: 3.1M
     CPU: 278ms
  CGroup: /system.slice/nginx.service
           -14727 nginx: master process /usr/sbin/nginx -g daemon on; master_process on
           14728 nginx: worker process
Apr 14 12:21:53 swd391 systemd[1]: Stopped A high performance web server and a reverse proxy server.
Apr 14 12:21:53 swd391 systemd[1]: nginx.service: Unit entered failed state.
Apr 14 12:21:53 swd391 systemd[1]: nginx.service: Failed with result 'timeout'.
Apr 14 12:21:53 swd391 systemd[1]: Starting A high performance web server and a reverse proxy server...
Apr 14 12:21:53 swd391 systemd[1]: nginx.service: Failed to parse PID from file /run/nginx.pid: Invalid argument
Apr 14 12:21:53 swd391 systemd[1]: Started A high performance web server and a reverse proxy server.
```




#### **Authentication: JWT - Firebase**






#### Sentry



#### **Tech-Tools Summary**





## Teams



**Huynh Duc Duy** 

Former Data Scientist Intern at Knorex Former Software Engineer at WeVenture



Nguyen Phu Hung

Former Data Scientist Intern at Knorex

# Demo