1.1 Schedule of activities

Table 1-1 Schedule of activities table

	Protocol section	Screening			In-house Baseline				Dose escalation/Dose maintenance							Dose maintenance					In-house End of treatment		In-house Follow-up			Ambulatory Follow-up			End of study	Withdrawal	
Visit		V1A[a]	V1B	V1C CGM	V2 D-3	V2 D-2	V2 D-1	V2D1 First dose	V3	V4	V5	V6	V7	V8	V9	V10	V11	V12	V13	V14[p] CGM	V15 D-1	V15D1 Last dose	V15 D2	V15 D3	V15 D4	V16	V17	V18	V19	V19 X[q]	V19 Y
Timing of Visit / Study Day		-56	-17	-10	-3	-2	-1	1	15	29	57	85	113	141	169	197	225	253	263	274	280	281	282	283	284	288	295	302	308	-	≥ 28d after last dose
Timing of Visit / Study Week		-9	-3	-2	-1	-1	-1	0	2	4	8	12	16	20	24	28	32	36	37	39	40	40	40	40	40	41	42	43	44	-	-
Visit Window (Days)		+38	+7	+1	±1				±2	±2	±2	±2	±2	±2	±2	±2	±2	±2	+7	±1	±1					±2	±3	±3	+3	-	-
Informed Consent[b]	10.1	X																													
Demography[c]	8.1	X																													
Eligibility Criteria[d]	5.1 5.2	X			X																										
Randomisation Criteria and Randomisation	5.4							X[e]																							
Discontinuation Criteria	7.1								X	X	X	X	X	X	X	X	X	X		X	X	X									
Medical History / Concomitant Illness[f]	8.1	X		X	X	X	X																								
Concomitant Medication	6.8	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
Tobacco, E-Cigarette and Nicotine Products Use[g]	5.3.2	X			X																										
Screen For Alcohol[g]	10.2	X		X	X																X										
Screen For Drugs[g]	10.2	X		X	X																										
Childbearing Potential	10.4	X																													

	Protocol section	Screening			In-house Baseline				Dose escalation/Dose maintenance							Dose maintenance					In-house End of treatment		In-house Follow-up			Ambulatory Follow-up			End of study	Withdrawal	
Visit		V1A[a]	V1B	V1C CGM	V2 D-3	V2 D-2	V2 D-1	V2D1 First dose	V3	V4	V5	V6	V7	V8	V9	V10	V11	V12	V13	V14[p] CGM	V15 D-1	V15D1 Last dose	V15 D2	V15 D3	V15 D4	V16	V17	V18	V19	V19 X[q]	V19 Y
Timing of Visit / Study Day		-56	-17	-10	-3	-2	-1	1	15	29	57	85	113	141	169	197	225	253	263	274	280	281	282	283	284	288	295	302	308	-	≥ 28d after last dose
Timing of Visit / Study Week		-9	-3	-2	-1	-1	-1	0	2	4	8	12	16	20	24	28	32	36	37	39	40	40	40	40	40	41	42	43	44	-	-
Visit Window (Days)		+38	+7	+1	±1				±2	±2	±2	±2	±2	±2	±2	±2	±2	±2	+7	±1	±1					±2	±3	±3	+3	-	-
Contraceptive Counselling[h]	10.4	X			X					X	X	X	X	X	X	X	X	X			X									X	
Pregnancy Test[h,i]	8.3.8	X			X			X[e]		X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]			X						X		X	X	X
Vital Signs	8.3.3	X		X	X			X[e]		X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]			X						X		X	X	X
Clinical Outcome Assessments	8.2.7	X			X	X															X		X						X		X
C-SSRS Baseline		X																													
C-SSRS Since Last Visit					X																								X		X
Patient Health Questionnaire (PHQ-9)		X			X																								X		X
CoEQ 19 NRS					X																X										
VAS Appetite						X																	X								
VAS Appeal						X																	X								
Physical Examination	8.3.2	X																											X		X
Eye Examination[j]	8.3.4	X																				X								X	
ECG	8.3.5	X			X							X										X								X	
Adverse Event[f]	8.4						X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
Hypoglycaemic Episodes	10.7							X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X

	Protocol section	Screening			In-house Baseline				Dose escalation/Dose maintenance							Dose maintenance					In-house End of treatment		In-house Follow-up			Ambulatory Follow-up			End of study	Withdrawal	
Visit		V1A[a]	V1B	V1C CGM	V2 D-3	V2 D-2	V2 D-1	V2D1 First dose	V3	V4	V5	V6	V7	V8	V9	V10	V11	V12	V13	V14[p] CGM	V15 D-1	V15D1 Last dose	V15 D2	V15 D3	V15 D4	V16	V17	V18	V19	V19 X[q]	V19 Y
Timing of Visit / Study Day		-56	-17	-10	-3	-2	-1	1	15	29	57	85	113	141	169	197	225	253	263	274	280	281	282	283	284	288	295	302	308	-	≥ 28d after last dose
Timing of Visit / Study Week		-9	-3	-2	-1	-1	-1	0	2	4	8	12	16	20	24	28	32	36	37	39	40	40	40	40	40	41	42	43	44	-	-
Visit Window (Days)		+38	+7	+1	±1				±2	±2	±2	±2	±2	±2	±2	±2	±2	±2	+7	±1	±1					±2	±3	±3	+3	-	-
Laboratory Assessments	10.2	X				X	X	X			X		X				X					X	X	X					X	X	X
Antibodies	8.9							X[e]									X[e]												X		X
PK Sampling	8.5							X[e]		X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]	X[e]					X	X	X	X	X	X	X	X	X	X
Body Measurements	8.2.2	X	X			X				X	X	X	X	X	X	X	X	X	X			X							X	X	X
MRI Scan[k]	8.2.5		X																X												
Waist Circumference	8.2.2					X				X	X	X	X	X	X	X	X	X				X							X	X	X
Body Weight	8.2.2	X				X				X	X	X	X	X	X	X	X	X				X							X	X	X
Height	8.2.2	X																													
BMI	8.2.2	X				X				X	X	X	X	X	X	X	X	X				X							X	X	X
CGM Fitted	8.2.6			X																X											
CGM Removed and Data Uploaded	8.2.6							X[e]																	X						
Hand out and Instruct in BG meter	8.2.6							X																							
Collect BG meter	8.2.6																												X		X
Mixed Meal Tolerance Test	8.2.4					X																	X								

	Protocol section	Screening			In-house Baseline				Dose escalation/Dose maintenance							Dose maintena			
Visit		V1A[a]	V1B	V1C CGM	V2 D-3	V2 D-2	V2 D-1	V2D1 First dose	V3	V4	V5	V6	V7	V8	V9	V10	V11	V12	V
Timing of Visit / Study Day		-56	-17	-10	-3	-2	-1	1	15	29	57	85	113	141	169	197	225	253	2
Timing of Visit / Study Week		-9	-3	-2	-1	-1	-1	0	2	4	8	12	16	20	24	28	32	36	
Visit Window (Days)		+38	+7	+1	±1				±2	±2	±2	±2	±2	±2	±2	±2	±2	±2	
Ad Libitum Meal[l]	8.2.4					X													
Hyperinsulinaemic Euglycaemic Clamp	8.2.3.1						X												
Hyperglycaemic Clamp with Arginine Stimulation Test[m]	8.2.3.2						X												
Administration of Trial Product[n]	6.1							X	X	X	X	X	X	X	X	X	X	X	
Dispensing Visit	6.1							X		X	X	X	X	X	X	X	X	X	
Drug Accountability[g]	6.2									X	X	X	X	X	X	X	X	X	
Overnight Fasting Required	5.3.1					X	X										X		
Hand Out ID Card	8				X														
Training in Trial Product, Pen-Handling	6.1.1							X		X									
Hand Out Direction for Use	8							X											
Hand Out and Instruct in Diary	8			X				X	X	X	X	X	X	X	X	X	X	X	
Collect and Review Diary	10.1.8				X				X	X	X	X	X	X	X	X	X	X	