

GROK ACCOUNT ROUTER DEV SANDBOX

Strict boundary

- Work ONLY inside `dev\_sandbox\_grok\_account\_router/`.
- Do NOT edit `electron/`, `package.json`, existing source, or other dev sandbox folders unless the owner explicitly asks.
- This folder is an isolated external-dev task area. Production integration must be proposed here first.

Current production link

The main app now has a visible **Grok Account Router** section under the 9Router/API key UI.

Linked production files already pass metadata only:

- `electron/index.html`: UI card under API key.
- `electron/style.css`: UI styling.
- `electron/renderer.js`: sends `videoAccount` and `routingPolicy` to pipeline.
- `electron/preload.js`: exposes `openGrokRouterFolder()`.
- `electron/main.js`: opens this sandbox folder and logs router metadata.

Important: this is not full account switching yet. It is a UI/link/metadata bridge so this sandbox can define the real router safely.

Task

Design/prototype Grok account routing:

- User can add multiple Grok accounts to the tool.
- System detects account-level limit, different from canvas-only limit.
- If one account has account-wide limit, automatically roll to another available account.
- Preserve current scene/prompt/job state while switching account.
- Resume generation after account switch.

Important limit distinction

1. Canvas-local limit:

- Current production logic can handle by creating a new canvas.
- Do not confuse this with account limit.

2. Account-wide limit:

- Changing canvas is not enough.
- Tool must switch to a different Grok account/session/profile.

Security requirements

- Encrypt all user account data at rest.
- Never store raw password/session token/cookie in plaintext.
- Prefer OS keychain/credential vault where possible.
- If using local encryption, keys must not be stored beside encrypted data unprotected.
- Mask account identifiers in UI/logs.
- Do not write secrets into app logs.
- Do not export account secrets into project files.
- Test fixtures must use fake/placeholder values only.

Deliverables inside this folder

1. `README.md` overview and reviewer instructions.
2. `CODE\_RULES.md` and optional `CODE\_RULES.pdf`.
3. `account\_router\_design.md`.
4. `account\_security\_model.md`.
5. `account\_router\_schema.md`.
6. `implementation\_plan.md`.
7. `TESTING.md` with repeatable test steps.
8. `DONE\_CHECKLIST.md` showing how to prove the task is complete.
9. `prototype/` optional isolated demo.
10. `tests/` sample encrypted/placeholder fixtures only, no real secrets.

Required tests for this folder

Run these checks before saying the task is done:

1. Documentation completeness:

- `README.md` explains what this router owns.
- `implementation\_plan.md` lists exact future production touch points.
- `account\_security\_model.md` forbids plaintext secrets.
- `account\_router\_schema.md` includes account states, routing strategy, and fake fixture format.

2. Fixture validation:

- Open `tests/sample\_account\_router.json`.
- Confirm it is valid JSON.
- Confirm it has `schemaVersion`, `accounts`, and `routing`.
- Confirm no real email/password/cookie/token exists.

3. UI link smoke test from production app:

- Run `npm start` from repo root.
- In Provider Router, find **Grok Account Router** under API key.
- Click **Mö** folder router.

- Confirm Windows opens `dev\_sandbox\_grok\_account\_router`.
- Change Active Grok account and Routing policy.
- Click Start pipeline or Save session if needed; confirm app does not crash.

4. Router behavior prototype test, if `prototype/` contains code:

- Run the prototype command documented in `TESTING.md`.
- Simulate `account\_limit`.
- Confirm router selects the next available account.
- Simulate `canvas\_limit`.
- Confirm router does not switch account.

Definition of done

A reviewer can mark this task done only when:

- The account state machine is clear.
- Account limit vs canvas limit detection is clear.
- Encrypted storage/security model is clear.
- Account switch/resume flow is clear.
- Tests in `TESTING.md` are completed and results are recorded in `DONE\_CHECKLIST.md`.
- No real secrets are present anywhere in this folder.
- Any production changes are explicitly listed as proposals unless already approved by the owner.