BÀI TẬP THỰC HÀNH 2

-- MO HINH QUAN HE

CREATE TABLE NhanVien (MaSoNV CHAR(10) NOT NULL, HoTen VARCHAR2(20), NamSinh NUMBER, PRIMARY KEY (MaSoNV));

CREATE TABLE NgoaiNgu (MaSoNN CHAR(10) NOT NULL, TenNN VARCHAR2(20), TrinhDoNN VARCHAR(20), PRIMARY KEY (MaSoNN));

CREATE TABLE NhanVien_NgoaiNgu (MaSoNV CHAR(10) NOT NULL, MaSoNN CHAR(10) NOT NULL, PRIMARY KEY (MaSoNV, MaSoNN), FOREIGN KEY (MaSoNV) REFERENCES NhanVien (MaSoNV), FOREIGN KEY (MaSoNN) REFERENCES NgoaiNgu (MaSoNN));

-- CRUD CHO MO HINH QUAN HE

INSERT INTO NhanVien VALUES ('NV1','Tran Van A',1999);

INSERT INTO NhanVien VALUES ('NV2', 'Nguyen Thi B', 1998);

INSERT INTO NhanVien VALUES ('NV3','Le Van C',1990);

INSERT INTO NhanVien VALUES ('NV4', 'Hoang Van D', 1991);

INSERT INTO NhanVien VALUES ('NV5', 'Nguyen Van E', 1997);

INSERT INTO NgoaiNgu VALUES ('NN01','Tieng Anh','B1');

INSERT INTO NgoaiNgu VALUES ('NN02', 'Tieng Phap', 'B2');

INSERT INTO NgoaiNgu VALUES ('NN03', 'Tieng Duc', 'A1');

INSERT INTO NgoaiNgu VALUES ('NN04', 'Tieng Trung', 'A2');

INSERT INTO NgoaiNgu VALUES ('NN05','Tieng Anh','C1');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV1','NN01');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV1','NN02');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV2','NN02');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV2','NN03');

INSERT INTO NhanVien NgoaiNgu VALUES ('NV3','NN04');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV3','NN05');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV4','NN02');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV4','NN04');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV5','NN01');

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV5','NN05');

--HIEN THI THONG TIN

SELECT NV.* FROM NhanVien NV;

SELECT NN.* FROM NgoaiNgu NN;

SELECT NVNN.* FROM NhanVien_NgoaiNgu NVNN;

SELECT NV.MaSoNV, HoTen, NamSinh, NN.MaSoNN, TenNN, TrinhDoNN FROM NhanVien NV INNER JOIN NhanVien_NgoaiNgu NVNN

ON NV.MaSoNV = NVNN.MaSoNV

INNER JOIN NgoaiNgu NN

ON NN.MaSoNN = NVNN.MaSoNN

--CHO BIET HO TEN, TEN NGOAI NGU VA TRINH DO CUA CAC NHAN VIEN

SELECT HoTen, TenNN, TrinhDoNN FROM NhanVien NV INNER JOIN NhanVien_NgoaiNgu NVNN

ON NV.MaSoNV = NVNN.MaSoNV

INNER JOIN NgoaiNgu NN

ON NN.MaSoNN = NVNN.MaSoNN

--BO SUNG NGOAI NGU VA TRINH DO CHO 1 NHAN VIEN DUA VAO MA SO NHAN VIEN

INSERT INTO NhanVien_NgoaiNgu VALUES ('NV5','NN03');

--THAY DOI TRINH DO NGOAI NGU CUA 1 NHAN VIEN DUA VAO MA SO NHAN VIEN

UPDATE NgoaiNgu NN

SET NN.TrinhDoNN = 'B1'

WHERE NN.TrinhDoNN = 'A1' AND NN.MaSoNN IN (SELECT NVNN.MaSoNN FROM NhanVien_NgoaiNgu NVNN WHERE NVNN.MaSoNV = 'NV5')

-- CHO BIET SO LUONG NHAN VIEN CO TRINH DO TIENG ANH B1

SELECT TenNN, TrinhDoNN, COUNT(NV.MaSoNV) SLNV FROM NhanVien NV

INNER JOIN NhanVien_NgoaiNgu NVNN

ON NV.MaSoNV = NVNN.MaSoNV

INNER JOIN NgoaiNgu NN

ON NN.MaSoNN = NVNN.MaSoNN

GROUP BY TenNN, TrinhDoNN

HAVING TrinhDoNN = 'B1' AND TenNN = 'Tieng Anh'

DELETE FROM NhanVien_NgoaiNgu NVNN

WHERE NVNN.MaSoNV = 'NV3' AND NVNN.MaSoNN = 'NN05';

-- MO HINH QUAN HE – DOI TUONG VOI VARRAY

CREATE OR REPLACE TYPE TrinhDoNN AS OBJECT(TenNgoaiNgu VARCHAR(20), TrinhDo CHAR(20));/

CREATE OR REPLACE TYPE Kieu_bang_ngoai_ngu AS VARRAY(5) OF TrinhDoNN;

CREATE TABLE Tbl_Giang_vien(MaGV NUMBER(10), Ho_ten_GV VARCHAR(20), Namsinh NUMBER(10), Ngoai_ngu Kieu_bang_ngoai_ngu);/

--CRUD CHO MO HINH QUAN HE – DOI TUONG VOI VARRAY

INSERT INTO Tbl_Giang_vien VALUES (1, 'Cao Thanh Son', 1997, (Kieu_bang_ngoai_ngu(TrinhDoNN ('Anh','A1'), TrinhDoNN ('Đức','A2'), TrinhDoNN ('Pháp','B1')))

INSERT INTO Tbl_Giang_vien VALUES (2, 'Nguyen Hoai Linh', 1999, (Kieu_bang_ngoai_ngu(TrinhDoNN ('Trung','B2'), TrinhDoNN ('Đức','A2'))))

INSERT INTO Tbl_Giang_vien VALUES (3, 'Le Van B', 1998, (Kieu_bang_ngoai_ngu(TrinhDoNN ('Đức','B2'), TrinhDoNN ('Anh','A2'))))

INSERT INTO Tbl_Giang_vien VALUES (4, 'Nguyen Dinh Hieu', 1999, (Kieu bang ngoai ngu(TrinhDoNN ('Anh','B1'), TrinhDoNN ('Đức','A2')))

INSERT INTO Tbl_Giang_vien VALUES (5, 'Nguyen Van C', 1999, (Kieu bang ngoai ngu(TrinhDoNN ('Pháp', 'B2'), TrinhDoNN ('Đức', 'A2'))))

--CHO BIET HO TEN, TEN NGOAI NGU VA TRINH DO CUA CAC GV

SELECT gv.Ho_ten_GV, nn.TenNgoaiNgu, nn.TrinhDo

FROM Tbl_Giang_vien gv, table(gv.Ngoai_ngu) nn

--BO SUNG NGOAI NGU VA TRINH DO CHO 1 NHAN VIEN DUA VAO MA SO GV

UPDATE Tbl Giang vien gv

SET gv.Ngoai_ngu = Kieu_bang_ngoai_ngu(TrinhDoNN ('Anh','C2'), TrinhDoNN ('Đức','A2'))

WHERE gv.MaGV = 2;

--CHO BIET SO LUONG NHAN VIEN CO TRINH DO TIENG DUC A2

 $SELECT\ nn. TrinhDo,\ nn. TenNgoaiNgu,\ COUNT (gv.MaGV)\ soGV$

FROM Tbl_Giang_vien gv, table(gv.Ngoai_ngu) nn

WHERE nn.TrinhDo = 'A2' AND nn.TenNgoaiNgu = 'Đức'

GROUP BY TrinhDo, nn.TenNgoaiNgu

DELETE FROM Tbl_Giang_vien gv

WHERE gv.MaGV = 2

-- MO HINH QUAN HE - DOI TUONG VOI NESTED TABLE

CREATE OR REPLACE TYPE TrinhDoNN AS OBJECT(TenNgoaiNgu VARCHAR(20), TrinhDo CHAR(20));/

CREATE OR REPLACE TYPE Kieu_Nested_Table_ngoai_ngu IS TABLE OF TrinhDoNN;/

CREATE TABLE TBL_NHANVIEN(MaNV NUMBER(10), Ho_ten_NV VARCHAR(20), Namsinh NUMBER(10), Ngoai_ngu Kieu_Nested_Table_ngoai_ngu)
NESTED TABLE Ngoai_ngu STORE AS nested_tab_nv;

-- CRUD CHO MO HINH QUAN HE - DOI TUONG VOI NESTED TABLE

INSERT INTO TBL_NHANVIEN VALUES (1, 'Tran Van B', 1999, (Kieu Nested Table ngoại ngu (TrinhDoNN ('Đức','A1'), TrinhDoNN ('Pháp','A2'))))

INSERT INTO TBL_NHANVIEN VALUES (2, 'Tran Van C', 1999, (Kieu Nested Table ngoai ngu (TrinhDoNN ('Anh','C1'), TrinhDoNN ('Đức','A2'))))

INSERT INTO TBL_NHANVIEN VALUES (3, 'Tran Van D', 1997, (Kieu_Nested_Table_ngoai_ngu (TrinhDoNN ('Pháp','A1'), TrinhDoNN ('Anh','A2'))))

INSERT INTO TBL_NHANVIEN VALUES (4, 'Tran Van E', 1995, (Kieu Nested Table ngoai ngu (TrinhDoNN ('Đức','A1'), TrinhDoNN ('Anh','A1'))))

INSERT INTO TBL_NHANVIEN VALUES (5, 'Tran Van F', 1991, (Kieu_Nested_Table_ngoai_ngu (TrinhDoNN ('Anh','B1'), TrinhDoNN ('Trung','A2'))))

--CHO BIET HO TEN, TEN NGOAI NGU VA TRINH DO CUA CAC NHAN VIEN SELECT nv.MaNV, nv.Ho_ten_NV, nn.* FROM TBL_NHANVIEN nv, table(nv.Ngoai_ngu) nn

--BO SUNG NGOAI NGU VA TRINH DO CHO 1 NHAN VIEN DUA VAO MA SO NHAN VIEN

UPDATE TBL NHANVIEN nv

SET nv.Ngoai_ngu = Kieu_Nested_Table_ngoai_ngu(TrinhDoNN ('Trung','C1'))
WHERE nv.MaNV = 3;

UPDATE TABLE (SELECT Ngoai_ngu FROM TBL_NHANVIEN nv WHERE nv.MaNV=5) A

SET A.TrinhDo ='B2'

WHERE A.TrinhDo ='C1' AND A.TenNgoaiNgu = 'Trung'

--CHO BIET SO LUONG NHAN VIEN CO TRINH DO TIENG TRUNG B2

SELECT nn.TrinhDo, nn.TenNgoaiNgu, COUNT(nv.MaNV) soNV

FROM TBL_NHANVIEN nv, table(nv.Ngoai_ngu) nn

WHERE nn.TrinhDo = 'B2' AND nn.TenNgoaiNgu = 'Trung'

GROUP BY TrinhDo, nn.TenNgoaiNgu

DELETE FROM TBL_NHANVIEN nv

WHERE nv.MaNV = 5