LESSON 3 • MATH IN DAILY LIFE

Addition & Subtraction at the Bakery



VOCABULARY OVERVIEW

Eight Bakery Math Terms

1. Addition

Combining amounts together.

2. Addend

Each number being added.

3. Sum

Total result of addition.

4. Commutative

Swapping order keeps sum.

5. Associative

Grouping keeps sum.

6. Identity property

Adding zero keeps total.

7. Subtraction

Taking an amount away.

8. Difference

Amount left after subtraction.

Ordering Lunch at the Counter

Addition • Addends • Sum



Mom: "Let's use **addition** for our lunch! $3 and $2 are the two **addends**."

Dad: "And $3 + $2 gives a **sum** of $5!"

Swapping & Grouping Food

Commutative • Associative



Mom: "Order doesn't matter: $3 + $2 equals $2 + $3. That's the **commutative property**!"

Dad: "And (3 + 2) + 5 = 3 + (2 + 5) by the **associative property**!"

Free Napkins & Getting Change

Zero • Subtraction • Difference



Dad: "Free napkins ($0)! Adding zero keeps our total at $10 (**identity property**)."
Mom: "We paid $20. By **subtraction**, $20 – $10 leaves a **difference** of $10 change!"

KEY RULES

Three Properties of Addition

Commutative Property

3 + 2 = 2 + 3

Changing addend order keeps the same sum.

Associative Property

(3 + 2) + 5 = 3 + (2 + 5)

Changing grouping keeps the same sum.

Identity Property of 0

10 + 0 = 10

Adding zero leaves the sum unchanged.

VOCABULARY CHECK-UP

Bakery Math in Action

Bakery Action	Math Term	Equation
Croissant ($3) and juice ($2)	**Addends & Sum**	$3 + $2 = $5
Swapping bread & juice	**Commutative property**	$3 + $2 = $2 + $3
Free napkins ($0) added	**Identity property of 0**	$10 + $0 = $10
Paying $20 for $10 bill	**Subtraction & Difference**	$20 – $10 = $10

Fill the Gap Exercise

VOCABULARY PRACTICE

Word Bank: Addition, Sum, Addend, Subtraction, Difference, Commutative property, Associative property, Adding zero

1. The operation of combining numbers together to find a total is called _____.
2. In an addition expression, each of the numbers being added (such as 25 and 11) is called an _____.
3. The result of an addition operation (such as 36) is called the _____.
4. The operation of taking one number away from another is called _____.

1. The result of a subtraction operation (such as 25) is called the _____.
2. The _____ allows us to change the order of addends in a sum without changing the final result.
3. The _____ allows us to group addends differently when calculating a sum.
4. The property where adding 0 to any number leaves the number unchanged is known as _____.

GREAT JOB!

You Mastered Bakery Math!

Addition • Addend • Sum • Commutative • Associative • Identity property • Subtraction • Difference