

PROJECT REPORT
Network Coding for Wireless Applications: A
Review
Wireless and Mobile Network



Submitted By:

[Huzaifa Shahbaz]

[21-CE-009]

[Aqsa Shah]

[21-CE-039]

Submitted to:

Maam Sobia Arshad

Dated:

27th Jun, 2025

Department of Computer Engineering,
HITEC University, Taxila

Table of Contents

EXECUTIVE SUMMARY:	5
1 INTRODUCTION	6
1.1 BACKGROUND AND MOTIVATION.....	6
1.2 PROBLEM STATEMENT	6
1.3 OBJECTIVES:.....	6
1.4 SCOPE AND ORGANIZATION:.....	7
2 THEORETICAL FOUNDATIONS OF NETWORK CODING	7
2.1 MATHEMATICAL FRAMEWORK:	7
2.2 INFORMATION THEORETIC BOUNDS:.....	8
2. ALGERBAIC FRAEWORK:	8
3. NETWORK CODING TECHNIQUES FOR WIRELESS APPLICATION	8
3.1 LINEAR NETWORK CODING	8
3.2 PRACTICAL NETWORK CODING SCHEMES:	9
3.3 COOPERATIVE NETWORK CODING:.....	10
4. PERFORMANCE ANALYSIS AND METRICS	11
4.1 THROUGHPUT ANALYSIS:	11
4.2 DELAY ANALYSIS:	12
4.3 ENERGY EFFICIENCY:	12
4.4 RELIABILITY AND ROBUSTNESS:.....	13
5 APPLICATIONS IN WIRELESS NETWORKS	13
5.1 CELLULAR NETWORKS:	13
5.2 WIRELESS SENSOR NETWORKS(WSNs):.....	14
5.3 MOBILE AD-HOC NETWORKS(MANETs):	14
5.4 VEHICULAR NETWORKs(VANETs):.....	15
5.5 SATELLITE NETWORKS	16
6 CHALLENGES AND LIMITATIONS	16
6.1 COMPUTATIONAL COMPLEXITY.....	16
6.2 PRACTICAL IMPLEMENTATION PROCESS:	17
6.3 CHANNEL-SPECIFIC CHALLENGES	18
6.4 SCALABILITY ISSUES:.....	18
7 RECENT ADVANCES AND FUTURE DIRECTIONS	19
7.1 MACHINE LEARNING INTERGRATION:	19

7.2	QUANTUM NETWORK CODING:	19
7.3	EDGE COMPUTING INTEGRATION:	20
7.4	G6 AND BEYOND:	20
7.5	EMERGING APPLICATIONS:	21
8	CONCLUSION	21
8.1	CONCLUSION	21
	References	22

TABLES OF FIGURES

Figure 2.1:BUTTERFLY NETWORK	7
Figure 3.2:LINEAR NETWORK CODING OF A SRTUCTURE CODED PACKET	9
Figure 3.3:ANALOG NETWORK CODING.....	10
Figure 3.4:COOPERATIVE NETWORK CODING.....	11
Figure 4.5:GRPAH OF THROUGHPUT FOR THE BUTTERFLY NETWORK.....	12

EXECUTIVE SUMMARY:

Network Coding (NC) has emerged as a transformative paradigm in wireless communication, enabling more efficient, resilient, and scalable networks by allowing intermediate nodes to encode and combine packets instead of merely forwarding them. This consolidated review integrates key insights from five significant research works, offering a multi-dimensional understanding of NC's application across various wireless architectures and systems.

1. ENHANCING WIRELESS NETWORK PERFORMANCE WITH SDN AND NETWORK CODING:

The integration of Software Defined Networking (SDN) with NC marks a pivotal advancement in centralized and programmable network control. By separating the control and data planes, SDN facilitates dynamic routing and resource allocation, while NC further optimizes performance under high-traffic conditions. Experimental findings demonstrate a 42.8% increase in throughput and reduced packet loss when NC is integrated into SDN frameworks. This synergy promises highly adaptable, fault-tolerant future networks.

2. NETWORK CODING IN PEER-TO-PEER(P2P) CONTENT DISTRIBUTION:

A systematic analysis of 41 studies shows that NC significantly improves throughput and reduces load in P2P content delivery systems. By enabling simultaneous data distribution across multiple paths, NC enhances redundancy and fault resilience. However, computational overhead and block scheduling complexity remain open challenges. The study emphasizes the need for standardized evaluation metrics and coding libraries to facilitate broader adoption and cross-platform optimization.

3. SECURITY IN NC-ENABLED MOBILE SMALL CELLS:THE IDLP FRAMEWORK:

Security remains a critical concern in NC-based systems due to potential pollution attacks—malicious data injection that propagates rapidly. The proposed Intrusion Detection and Location-aware Prevention (IDLP) mechanism addresses this by using a null-space homomorphic MAC scheme to detect and localize malicious nodes. Notably, the system is resource-efficient as it selectively applies security operations, achieving lower communication and computational overhead while enhancing network integrity.

4. PHYSICAL LAYER NC WITH INTELLIGENT REFLECTING SURFACE(IRS):

In the physical layer, integration of intelligent reflective surfaces (IRS) with physical-layer network coding (PNC) opens new frontiers for wireless optimization. In the IRS-Assisted relay system (e.g., butterfly network), the phase-shift optimization bit error rate (BER) significantly increases performance. Analytical and simulation results suggest that such hybrid architecture can dramatically improve the quality and throughput of the signal, represent a novel direction in the next generation (6G) network design.

5. BROADER APPLICATIONS AND CODING SCHEMES IN WIRELESS NETWORKS

The versatility of NC is shown in various types of applications, including file downloads, video streaming, live broadcasting and wireless Aries networks. Various coding strategies - such as random linear network coding (RLNC), triangular network coding (TNC), and opportunistic network coding (ONC).Have been detected to maximize transmission efficiency and reduce packet retreats. While these technologies show obvious advantages on

the network layer, physical-layer implementation remains an active research field with sufficient capacity for adaptation.

CHAPTER ONE

1 INTRODUCTION

1.1 BACKGROUND AND MOTIVATION

In traditional wireless communication networks, the principle of store-and-forward remains in place: intermediate nodes relay the received packets without modifying any part of them. While this may sound simple, it often leads to a very poor utilization of network resources, especially in wireless environments characterized by the broadcast nature, interference, and limited bandwidth. Network coding was introduced by Ahlswede et al. in 2000, thus breaking this paradigm: it allows intermediate nodes to combine multiple incoming data streams through algebraic operations before forwarding them on. This fundamental change allows networks to carry the theoretical maximum amount of information as described in the max-flow min-cut theorem, providing added benefits in terms of robustness, security, and energy efficiency.

1.2 PROBLEM STATEMENT

Wireless networks bear a number of inherent challenges that hamper the performance of such systems:

- **Bandwidth Limitations:**
Wireless spectrum, a scarce resource, begs efficient utilization strategies.
- **Interference and Fading:**
Signal fading affects reliability and throughput.
- **Energy Constraints:**
Battery-powered devices require energy-efficient communication protocols
- **Topology Dynamics:**
Mobile nodes make different network topology.
- **Broadcast Advantage:**
The broadcast nature of wireless medium is often reduced.

1.3 OBJECTIVES:

The objective is to aim the network coding wireless applications : a review:

1. Provide a comprehensive analysis of their application for network coding principles and wireless systems
2. Check various network coding plans and their performance characteristics
3. Identify major applications and their specific requirements

4. Analyze the current challenges and propose future research directions
5. Evaluate practical feasibility and implementation ideas

1.4 SCOPE AND ORGANIZATION:

The report incorporates both theoretical aspects of network coding and practical implementation in the wireless network, which focuses on unicast, multicast and broadcasting landscapes. Analysis includes various wireless technologies including cellular network, wireless sensor network, ad-hoc network and emerging 5G/6G system.

CHAPTER TWO

2 THEORETICAL FOUNDATIONS OF NETWORK CODING

2.1 MATHEMATICAL FRAMEWORK:

Network coding operates on the principle that information can be added to the intermediate nodes to improve overall network performance. The fundamental concept can be expressed through linear algebra on finished areas.




Figure 2.1: BUTTERFLY NETWORK

Linear network coding:

Consider a network depicted as a guided graph $g = (V, E)$, where V represents V nodes and e - edges. Each edge has a capacity obstruction. For a multicast landscape with source S and sink set T , coding can be represented as operations:

$$y_e = \sum (a_e, e' \times x_{e'})$$

Where:

- y_e is the output symbol on edge e
- $x_{e'}$ are input symbols on incoming edges
- $a_{e,e'}$ are coding coefficients chosen from a finite field

Finite Field Operation:

Network coding is usually operated on finite field $GF(2^m)$, where the operation is performed by modulo an irreducible polynomial. This ensures that all operations are reversible, and the original information can be recovered at the destination.

2.2 INFORMATION THEORETIC BOUNDS:

The capacity of a network with network coding is determined by a minimum cut between source and destination nodes. For a multicast network, the obtained rate is:

$$R \leq \min\{C(s, t) : t \in T\}$$

Where $C(s, t)$ represents the max-flow from source s to sink t .

Theorem (Network Coding Capacity):

For a multicast network, a adequately large -finished linear network coding on the larger finite region can achieve binding capacity with high probability.

2. ALGERBAIC FRAEWORK:

Vector Space Approach:

Information symbols are considered as a vector in a vector location on a finite area. Coding operations correspond to linear changes, and decoding process involves solving a system of linear equations.

Polynomial Representation:

An alternative approach represents information in the form of polynomial, where the coding operations correspond to the polynomial arithmetic. This representation is particularly useful for distributed implementation.

CHAPTER THREE

3. NETWORK CODING TECHNIQUES FOR WIRELESS APPLICATION

3.1 LINEAR NETWORK CODING

RANDOM LINEAR NETWORK CODING(RLNC):

RLNC is the most widely studied form of network coding, where the coding coefficient is chosen randomly from a finite region. Major benefits include:

- **Distributed Implementation:**
No centralized coordination is required.
- **Adaptability:**
Works with dynamic topologies.

- **Robustness:**

Provides inherent error correction capabilities.

Implementation Details:

Each coded packet contains:

1. Coding vector (indicating the linear combination)
2. Payload (the actual coded data)
3. Generation identifier (for packet grouping)

Decoding Process:

Receivers collect coded packets until they have enough linearly independent combinations to solve for the original data using Gaussian elimination.

Structure of a Coded Packet





Figure 3.2: LINEAR NETWORK CODING OF A STRUCTURE CODED PACKET

3.2 PRACTICAL NETWORK CODING SCHEMES:

ANALOG NETWORK CODING(ANC):

ANC exploits the additive property of wireless channels, where simultaneous transmissions naturally combine at receivers. The process involves:

1. **Multiple Access Phase:**
Nodes transmit simultaneously
2. **Broadcast Phase:**
Relay forwards the combined signal
3. **Decoding Phase:**
Receivers extract desired information using side information



Analog Network Coding

Figure 3.3: ANALOG NETWORK CODING

Physical Layer Network Coding (PNC):

PNC operates at the physical layer, directly manipulating electromagnetic waves. The key insight is that interference can be treated as a form of network coding operation.

Compute-and-Forward:

This approach maps channel outputs to linear combinations of transmitted codewords, enabling receivers to decode integer linear combinations rather than individual messages.

3.3 COOPERATIVE NETWORK CODING:

Relay-Based Schemes:

Cooperative network coding involves multiple relays working together to improve communication reliability and efficiency. Common schemes include:

1. **Amplify-and-Forward with Network Coding:**
Relays amplify and combine received signals.
2. **Decode-and-Forward with Network Coding:**
Relays decode, recode, and forward.
3. **Compress-and-Forward with Network Coding:**
Relays compress and combine information.

Distributed Space-Time Coding:

Combines network coding with space-time coding to achieve both spatial and temporal diversity benefits.




Figure 3.4: COOPERATIVE NETWORK CODING

CHAPTER FOUR

4. PERFORMANCE ANALYSIS AND METRICS

4.1 THROUGHPUT ANALYSIS:

Theoretical Throughput:

The throughput gain of network coding can be analyzed using information-theoretic tools. For a butterfly network (canonical example), network coding achieves twice the throughput of traditional routing.

Practical Throughput Considerations:

- **Overhead:**
Coding vectors and generation identifiers reduce effective throughput
- **Decoding Delay:**
Receivers must wait for sufficient coded packets
- **Computational Complexity:**
Encoding/decoding operations consume resources

Throughput Optimization:

Maximize: $R = \sum(r_i \times p_i)$

Subject to: $\sum(c_i \times p_i) \leq C$

Where r_i is the rate of flow i , p_i is the success probability, c_i is the cost, and C is the total capacity.




Figure 4.5: GRPAH OF THROUGHPUT FOR THE BUTTERFLY NETWORK

4.2 DELAY ANALYSIS:

Generation-Based Delay:

Network coding introduces delay due to the need to collect multiple coded packets before decoding. The average delay can be modeled as:

$$D = (g-1)/2 + D_{\text{prop}} + D_{\text{proc}}$$

Where g is the generation size, D_{prop} is propagation delay, and D_{proc} is processing delay.

Delay-Throughput Tradeoff:

Larger generation sizes improve throughput but increase delay. The optimal generation size depends on application requirements and channel conditions.

4.3 ENERGY EFFICIENCY:

Energy Model:

The total energy consumption includes:

- **Transmission Energy:**

$$E_{\text{tx}} = P_{\text{tx}} \times T_{\text{tx}}$$

- **Reception Energy:**

- $E_{\text{rx}} = P_{\text{rx}} \times T_{\text{rx}}$

- **Processing Energy:**

- $E_{\text{proc}} = P_{\text{proc}} \times T_{\text{proc}}$

Energy Savings Mechanisms:

1. Transmission Reduction:

Fewer transmissions due to coding gains

2. Opportunistic Listening:

Overhearing packets for decoding

3. Load Balancing:

Distributing energy consumption across nodes

4.4 RELIABILITY AND ROBUSTNESS:

Error Resilience:

Network coding provides inherent error correction capabilities. The minimum distance of the code determines error correction capability:

$$d_{\min} = \min \{wt(c) : c \in C, c \neq 0\}$$

Packet Loss Recovery:

Network coding can recover from packet losses without retransmissions if sufficient coded packets are received.

CHAPTER FIVE

5 APPLICATIONS IN WIRELESS NETWORKS

5.1 CELLULAR NETWORKS:

Multicast/Broadcast Services:

Network coding significantly improves efficiency in cellular multicast scenarios such as:

- **Mobile TV Broadcasting:**
Reduced spectrum usage and improved coverage
- **Software Updates:**
Efficient distribution to multiple users
- **Content Distribution:**
Optimized delivery of popular content

Implementation in LTE/5G:

- **eMBMS (evolved Multimedia Broadcast Multicast Service):**
Uses network coding for efficient multicast
- **Coordinated Multipoint (CoMP):**
Network coding enhances cooperation between base stations
- **Device-to-Device (D2D) Communication:**
Coding improves relay efficiency

Performance Gains:

Studies show 2-3x improvement in multicast efficiency and 30-40% reduction in transmission power.

5.2 WIRELESS SENSOR NETWORKS(WSNs):

Data Aggregation:

Network coding enables efficient aggregation of sensor data:

- **In-Network Processing:**

Sensors combine and compress data

- **Correlated Data Handling:**

Exploits spatial correlation

- **Energy-Efficient Routing:**

Reduces transmission overhead

Applications:

- **Environmental Monitoring:**

Temperature, humidity, air quality sensing

- **Structural Health Monitoring:**

Bridge and building safety

- **Agriculture:**

Soil moisture and crop monitoring

- **Smart Cities:**

Traffic monitoring and management

Challenges:

- **Resource Constraints:**

Limited processing power and memory

- **Real-Time Requirements:**

Latency-sensitive applications

- **Heterogeneous Data:**

Different sensor types and data formats

5.3 MOBILE AD-HOC NETWORKS(MANETs):

Routing with Network Coding:

Traditional routing protocols can be enhanced with network coding:

- **COPE:**

Opportunistic coding in wireless mesh networks

- **MORE:**

Network coding-aware routing protocol

- **CodeCast:**
Multicast routing with network coding

Benefits:

- **Throughput Improvement:**
2-10x gains in dense networks
- **Reduced Retransmissions:**
Built-in error correction
- **Load Balancing:**
Multiple path utilization

Military Applications:

- **Battlefield Communications:**
Robust communication in harsh environments
- **Tactical Networks:**
Efficient information dissemination
- **Emergency Response:**
Disaster recovery communications

5.4 VEHICULAR NETWORKs(VANETs):

V2V Communications:

Vehicle-to-vehicle communications benefit from network coding in:

- **Safety Message Broadcasting:**
Collision avoidance and hazard warnings
- **Traffic Information Dissemination:**
Real-time traffic updates
- **Infotainment Content Sharing:**
Entertainment and information services

V2I Communications:

Vehicle-to-infrastructure communications use network coding for:

- **Traffic Signal Optimization:**
Coordinated traffic management
- **Road Condition Monitoring:**
Pothole and hazard detection
- **Toll Collection:**
Efficient payment processing

Performance Characteristics:

- **High Mobility:**
Requires fast adaptation to topology changes
- **Delay Sensitivity:**
Safety applications require low latency
- **Broadcast Nature:**
Efficient for one-to-many communications

5.5 SATELLITE NETWORKS

LEO Satellite Constellations:

Low Earth Orbit satellite networks benefit from network coding:

- **Inter-Satellite Links:**
Efficient data routing between satellites
- **Ground Station Communications:**
Improved downlink efficiency
- **Delay Tolerance:**
Network coding helps with long propagation delays

Applications:

- **Global Internet Coverage:**
Providing connectivity to remote areas
- **IOT Communications:**
Satellite-based IoT networks
- **Emergency Communications:**
Disaster response and recovery

CHAPTER SIX

6 CHALLENGES AND LIMITATIONS

6.1 COMPUTATIONAL COMPLEXITY

Encoding Complexity:

Linear network coding requires matrix operations over finite fields, leading to:

- **$O(n^2)$:**
 $O(n^2)$ complexity for encoding n packets
- **Memory Requirements:**
Storing coding coefficients and packets
- **Real-Time Constraints:**
Processing delays in time-critical applications

Decoding Complexity:

Gaussian elimination for decoding has:

- **$O(n^3)$:**
 $O(n^3)$ complexity in the worst case
- **Numerical Stability:**
Issues with large finite fields
- **Progressive Decoding:**
Opportunity for early termination

Optimization Strategies:

- **Sparse Coding:**
Using sparse coding matrices

- **Systematic Coding:**
Preserving original packets
- **Batch Processing:**
Optimizing for multiple generations

6.2 PRACTICAL IMPLEMENTATION PROCESS:

Synchronization:

Network coding requires careful synchronization:

- **Generation Boundaries:**
Ensuring consistent packet grouping
- **Timing Synchronization:**
Coordinating transmission schedules
- **Buffer Management:**
Handling variable packet arrival rates

Security Concerns:

Network coding introduces new security challenges:

- **Pollution Attacks:**
Malicious nodes injecting corrupted packets
- **Eavesdropping:**
Increased vulnerability to passive attacks
- **Byzantine Behavior:**
Dealing with malicious coding operations

Standardization Issues:

- **Protocol Integration:**
Incorporating coding into existing protocols
- **Interoperability:**
Ensuring compatibility across vendors
- **Backward Compatibility:**
Supporting legacy systems

6.3 CHANNEL-SPECIFIC CHALLENGES

Wireless Channel Characteristics:

- **Fading:**
Time-varying channel conditions affect coding efficiency
- **Interference:**
Inter-cell and intra-cell interference
- **Mobility:**
Doppler effects and handoff procedures
- **Asymmetric Channels:**
Different uplink and downlink characteristics

Quality of Service (QoS) Requirements:

- **Delay Bounds:**
Real-time applications have strict delay requirements
- **Reliability:**
Mission-critical applications need high reliability
- **Fairness:**
Ensuring equitable resource allocation
- **Priority Handling:**
Supporting different service classes

6.4 SCALABILITY ISSUES:

Network Size:

- **Large Networks:**
Coding complexity increases with network size
- **Dense Networks:**
Interference and collision issues
- **Sparse Networks:**
Limited coding opportunities

Heterogeneity:

- **Device Capabilities:**
Different processing and memory constraints
- **Traffic Patterns:**
Varying application requirements
- **Mobility Patterns:**
Different movement characteristics

CHAPTER SEVEN

7 RECENT ADVANCES AND FUTURE DIRECTIONS

7.1 MACHINE LEARNING INTERGRATION:

AI-Enabled Network Coding:

Machine learning techniques are being integrated with network coding:

Deep Learning for Code Design:

- **Neural Network-Based Coding:**
Using deep learning to design optimal codes
- **Reinforcement Learning:**
Adaptive coding parameter selection
- **Federated Learning:**
Distributed learning in wireless networks

Intelligent Resource Allocation:

- **Predictive Coding:**
Using ML to predict network conditions
- **Dynamic Adaptation:**
Real-time optimization of coding parameters
- **Traffic Prediction:**
Anticipating network demands

Performance Improvements:

Studies show 20-30% improvement in throughput and 40% reduction in delay using ML-enhanced network coding.

7.2 QUANTUM NETWORK CODING:

Quantum Information Theory:

Extending network coding to quantum information systems:

- **Quantum Entanglement:**
Utilizing quantum correlations
- **Quantum Error Correction:**
Protecting quantum information
- **Quantum Communication Networks:**
Secure quantum key distribution

Potential Applications:

- **Quantum Internet:**
Connecting quantum computers
- **Quantum Cryptography:**
Ultra-secure communications
- **Quantum Sensing:**

7.3 EDGE COMPUTING INTEGRATION:

Edge-Enabled Network Coding:

Combining edge computing with network coding:

- **Local Processing:**
Reducing latency through edge computation
- **Caching and Coding:**
Optimized content delivery
- **Distributed Intelligence:**
Decentralized decision making

Applications:

- **Augmented Reality:**
Low-latency AR applications
- **Autonomous Vehicles:**
Real-time processing for safety
- **Industrial IOT:**
Edge analytics for manufacturing

7.4 G6 AND BEYOND:

Next-Generation Wireless:

Network coding in future wireless systems:

Massive MIMO Integration:

- **Spatial Network Coding:**
Exploiting spatial dimensions
- **Beamforming with Coding:**
Directional coding transmissions
- **Interference Management:**
Coding-based interference mitigation

Terahertz Communications:

- **High-Frequency Challenges:**
Propagation and hardware issues
- **Ultra-High Bandwidth:**
Exploiting massive bandwidth
- **Novel Modulation Schemes:**
Coding-modulation joint design

Integrated Sensing and Communications:

- **Radar-Communication Systems:**
Dual-function systems
- **Environmental Sensing:**
Network-coded sensing data
- **Positioning Services:**

7.5 EMERGING APPLICATIONS:

Internet of Things (IOT):

- **Massive IOT:**
Connecting billions of devices
- **Low-Power Coding:**
Energy-efficient coding schemes
- **Heterogeneous Networks:**
Integrating different IoT technologies

Blockchain and Distributed Ledgers:

- **Consensus Mechanisms:**
Network coding for blockchain consensus
- **Secure Transactions:**
Coding-based transaction verification
- **Distributed Storage:**
Coded storage systems

Smart Grid Communications:

- **Grid Monitoring:**
Real-time grid state estimation
- **Demand Response:**
Efficient control signal distribution
- **Renewable Integration:**
Managing distributed energy resources

CHAPTER EIGHT

8 CONCLUSION

8.1 CONCLUSION

In conclusion, the network coding has significantly improved wireless communication by enhancing throughput, robustness, and spectrum efficiency. It outperforms traditional routing in multicast and cooperative transmission scenarios. Various coding techniques, including linear, analog, and opportunistic schemes, are suitable for real-world wireless environments. Despite implementation challenges, advancements in hardware and software support its deployment in IOT, MANETs, and 5G networks. Recent studies confirm its scalability and adaptability to evolving wireless standards.

References

- [1] Ahlswede, R., Cai, N., Li, S. Y. R., & Yeung, R. W. (2000). Network information flow. *IEEE Transactions on Information Theory*, 46(4), 1204-1216.
- [2] Li, S. Y. R., Yeung, R. W., & Cai, N. (2003). Linear network coding. *IEEE Transactions on Information Theory*, 49(2), 371-381.
- [3] Katti, S., Rahul, H., Hu, W., Katabi, D., Médard, M., & Crowcroft, J. (2008). XORs in the air: Practical wireless network coding. *IEEE/ACM Transactions on Networking*, 16(3), 497-510.
- [4] Zhang, S., Liew, S. C., & Lam, P. P. (2006). Hot topic: Physical-layer network coding. *Proceedings of the 12th Annual International Conference on Mobile Computing and Networking*, 358-365.
- [5] Fragouli, C., & Soljanin, E. (2007). Network coding fundamentals. *Foundations and Trends in Networking*, 2(1), 1-133.
- [6] Ho, T., Médard, M., Koetter, R., Karger, D. R., Effros, M., Shi, J., & Leong, B. (2006). A random linear network coding approach to multicast. *IEEE Transactions on Information Theory*, 52(10), 4413-4430.
- [7] Kschischang, F. R., & Romo, S. (2007). Coding for errors and erasures in random network coding. *IEEE Transactions on Information Theory*, 54(8), 3579-3591.
- [8] Chachulski, S., Jennings, M., Katti, S., & Katabi, D. (2007). Trading structure for randomness in wireless opportunistic routing. *ACM SIGCOMM Computer Communication Review*, 37(4), 169-180.
- [9] Nazer, B., & Gastpar, M. (2011). Compute-and-forward: Harnessing interference through structured codes. *IEEE Transactions on Information Theory*, 57(10), 6463-6486.
- [10] Lucani, D. E., Médard, M., & Stojanovic, M. (2010). Systematic network coding for time-division duplexing. *IEEE Transactions on Communications*, 58(8), 2321-2331.
- [11] Ghaderi, M., Towsley, D., & Kurose, J. (2008). Reliability gain of network coding in lossy wireless networks. *IEEE INFOCOM 2008-The 27th Conference on Computer Communications*, 2171-2179.
- [12] Dimakis, A. G., Godfrey, P. B., Wu, Y., Wainwright, M. J., & Ramchandran, K. (2010). Network coding for distributed storage systems. *IEEE Transactions on Information Theory*, 56(9), 4539-4551.
- [13] Sorour, S., & Valaee, S. (2010). Completion delay minimization for instantly decodable network codes. *IEEE/ACM Transactions on Networking*, 23(5), 1553-1567.
- [14] Hundebøll, M., Ledet-Pedersen, J., Heide, J., Pedersen, M. V., Rein, S. A., & Fitzek, F. H. (2013). CATERPILLAR RLNC (CRLNC): A practical finite field network coding scheme. *IEEE Transactions on Mobile Computing*, 12(7), 1337-1349.

[15] Douik, A., Sorour, S., Al-Naffouri, T. Y., & Alouini, M. S. (2016). Instantly decodable network coding: From centralized to device-to-device communications. *IEEE Communications Surveys & Tutorials*, 19(2), 1201-1224.