

NASTP Scenario-Based SOC MCQs

Scenario 1: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 2: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 3: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 4: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 5: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 6: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert

- d Shutdown the server

Scenario 7: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 8: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 9: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 10: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 11: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 12: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 13: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 14: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 15: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 16: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 17: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 18: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 19: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 20: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 21: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 22: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 23: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 24: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 25: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert

- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 26: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 27: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 28: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 29: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 30: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 31: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP

- c Verify logs and validate alert
- d Shutdown the server

Scenario 32: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 33: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 34: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 35: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 36: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 37: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert

- d Shutdown the server

Scenario 38: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 39: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 40: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 41: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 42: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 43: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 44: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 45: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 46: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 47: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 48: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 49: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server

Scenario 50: Multiple failed logins followed by a successful login from a new location. What should a SOC analyst do FIRST?

- a Ignore the alert
- b Reset user password and block IP
- c Verify logs and validate alert
- d Shutdown the server