

Cyber Security 3-Hour Mega Mock Exam (150 MCQs)

Q1. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q2. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q3. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q4. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q5. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q6. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q7. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q8. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q9. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q10. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q11. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q12. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q13. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q14. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q15. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q16. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q17. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q18. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q19. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q20. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q21. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q22. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q23. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q24. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q25. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q26. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q27. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q28. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q29. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q30. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q31. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q32. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q33. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q34. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q35. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q36. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q37. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q38. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q39. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q40. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q41. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q42. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q43. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q44. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q45. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q46. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q47. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q48. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q49. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q50. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q51. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q52. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q53. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q54. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q55. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q56. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q57. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q58. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q59. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q60. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q61. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q62. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q63. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q64. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q65. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q66. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q67. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q68. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q69. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q70. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q71. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q72. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q73. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q74. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q75. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q76. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q77. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q78. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q79. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q80. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q81. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q82. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q83. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q84. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q85. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q86. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q87. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q88. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q89. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q90. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q91. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q92. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q93. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q94. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q95. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q96. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q97. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q98. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q99. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q100. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q101. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q102. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q103. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q104. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q105. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q106. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q107. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q108. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q109. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q110. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q111. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q112. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q113. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q114. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q115. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q116. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q117. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q118. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q119. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q120. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q121. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q122. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q123. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q124. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q125. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q126. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q127. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q128. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q129. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q130. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q131. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q132. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q133. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q134. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q135. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q136. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q137. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q138. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q139. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q140. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Q141. Which phase of incident response involves containment?

- a Preparation
- b Detection & Analysis
- c Containment
- d Lessons Learned

Q142. What does SIEM stand for?

- a Security Information Event Management
- b Security Information and Event Management
- c Secure Internet Event Monitor
- d System Information Event Manager

Q143. The CIA triad stands for:

- a Confidentiality, Integrity, Availability
- b Cyber, Information, Access
- c Control, Integrity, Authentication
- d Compliance, Investigation, Analysis

Q144. SQL injection is classified as:

- a Physical attack
- b Application layer attack
- c Network attack
- d Social engineering

Q145. What port does HTTPS use by default?

- a 80
- b 443
- c 22
- d 3389

Q146. Which encryption is asymmetric?

- a AES
- b DES
- c RSA
- d 3DES

Q147. A honeypot is used to:

- a Protect the CEO
- b Detect attackers
- c Encrypt data
- d Backup files

Q148. What is the purpose of a DMZ?

- a Store backups
- b Isolate public-facing services
- c Manage passwords
- d Monitor employees

Q149. Which protocol is secure for remote access?

- a Telnet
- b SSH
- c FTP
- d HTTP

Q150. What does XSS stand for?

- a X-ray Security System
- b Cross-Site Scripting
- c External Security Service
- d Extra Site Security

Answer Key

Question	Answer
Q1	c
Q2	b
Q3	a
Q4	b
Q5	b
Q6	c
Q7	b
Q8	b
Q9	b
Q10	b
Q11	c
Q12	b
Q13	a
Q14	b
Q15	b
Q16	c
Q17	b
Q18	b
Q19	b
Q20	b
Q21	c
Q22	b
Q23	a
Q24	b
Q25	b
Q26	c
Q27	b
Q28	b
Q29	b
Q30	b
Q31	c
Q32	b
Q33	a
Q34	b
Q35	b
Q36	c
Q37	b
Q38	b

Q39	b
Q40	b
Q41	c
Q42	b
Q43	a
Q44	b
Q45	b
Q46	c
Q47	b
Q48	b
Q49	b
Q50	b

Question	Answer
Q50	b
Q51	c
Q52	b
Q53	a
Q54	b
Q55	b
Q56	c
Q57	b
Q58	b
Q59	b
Q60	b
Q61	c
Q62	b
Q63	a
Q64	b
Q65	b
Q66	c
Q67	b
Q68	b
Q69	b
Q70	b
Q71	c
Q72	b
Q73	a
Q74	b
Q75	b
Q76	c

Q77	b
Q78	b
Q79	b
Q80	b
Q81	c
Q82	b
Q83	a
Q84	b
Q85	b
Q86	c
Q87	b
Q88	b
Q89	b
Q90	b
Q91	c
Q92	b
Q93	a
Q94	b
Q95	b
Q96	c
Q97	b
Q98	b
Q99	b

Question	Answer
Q100	b
Q101	c
Q102	b
Q103	a
Q104	b
Q105	b
Q106	c
Q107	b
Q108	b
Q109	b
Q110	b
Q111	c
Q112	b
Q113	a
Q114	b
Q115	b

Q116	c
Q117	b
Q118	b
Q119	b
Q120	b
Q121	c
Q122	b
Q123	a
Q124	b
Q125	b
Q126	c
Q127	b
Q128	b
Q129	b
Q130	b
Q131	c
Q132	b
Q133	a
Q134	b
Q135	b
Q136	c
Q137	b
Q138	b
Q139	b
Q140	b
Q141	c
Q142	b
Q143	a
Q144	b
Q145	b
Q146	c
Q147	b
Q148	b
Q149	b

Question	Answer
Q150	b