Project Solution Template

Instructions: List the steps you will perform to complete each task in the system. Ensure to provide screenshots for each step. As a sample, we have filled in the information for the first two steps in Task 1. You can add more rows as required.

Task #	Activity
Task 1: Configure NSG to allow an inbound traffic rule named "*AllowAnyCustom3389Inbound*," with a priority of 310, on port 3389 for RDP access on the VM	1. Sign in to the [Azure portal]() with your login credentials. Navigate to the VM instance for which you want RDP access and select Connect. 

2. Create a resource group to bundle all the resources we are going to use in this lab.



3. Creating an NSG for the VM



4. Creating a VM

information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See the Azure Marketplace Terms for additional details.

⚠ **You have set RDP port(s) open to the internet.** This is only recommended for testing. If you want to change this setting, go back to Basics tab.

Basics

Subscription	Azure subscription 1
Resource group	lab3-RG
Virtual machine name	VM-lab3
Region	East Asia
Availability options	Availability zone
Zone options	Self-selected zone
Availability zone	1
Security type	Trusted launch virtual machines
Enable secure boot	Yes
Enable vTPM	Yes
Integrity monitoring	No
Image	Windows Server 2025 Datacenter: Azure Edition - Gen2
VM architecture	x64

5. Created an NSG inbound rule to configure NSG to allow inbound traffic on port 3389 for RDP access on the VM.



Task #	Activity
Task 2: Set up Internet Information Services (IIS) on the VM	1. Installing IIS server on the VM 

	2. Testing IIS server local host http://localhost 

Task #	Activity
Task 3: Test the public IP address of the VM	1. Testing the public IP ***40.81.24.53*** resulted in the default public IP **IIS HTML page** not being displayed. 

Task #	Activity
Task 4: Configure an inbound traffic rule named "*AllowAnyCustom80Inbound,*" with a priority of 320, to allow public access on port 80	

Task #	Activity
Task 5: Retest the public IP address of the VM	1. After adding the rule ***AllowAnyCustom80Inbound*** the IIS server is open to the public internet.