


Container security project solution

Instructions: List the steps you will perform to complete each activity in the system. Provide screenshots for each step. As a sample, we have filled in the information for Activity 1, Steps 1 and 2. You can add more rows as required.

Task: Secure a container with a shared access signature (SAS)

Activity #	Steps
Activity 1: Create a Storage account with geo-redundant storage and a container with the public access level set to Blob.	1. Sign in to the Azure portal with your login credentials. 2. On the Azure portal, select Create a resource. A screenshot of the Microsoft Azure portal interface. The top navigation bar is blue with the 'Microsoft Azure' logo and a search bar. Below the navigation bar, there's a section titled 'Azure services' with a grid of icons for various services. The 'Create a resource' icon, which is a blue plus sign inside a square, is highlighted with a red rectangular box. Other visible icons include Azure Active Directory, Virtual networks, Virtual machines, Resource groups, Subscriptions, Preview features, Automation Accounts, and Batch accounts. Below the 'Azure services' section, there's a 'Resources' section with tabs for 'Recent' and 'Favorite'. Under the 'Recent' tab, there's a table with columns 'Name', 'Type', and 'Last Viewed'. The table is currently empty, and a message states 'No resources have been viewed recently' with a 'View all resources' button below it. At the bottom of the page, there's a 'Navigate' section and a browser address bar showing the URL 'https://portal.azure.com/?azure-portal=true#blade/HubsExtension/BrowseResour...'.

3. Creating a storage account with Geo-redundant storage:

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot

Home > Storage center | Blob Storage

Create a storage account

Subscription * Azure subscription 1

Resource group * MCResourcegroup
[Create new](#)

Instance details

Storage account name * labstorageaccount555

Region * (US) East US
[Deploy to an Azure Extended Zone](#)

Preferred storage type Azure Blob Storage or Azure Data Lake Storage

i This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. [Learn more](#)

Performance * ☒ **Standard:** Recommended for most scenarios (general-purpose v2 account)
☐ **Premium:** Recommended for scenarios that require low latency.

Redundancy * Geo-redundant storage (GRS)
☒ Make read access to data available in the event of regional unavailability.
☐ Geo priority replication guarantees Blob storage data is geo-replicated within 15 minutes.

[Previous](#) [Next](#) [Review + create](#)

[Give feedback](#)

4. Storage account created *successfully*:

The screenshot displays the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, an 'Upgrade' button, a search bar, and a 'Copilot' button. The left sidebar contains a navigation menu with options like 'Create a resource', 'Home', 'Dashboard', 'All services', and a 'FAVORITES' section. The main content area shows the 'Overview' page for the storage account 'labstorageaccount555'. The page includes a search bar, a list of actions (Upload, Open in Explorer, Delete, Move, Refresh, Open in mobile, CLI / PS, Feedback), and a 'JSON View' button. The 'Essentials' section provides key information about the storage account, including its resource group, location, primary/secondary locations, subscription, and disk state. The 'Properties' section is divided into 'Blob service' and 'Security' tabs, showing various settings and their status.

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot

Home > labstorageaccount555_1782881058983 | Overview

labstorageaccount555 Storage account

Search

Upload Open in Explorer Delete Move Refresh Open in mobile CLI / PS Feedback

Overview

Activity log Tags Diagnose and solve problems Access Control (IAM) Data migration Events Storage browser Storage Mover Partner solutions Resource visualizer

Data storage Security + networking Data management Settings Monitoring Automation Help

Add or remove favorites by pressing Ctrl+Shift+F

Essentials JSON View

Resource group (move) MCRResourcegroup

Location eastus

Primary/Secondary Location Primary: East US, Secondary: West US

Subscription (move) Azure subscription 1

Subscription ID ae057139-3ee2-4662-a3fb-11c8432a3437

Disk state Primary: Available, Secondary: Available

Tags (edit) Add tags

Properties Monitoring Capabilities (7) Recommendations (0) Tutorials Tools + SDKs

Blob service

Hierarchical namespace Disabled

Default access tier Hot

Blob anonymous access Disabled


Security

Require secure transfer for REST API operations Enabled

Storage account key access Enabled

Minimum TLS version Version 1.2

5. Changing the access level of container 'branding' so that the blobs can be anonymously accessed but the accessor will not be able to view or enumerate **other** blobs in the container.



Activity 2:
Upload files to Blob
Storage.

1. Uploaded a **local image** as a blob in the container

Microsoft Azure

Upgrade

Search resources, services, and docs (G+J)

Copilot

Create a resource

Home

Dashboard

All services

FAVORITES

Application Templates

All resources

Resource groups

App Services

Function App

Azure SQL Database

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Microsoft Defender for Cloud

Cost Management + Billing

Home

branding

Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

+ Add Directory

Upload

Change access level

Refresh

Delete

Copy

Paste

Rename

Acquire lease

branding

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

	Name	Last modified	Access tier	Blob type	Size	Lease state	
	9.webp	7/1/2026, 9:58:45 AM	Hot (Inferred)	Block blob	23.6 KiB	Available	

Add or remove favorites by pressing Ctrl+Shift+F

Activity 3:

Create SAS tokens.

1. Creating SAS token with **HTTPS only** and **read** and **list** permissions on the blobs.

A shared access signature (SAS) is a URI that grants restricted access to an Azure Storage container. Use it when you want to grant access to storage account resources for a specific time range without sharing your storage account key. [Learn more about creating an account SAS](#)

Signing method

☒ Account key ☐ User delegation key

Signing key ⓘ

Key 1 ▾

Stored access policy

None ▾

Permissions * ⓘ

2 selected ▾

Start and expiry date/time ⓘ

Start

07/01/2026  9:49:04 AM

(UTC+05:00) Islamabad, Karachi ▾

Expiry

07/07/2026  9:49:04 AM

(UTC+05:00) Islamabad, Karachi ▾

Allowed IP addresses ⓘ

for example, 168.1.5.65 or 168.1.5.65-168.1....

Allowed protocols ⓘ

☒ HTTPS only ☐ HTTPS and HTTP

Generate SAS token and URL

Blob SAS token ⓘ

[Redacted]


Blob SAS URL

[Redacted]

Activity 4:

Download and install Azure Storage Explorer and connect to a Storage account.

1. Going through the steps in **MS Azure Storage Explorer** after installing it on **my PC**.



2. Successfully accessed blobs through the SAS URL

