


Solution template: Course project

Instructions: For each of the tasks, list the steps you will perform in the system to complete the task. You can add more rows as needed. Provide screenshots of the activities. For your reference, we have filled in the information for the first two steps in Task 1 as a sample.

Task #	Activity
Task 1: Block Access by Location	1. Sign in to the Azure portal with your login credentials.  2. Open Microsoft Entra ID.

Microsoft Azure

Search resources, services, and docs (G+I)

Copilot

All services

QCRB | Overview

Overview

Preview features

Diagnose and solve problems

Manage

- Users
- Groups
- External Identities
- Roles and administrators
- Administrative units
- Delegated admin partners
- Agents
- Enterprise applications
- Devices
- App registrations
- Identity Governance
- Application proxy
- Custom security attributes
- Licenses
- Cross-tenant synchronization

Microsoft Entra has a simpler, integrated experience for managing all your Identity and Access Management needs. Try the new Microsoft Entra admin center!

Overview

Monitoring

Properties

Recommendations

Setup guides

Search your tenant

Basic information

Name	QCRB	Users	2
Tenant ID	XXXXXXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX	Groups	2
Primary domain	qcrb.onmicrosoft.com	Applications	0
License	Microsoft Entra ID P2	Devices	0

Alerts

Migrate to the converged Authentication methods policy

Please migrate your authentication methods off the legacy MFA and SSPR policies by September 2025 to avoid any service impact

[Learn more](#)

My feed

3. Navigate to Security > Conditional Access > Named Locations.

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home

QCRB | Overview

×

+

Add

⚙️

Manage tenants

📄

What's new

🗨️

Got feedback?

⌵

Agents

Enterprise applications

Devices

App registrations

Identity Governance

Application proxy

Custom security attributes

Licenses

Cross-tenant synchronization

Microsoft Entra Connect

Custom domain names

Mobility (MDM and WIP)

Password reset

Company branding

User settings

Properties

Security

> Monitoring

> Troubleshooting + Support

Microsoft Entra has a simpler, integrated experience for managing all your Identity and Access Management needs. Try the new Microsoft Entra admin center! 📄

Overview

Monitoring

Properties

Recommendations

Setup guides

🔍

Search your tenant

Basic information

Name	QCRB	Users	2
Tenant ID	0e481d82-e4e6-4e67-9162-fadbdc027b69 📄	Groups	2
Primary domain	qcrb.onmicrosoft.com	Applications	0
License	Microsoft Entra ID P2	Devices	0

Alerts

⚠️

Migrate to the converged Authentication methods policy

Please migrate your authentication methods off the legacy MFA and SSPR policies by September 2025 to avoid any service impact

[Learn more](#) 📄

My feed

Add or remove favorites by pressing Ctrl+L+Shift+F

	 Microsoft Azure Search resources, services, and docs (G+) Copilot jbmseco@qcrb.onmicro... QCRB (QCRB.ONMICROSOFT.COM) Home > QCRB Security > Security Conditional Access > Conditional Access Overview Named locations ... × + Countries location + IP ranges location Configure multifactor authentication trusted IPs Refresh Preview features Got feedback? Named locations are used by Microsoft Entra security reports to reduce false positives and by Microsoft Entra Conditional Access policies. Named Locations that are marked Trusted or configured in Conditional Access Policies cannot be deleted. Learn more All Named Locations Deleted Named Locations Search by name Location type: All types Trusted type: All types Reset filters 0 named locations found <table><tr><th>Name</th><th>Location type</th><th>Trusted</th><th>Conditional Access policies</th><th>Creation date</th><th>Modified date</th></tr><tr><td colspan="6">No results.</td></tr></table>	Name	Location type	Trusted	Conditional Access policies	Creation date	Modified date	No results.					
Name	Location type	Trusted	Conditional Access policies	Creation date	Modified date								
No results.													
	4. Create Named Location by selecting + IP ranges location and then adding the IP range in the New location (IP ranges).												

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home > QCRB | Security > Security | Conditional Access > Conditional Access | Overview

Named locations

...

+ Countries location

+ IP ranges location

Configure multifactor authentication trusted IPs

Refresh

Preview features

Got feedback

Named locations are used by Microsoft Entra security reports to reduce false positives and by Microsoft Entra Conditional Access policies. Named Locations that are

All Named Locations

Deleted Named Locations

Search by name:

Location type: All types

Trusted type: All types

Reset filters

0 named locations found

Name	Location type	Trusted	Conditional Access policies	Creation date
No results.				

New location (IP ranges)

×

Upload

Download

Configure named location IPv4 and IPv6 ranges. [Learn more](#)

Name *

BranchOfficeBlocked

☐ Mark as trusted location

+

1 IP range found

1.38.0.0/16

Create

Cancel

5. Create Conditional Access Policy

- Go back to Conditional Access and click + New Policy

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > QCRB | Security > Security | Conditional Access

Conditional Access | Overview

Microsoft Entra ID

+ Create new policy + Create new policy from templates Refresh Got feedback?

Conditional Access for agents is now available with Microsoft Agent 365 in Entra. Learn more

Getting started Overview Coverage Tutorials

Policy Summary

Agent Identities

There are 0 agent identities in your tenant

[See all unprotected sign-ins](#)

[See all policies protecting agents](#)

Policy Snapshot

1 Enabled 0 Report-only 0 Off

[View all policies](#)

Users

6 users signed in during the last 7 days without any policy coverage

[See all unprotected sign-ins](#)

Devices

0% of sign-ins in the last 7 days were from unmanaged or non-compliant devices

[See all noncompliant devices](#)

[See all unmanaged devices](#)

Applications

Browse a list of applications that are not protected by your policies.

[View top unprotected apps](#)

What's new

The approved client app grant in Conditional Access is retiring in March 2026.

This control will no longer be enforced after March 2026. [Update your policy](#) to stay up to date.

[Learn more](#)

Named Locations

Microsoft Entra ID now supports IPv6! Update your Named locations with IPv6 ranges.

[Learn more](#)

0 policies have a Named Location condition

Conditional Access Insider Risk policy

Conditional Access now offers Adaptive Protection risk profiles to minimize risky activity.

[Learn more](#)

[Go to Adaptive Protection](#)

Add or remove favorites by pressing Ctrl+Shift+F

6. Assign users. Under Users, select All Users.

Microsoft Azure Search resources, services, and docs (G+/J) Copilot

Home > QCRB | Security > Security | Conditional Access > Conditional Access | Overview

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Control access based on who the policy will apply to, such as users and groups, agents, workload identities, directory roles, or external guests. [Learn more](#)

Name *
Block Branch Office Users ✓

What does this policy apply to?
Users and groups

Assignments

Users or agents ⓘ
All users

Include Exclude

☐ None

☒ All users

☐ Select users and groups

Target resources ⓘ
No target resources selected

Network ⓘ
Any network or location

Conditions ⓘ
1 condition selected

Access controls

Grant * ⓘ
0 controls selected

Enable policy
Report-only On Off

Create

ⓘ User-based policies apply when users access resources directly or through agents acting on the user's behalf

⚠ Don't lock yourself out! This policy will affect all of your users. We recommend applying a policy to a small set of users first to verify it behaves as expected. [Learn more](#)

7. Assign Location. Under Conditions select Locations. Set Configure = Yes. Then select BranchOfficeBlocked under Include.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > QCRB | Security > Security | Conditional Access > Conditional Access | Overview

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Control user access based on their network or physical location. [Learn more](#)

Configure

Yes No

Include Exclude

☐ Any network or location

☐ All trusted networks and locations

☐ All Compliant Network locations

☒ Selected networks and locations

Select

BranchOfficeBlocked

BranchOfficeBlocked

To create a Conditional Access policy ensuring your tenant's members are coming from their compliant network, make sure Global Secure Access (GSA) is deployed and Adaptive Access Signaling in GSA is enabled in your tenant. [Learn more on how to enable GSA Adaptive Access Signaling.](#)

Name *

Block Branch Office Users

Assignments

Users or agents

All users

Target resources

No target resources selected

Network

1 included

Conditions

1 condition selected

Access controls

Grant *

0 controls selected

Enable policy

Report-only On Off

Create

Select networks

Search by name

Location type: All types Trusted type: All types Reset filters

2 named locations found

Save Cancel

8. Configure Access Control.
- Under Grant select Block Access then click Select.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > Conditional Access | Policies

Block Branch Office Users

Conditional Access policy

Delete View policy information View policy impact

Name *

Block Branch Office Users

Assignments

Users or agents ⓘ

All users

Target resources ⓘ

No target resources selected

Network ⓘ

1 included

Conditions ⓘ

1 condition selected

Access controls

Grant * ⓘ

Block access

Session * ⓘ

0 controls selected

Enable policy

Grant

Control access enforcement to block or grant access. [Learn more](#)

☒ Block access

☐ Grant access

☐ Require multifactor authentication ⓘ

☐ Require authentication strength ⓘ

☐ Require device to be marked as compliant ⓘ

☐ Require Microsoft Entra hybrid joined device ⓘ

☐ Require approved client app ⓘ
[See list of approved client apps](#)

☐ Require app protection policy ⓘ
[See list of policy protected client apps](#)

☐ Require password change ⓘ

☐ Require risk remediation ⓘ

For multiple controls

☐ Require all the selected controls

☒ Require one of the selected controls

9. Enable Policy. Set Enable Policy = On

Home

Privileged Identity Management | Quick start

Privileged Identity Management

What's new Get started

Quick start

Tasks

- My roles
- My requests
- Approve requests
- Review access

Manage

- Microsoft Entra roles
- Groups
- Azure resources

Activity

- My audit history
- Troubleshooting + Support

Manage your privileged access

Use Privileged Identity Management to manage the lifecycle of role assignments, enforce just-in-time access policy, and discover who has what roles. [Learn more](#)



Manage access

Users with excessive access are vulnerable in the event of account compromise. Ensure your organization manages to least privilege by periodically reviewing, renewing, or extending access to resources.


Manage



Activate just in time

Reduce the potential for lateral movement in the event of account compromise by eliminating persistent access to privileged roles and resources. Enforce just in time access to critical roles with PIM.

Activate



Discover and monitor

It is common for access to critical resources to go undetected. Ensure you know who has access to what, and receive notifications when new assignments are granted to accounts in your organization.

Discover

Add or remove favorites by pressing Ctrl+L+Shift+F

Create an access review



Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name *

Description ⓘ

Start date * ⓘ

06/05/2026

Frequency

One time

Duration (in days) ⓘ

1

End ⓘ

Never

End by

Occurrences

Number of times

1

End date *

07/05/2026

Users

Scope ⓘ

☒ All users and groups

☐ Service Principals

Inactive users only ⓘ


True

False

Role *

[Select privileged role\(s\)](#)

Start



Home > QCRB

Access reviews

Identity Management | Microsoft Entra roles

New

Filter

Group

Settings

Quick start

Overview

Tasks

Manage

Roles

Assignments

Alerts

Access reviews

Discovery and insights (Preview)

Settings

Activity

Resource audit

My audit

Access reviews for Microsoft Entra ID directory roles

Search by name or owner

Role	Owner	Start Date	End Date	Status
Privileged Role Administrator Access Review - July 2026				
		7/1/2026	8/1/2026	Not started

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home

QCRB | Overview

+

Add

Manage tenants

What's new

Got feedback?

Overview

Preview features

Diagnose and solve problems

Manage

Users

Groups

External Identities

Roles and administrators

Administrative units

Delegated admin partners

Agents

Enterprise applications

Devices

App registrations

Identity Governance

Application proxy

Custom security attributes

Licenses

Cross-tenant synchronization

Microsoft Entra has a simpler, integrated experience for managing all your Identity and Access Management needs. Try the new Microsoft Entra admin center.

OverviewMonitoringPropertiesRecommendationsSetup guides

Search your tenant

Basic information

Name

Tenant ID

Primary domain

License

Users

Groups

Applications

Devices

Alerts

Migrate to the converged Authentication

Notifications

More events in the activity log →

Dismiss all

Successfully created user

Successfully created user Jeff

3 minutes ago

3. Completed New User form before clicking Create.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home

Jeff ...

User

Edit propertiesDeleteRefreshReset passwordRevoke sessionsManage viewGot feedback?

OverviewMonitoringProperties

Basic info

J

Jeff@q

4c8ce6a4-1bc5-4063-9f8e-69c59ba9c953

Jun 5, 2026, 5:08 PM

Member

qcrb.onmicrosoft.com

Group memberships0

Applications0

Assigned roles0

Assigned licenses0

My Feed

Account status

Enabled

Edit

Sign-ins

Last interactive sign-in: -- --

Last non-interactive sign-in: -- --

See all sign-ins

R2B invitation

Notifications

More events in the activity log →Dismiss all

Successfully created user

Successfully created user Jeff

a few seconds ago

4. Created the DevOps group and added Jeff to the Group.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > OCRB | Groups > Groups | Overview

New Group

Got feedback?

Group type * ⓘ
Security

Group name * ⓘ
DevOps

Group description ⓘ
DevOps Group

Microsoft Entra roles can be assigned to the group ⓘ
Yes No

Membership type * ⓘ
Assigned

Owners
No owners selected

Members
1 member selected

Create

Notifications

More events in the activity log → Dismiss all

Successfully created user
Successfully created user Jeff
12 minutes ago

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home > Groups > All groups > DevOps

DevOps | Members

Group

+ Add members Bulk operations Refresh Manage view Remove Got feedback?

Overview

Diagnose and solve problems

Manage

Properties

Members

Owners

Roles and administrators

Administrative units

Group memberships

Applications

Licenses

Azure role assignments

Activity

Troubleshooting + Support

Direct members All members

Search Add filter

1 group member found

	Name ↑	Type	Email	User type	Object Id
☐	 Jeff	User		Member	4c8ce6a4-1bc5-4063-9f8e-69

Add or remove favorites by pressing Ctrl+Shift+F

5. Assign Virtual Machine Contributor Role to DevOps

- Navigate to Subscriptions > Azure subscription 1 > Access Control (IAM)

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home > Resource Manager > Subscriptions > Azure subscription 1

Resource Manager | Subscriptions

QCRB

Search

+ Add

Manage Policies

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Service groups

Management groups

Subscriptions

Tools

Deployments

Help

Global administrators can manage all subscriptions in this list by updating their policy setting [here](#).

View list of subscriptions for which you have role-based access control (RBAC) permissions to manage Azure resources. To view subscriptions for which you have billing access, [click here](#)

Showing subscriptions in QCRB directory. Don't see a subscription? [Switch directories](#)

Search

Subscriptions : Filtered (1 of 1)

My role == all

Status == all

Add filter

Subscription name ↑↓

Azure subscription 1

Add or remove favorites by pressing Ctrl+L+Shift+F

Azure subscription 1 | Access control (IAM)

Subscription

Search

+ Add

Download role assignments

Edit columns

Refresh

Delete

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Security

Resource visualizer

Events

Resource groups

Resources

Cost Management

Cost analysis

Cost alerts

Budgets

Advisor recommendations

Billing

Billing profile invoices

Settings

Programmatic deployment

Billing properties

Check access

Role assignments

Roles

Deny assignments

Looking for the previous check access view? [Click here](#).

Check access

Review the level of access a user, group, service principal, or managed identity has to this resource. [Learn more](#)

Check access

Assignments

Active

Eligible

Deny

1

0

0

Search by role name or membership

Role Name ↑↓

Scope ↑↓

Membership ↑↓

Condition ↑↓

Action

Active permanent assignments (1)

Owner

This resource

No

-

Active time-bound assignments (0)

Eligible permanent assignments (0)

Eligible time-bound assignments (0)

Deny assignments (0)

Add or remove favorites by pressing Ctrl+L+Shift+F

6. Added Role Assignment
- Selected Virtual Machine Contributor

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home > Resource Manager | Subscriptions > Azure subscription 1 | Access control (IAM)

Add role assignment

RoleMembersConditionsAssignment typeReview + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

Copilot can help pick a role

Job function rolesPrivileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

Virtual Machine ContributorType: AllCategory: All

Name ↑↓	Description ↑↓	Type ↑↓	Category ↑↓	Details
Classic Virtual Machine Contributor	Lets you manage classic virtual machines, but not access to them, and not the virtual network or storage account they're co...	BuiltInRole	Compute	View
Desktop Virtualization Power On Contributor	Provide permission to the Azure Virtual Desktop Resource Provider to start virtual machines.	BuiltInRole	None	View
Desktop Virtualization Power On Off Contributor	Provide permission to the Azure Virtual Desktop Resource Provider to start and stop virtual machines.	BuiltInRole	None	View
Desktop Virtualization Virtual Machine Contribut...	This role is in preview and subject to change. Provide permission to the Azure Virtual Desktop Resource Provider to create, d...	BuiltInRole	None	View
Service Fabric Cluster Contributor	Manage your Service Fabric Cluster resources. Includes clusters, application types, application type versions, applications, an...	BuiltInRole	None	View
Virtual Machine Contributor	Lets you manage virtual machines, but not access to them, and not the virtual network or storage account they're connecte...	BuiltInRole	Compute	View

Showing 1 - 6 of 6 results.

Review + assignPreviousNext

Feedback

7. Click Review + Assign to create the role assignment.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home > Resource Manager | Subscriptions > Azure subscription 1

Resource Manager | Subscriptions

QCRB

Search

+

 Add

Manage Policies

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Service groups

Management groups

Subscriptions

Tools

Deployments

Help

Global administrators can manage all subscriptions in this list by updating their policy setting [here](#).

View list of subscriptions for which you have role-based access control (RBAC) permissions to manage Azure resources. To view subscriptions for which you have billing access, [click here](#).

Showing subscriptions in QCRB directory. Don't see a subscription? [Switch directories](#)

Search

Subscriptions : Filtered (1 of 1)

My role == all

Status == all

Add filter

Subscription name

Azure subscription 1

+

 Add

Download role assignments

Edit columns

Refresh

Delete

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Security

Resource visualizer

Events

Resource groups

Resources

Cost Management

Cost analysis

Cost alerts

Budgets

Advisor recommendations

Billing

Billing profile invoices

Settings

Programmatic deployment

Billing properties

Azure subscription 1 | Access control (IAM)

Subscription

Check access

Role assignments

Roles

Deny assignments

Number of role assignments for this subscription

14000

Privileged

1

View assignments

virtual

Type : All

Role : All

Scope : All scopes

State : All

End time : All

Group by : Role

All (1)

Job function roles (1)

Privileged administrator roles (0)

Name

Type

Role

Scope

State

Virtual Machine Contributor (1)

DevOps

7e974f30-19a9...

Group

Virtual Machine Contri...

This resource

Eligible

Showing 1 - 1 of 1 results.

Task #	Activity
Task 4: Create a Delete-Level Lock	- Signed in to the Azure Portal using a Global Administrator account. - Navigated to Resource Groups.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home > Resource Manager

Resource Manager | Resource groups

Summarize my costs by service | Export resource groups using Bicep or Terraform | How to manage changes with deployment tools?

Search

+ Create | Manage view | Refresh | Export to CSV | Open query | Assign tags | Add to service group | Group by none

Filter for any field...

Subscription equals all | Location equals all | Add filter

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Tools

Deployments

Help



No resource groups to display

Resource groups provide a logical container to manage and organize Azure resources, simplifying administration and enabling efficient resource management.

+ Create

[Learn more](#)

Showing 1 - 0 of 0. Display count: auto

[Give feedback](#)

Add or remove favorites by pressing Ctrl+Shift+F

3. Clicked Create, configured the resource group, then Clicked Review + Create.

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home > Resource Manager | Resource groups

Create a resource group ...

Basics

Tags

Review + create

Resource group - A container that holds related resources for an Azure solution. The resource group can include all the resources for the solution, or only those resources that you want to manage as a group. You decide how you want to allocate resources to resource groups based on what makes the most sense for your organization. [Learn more](#)

Subscription * ⓘ

Azure subscription 1

Resource group name * ⓘ

AZ500LAB03

Region * ⓘ

(US) East US

Previous

Next

Review + create

4. Clicked Create to create the resource group.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home > Resource Manager | Resource groups

Create a resource group

Basics Tags Review + create

[Automation Link](#)

Basics

Subscription	Azure subscription 1
Resource group name	AZ500LAB03
Region	East US

Tags

None

Previous Next **Create**

5. Next, navigated to the Resource Group and opened the created AZ500LAB03.

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

Home > Resource Manager

Resource Manager | Resource groups

QCBB

Summarize my costs by service | Export resource groups using Bicep or Terraform | How to manage changes with deployment tools?

Search

+ Create | Manage view | Refresh | Export to CSV | Open query | Assign tags | Add to service group | Group by none

Filter for any field...

Subscription equals all | Location equals all | Add filter

	Name ↑	Subscription	Location
☐	 AZ500LAB03	... Azure subscription 1	East US

Showing 1 - 1 of 1. Display count: auto

Give feedback

6. Under the AZ500LAB03, navigated to Settings > Locks > + Add.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home > Resource Manager | Resource groups > AZ500LAB03

Resource Manager | Resource groups

Search

+ Create Manage view ...

- Resource Manager
- All resources
- Favorite resources
- Recent resources
- Resource groups**
- Tags
- > Organization
- > Tools
- > Deployments
- > Help

Showing 1 - 1 of 1. Display count: auto

AZ500LAB03 | Locks

Resource group

Search

+ Add Subscription Refresh Feedback

Can a resource locked for 'ReadOnly' be modified? +2

Lock name	Lock t...	Scope	Notes
This resource has no locks.			

- Overview
- Activity log
- Access control (IAM)
- Tags
- Resource visualizer
- Events
- Settings**
- Deployments
- Security
- Deployment stacks
- Policies
- Properties
- Locks**
- > Cost Management
- > Monitoring
- > Automation
- > Help

Add or remove favorites by pressing Ctrl+Shift+F

7. Configured the lock by entering the Lock name, Lock type, and Notes, then clicked OK.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > Resource Manager | Resource groups > AZ500LAB03

Resource Manager | Resource groups

Search

+ Create Manage view

- Resource Manager
- All resources
- Favorite resources
- Recent resources
- Resource groups**
- Tags
- Organization
- Tools
- Deployments
- Help

AZ500LAB03

AZ500LAB03 | Locks

Can a resource locked for 'ReadOnly' be modified? +2

+ Add Subscription Refresh Feedback

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Settings

Deployments

Security

Deployment stacks

Policies

Properties

Locks

Add lock

Lock name * DatabaseServerDeleteLock

Lock type * Delete

Notes

cidental deletion of future database server resources

OK Cancel

Microsoft Azure

Search resources, services, and docs (G+ /)

Copilot

Home > Resource Manager > Resource groups > AZ500LAB03

Resource Manager | Resource groups

Search

Create Manage view

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Tools

Deployments

Help

Name 1

AZ500LAB03

AZ500LAB03 | Locks

Can a resource locked for 'ReadOnly' be modified? +2

Search

Add Subscription Refresh Feedback

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Settings

Deployments

Security

Deployment stacks

Policies

Properties

Locks

Lock name	Lock type	Scope	Notes
DatabaseServerDeleteLock	Delete	AZ500LAB03	Prevents accidental deletion of future database server resources

A delete-level resource lock named DatabaseServerDeleteLock was created on the AZ500LAB03 resource group. This lock prevents accidental deletion of resources within the resource group and provides protection for future database server resources that may be deployed.