```
Blade.file:
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Document</title>
</head>
<body>
<form action="vali" method="post">
 @csrf
 <label>
   Product Name:
   <input type = "text" name = "name">
@error('name')
 {{ $message }}
</label>
<label>
   <input type = "text" name = "email">
@error('email')
 {{ $message }}
@enderror
</label>
<label>
   Price:
   <input type = "text" name = "price">
@error('price')
 {{ $message }}
@enderror
</label>
<label>
   <div>decription</div>
```

```
<textarea class="fixed-textarea" placeholder="decription" name = "description" ></textarea>
    </label>
<button type = "submit">SUBMIT</button>
</form>
</body>
</html>
Controller file:
<?php
namespace App\Http\Controllers;
use App\Http\Requests\ProductRequest;
use Illuminate\Http\Request;
class con2 extends Controller
 function vali(ProductRequest $req){
  $name = $req->name;
  $email = $req->email;
  $des = $req->description;
  $price = $req->price;
Route file:
Route::view('vaidation', 'vali');
Route::post('vali',[con2::class, 'vali']);
Request file:
<?php
```

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;





