## **Middlewares**


Step1:Run command: php artisan make:middlewares middlewares\_name Step2: go to Boostrap\App.php:

```
<?php
use App\Http\Middleware\HandleAppearance;
use App\Http\Middleware\HandleInertiaRequests;
use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;
use App\Http\Middleware\AdminMiddleware; //add
return Application::configure(basePath: dirname(__DIR__))
   web: __DIR__.'/../routes/web.php',
   commands: __DIR__.'/../routes/console.php',
   health: '/up',
 ->withMiddleware(function (Middleware $\$\)$middleware) {
   $middleware->append(AdminMiddleware::class);//add
   $middleware->web(append:[
     \App\Http\Middleware\HandleInertiaRequests::class,
     \Illuminate\Http\Middleware\AddLinkHeadersForPreloadedAssets::class,
   $middleware->encryptCookies(except: ['appearance', 'sidebar_state']);
   $middleware->web(append:[
     HandleAppearance::class,
     HandleInertiaRequests::class,
     AddLinkHeadersForPreloadedAssets::class.
 ->withExceptions(function (Exceptions $exceptions) {
```

## Midlewarer.php:

```
<?php
namespace App\Http\Middleware;
use Closure;
use Illuminate\Http\Request;
use Symfony\Component\HttpFoundation\Response;
class AdminMiddleware
  * Handle an incoming request.
  *@param \Closure(\Illuminate\Http\Request):
(\Symfony\Component\HttpFoundation\Response) $next
  */
 public function handle(Request $request, Closure $next): Response
   if($request->role == 111){
         //Admin Password:12345
   echo "Hello Admin";
    else {
     die('you cannot access admin page');
    return $next($request);
```

## Admin.Blade.php file:



Hello Admin

