```
* Reverse the migrations.
  public function down(): void
    Schema::dropIfExists('tsellerrr');
Product table: <?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
 /**
  * Run the migrations.
  public function up(): void
    Schema::create('producttt', function (Blueprint $table) {
      $table->id();
      $table->string('productname',200);
      $table->string('price',200);
      $table->unsignedBigInteger('product_id');<-add column</pre>
      $table->foreign('product_id')->references('id')->on('sellerrr')<-make</pre>
       Foregin key
     $table->timestamps();
  * Reverse the migrations.
  public function down(): void
    Schema::dropIfExists('tproducttt');
```

Seller model:

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
class sellerrr extends Model
 protected $table = "sellerrr";
 protected $id = "product_id";
 function callfun(){
  return $this->hasMany(Producttt::class, 'product_id', 'id');
Product model:
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
class producttt extends Model
  protected $table = "producttt";
 protected $id ="id";
Controller:
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\produttt;
use App\Models\sellerrr;
```

```
class con1 extends Controller
{
    function data(){
    return sellerrr::find(6)->callfun;
    }
}
```

Route:

 $Route :: get('dd' \, , [con1 :: class, 'data']);\\$