

> [huzalma_asim](#) > Create policy

OrganizationConformancePack

Info

⚠ Specified OrganizationConformancePack resource ARN for the DeleteOrganizationConformancePack action and 5 more actions.

Q sec

Other services

CodeDeploy Commands [Secure](#)

CodeGuru [Security](#)

Network [Security](#) Director

[Secrets](#) Manager

[Security](#) Incident Response

[Security](#)Hub

[Security](#)Lake

STS

WorkSpaces [Secure](#) Browser

Choose a service

+ Add more permissions

🛡 Security: 0 ✖ Errors: 0 ⚠ Warnings: 0 💡 Suggestions: 0

```
(gastricsalt@kali)-[~]
$ aws configure
```

```
AWS Access Key ID [*****3344]: 
AWS Secret Access Key [*****aima]: 
Default region name [us-east-1]: eu-north-1
Default output format [json]: json
```

If you lose or forget your secret access key, you cannot retrieve it. Instead, create a new access key and make the old key inactive.

✔ Secret access key Copied

3aWwIBgKKYB

← → ↻ 🏠 🔒 🔑 https://us-east-1.console.aws.amazon.com/iam/home?region=eu-north-1#/users/details/huzalma_asim/create-access-key

Kali Linux 🌐 Kali Tools 📄 Kali Docs 📖 Kali Forums 🔍 Kali NetHunter 🔥 Exploit-DB 🔍 Google Hacking DB 🛡 OffSec

aws 🔍 Search [Alt+S] 📄 🔔 ⚙ Global Account ID: 65

☰ IAM > Users > [huzalma_asim](#) > Create access key

✔ Access key created

This is the only time that the secret access key can be viewed or downloaded. You cannot recover it later. However, you can create a new access key any time.

- Step 1
- Access key best practices & alternatives
 - Step 2 - optional
 - Set description tag
 - Step 3
 - **Retrieve access keys**

Retrieve access keys [info](#)

Access key

If you lose or forget your secret access key, you cannot retrieve it. Instead, create a new access key and make the old key inactive.

Access key

AKIAZQHAS7B2LOTNGVZB

Secret access key

3aWwIBgKKYBUN2C7nOMok98U1p4qt5z4V4tF/3t [Hide](#)

Access key best practices

- Never store your access key in plain text, in a code repository, or in code.
- Disable or delete access key when no longer needed.
- Enable least-privilege permissions.
- Rotate access keys regularly.

For more details about managing access keys, see the [best practices for managing AWS access keys](#).

Download .csv file

Done

🖥 CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms

Kali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DBOffSec

aws

Search

[Alt+S]

Europe (Stockholm)

Reset to default layout

Add widgets

Recently visited

No recently visited services

Explore one of these commonly visited AWS services.

EC2S3Aurora and RDSLambda

View all services

Applications (0)

Region: Europe (Stockholm)

Select Region
eu-north-1 (Current Region)

Find applications

Name

Description

Region

Originati

No applications

Get started by creating an application.

Create application

Go to myApplications

Welcome to AWS

Getting started with

AWS Health

Open Issues

Cost and usage

AWS Console - Signup

https://portal.aws.amazon.com/billing/signup?type=register#/accountplan

Kali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DBOffSec

Sign up for AWS

Choose your account plan



Free (6 months)

Learn, experiment, and build prototypes

✓ Receive up to \$200 in credits

✓ Includes free usage of select services

✗ Workloads scale beyond credit thresholds

✗ Access to all AWS services and features

ⓘ After the 6 month free period or when all credits are used, you can choose to upgrade to a paid plan. Otherwise, your account closes automatically.

Choose free plan



Paid

Develop production-ready workloads

✓ Receive up to \$200 in credits

✓ Includes free usage of select services

✓ Workloads scale beyond credit thresholds

✓ Access to all AWS services and features

ⓘ After all of your credits are used, you are charged using pay-as-you-go pricing.

Choose paid plan


```
(gastricsalt@kali)-[~]
```

```
$ aws s3api put-bucket-policy --bucket interneer-test-bucket-12345 --policy file:///bucke
```

An error occurred (AccessDenied) when calling the ListBuckets operation: User: arn:aws:

```
(gastricsalt@kali)-[~] action
```

```
$ aws cloudtrail create-trail --name SecurityTrail --s3-bucket-name interneer-test-bucke
```

```
aws cloudtrail start-logging --name SecurityTrail
```

```
aws cloudtrail get-trail-status --name SecurityTrail
```

```
{
  "Name": "SecurityTrail",
  "S3BucketName": "interneer-test-bucket-12345",
  "IncludeGlobalServiceEvents": true,
  "IsMultiRegionTrail": false,
  "TrailARN": "arn:aws:cloudtrail:eu-north-1:653306034292:trail/SecurityTrail",
  "LogFileValidationEnabled": false,
  "IsOrganizationTrail": false
}
make_bucket: interneer-test-bucket-12345
{
  "IsLogging": true,
  "StartLoggingTime": "2025-08-20T11:41:52.222000-04:00",
  "LatestDeliveryAttemptTime": "",
  "LatestNotificationAttemptTime": "",
  "LatestNotificationAttemptSucceeded": "",
  "LatestDeliveryAttemptSucceeded": "",
  "TimeLoggingStarted": "2025-08-20T15:41:52Z",
  "TimeLoggingStopped": ""
}
cloudtrail start-logging --name SecurityTrail
```

```
(gastricsalt@kali)-[~]
```

```
$ aws cloudtrail get-trail-status --name SecurityTrail
```

```
{
  "TrailARN": ""
}
```

User groups

```
(gastricsalt@kali)-[~]
```

```
$ # List existing buckets (should no longer say AccessDenied) UserAccess
```

```
aws s3 ls
```

```
# Create a test bucket (replace with a unique name, must be lowercase and globally unique)
```

```
aws s3 mb s3://interneer-test-bucket-12345
```

Identity providers

```
make_bucket: interneer-test-bucket-12345
```

- Step 1
- Add permissions
- Step 2
- Review**

Review

The following policies will be attached to this user. [Learn more](#)

User details

User name
huzaima_asim

Permissions summary (4)

Name	Type	Used as
AmazonS3FullAccess	AWS managed	Permissions policy
AWSCloudTrail_FullAccess	AWS managed	Permissions policy
AWSConfigUserAccess	AWS managed	Permissions policy
SecurityAudit	AWS managed - job function	Permissions policy

Cancel

Previous

Add permissions

```
(gastricsalt@kali)-[~]
$ sudo /opt/aws/amazon-cloudwatch-agent/bin/amazon-cloudwatch-agent-ctl \
-a fetch-config \
-m onPremise \
-c file:/opt/aws/amazon-cloudwatch-agent/bin/config.json \
-s
```

***** processing amazon-cloudwatch-agent *****
2025/08/20 14:00:34 E! Please make sure the credentials and region set correctly on your
Refer to <http://docs.aws.amazon.com/cli/latest/userguide/cli-chap-getting-started.html>

```
(gastricsalt@kali)-[~]
```

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

aws Search [Alt+S] Europe (Stockholm) Account ID: 65

CloudWatch > Metrics

CloudWatch <

Favorites and recents ▶

Log groups

Log Anomalies

Live Tail

Logs Insights

Contributor Insights

▼ Metrics

All metrics

Explorer

Streams

▼ Application Signals (APM)

Services

Service Map

Transaction Search

Service Level Objectives (SLO)

Synthetics Canaries

RI IM

Untitled graph [🔗](#)

1h 3h 12h 1d 3d 1w Custom [📅](#) UTC timezone [Actions ▼](#) [Investigate ▼](#) Line [▼](#)




Your CloudWatch graph is empty.
Select some metrics to appear here.

[Browse](#) Multi source query Graphed metrics Options Source = [Add math ▼](#) [Ad](#)

Metrics (59) [Info](#) [Stockholm ▼](#) [Search for any metric, dimension, resource id or account id](#)

Logs 2 [View automatic dashboard](#) [🔗](#)

Usage 57 [View automatic dashboard](#) [🔗](#)



<

Roles (8) Info

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.

Q Search

☐

Role name

▲

Trusted entities

Last activity

☐

[AWSServiceRoleForApplicationInsights](#)

AWS Service: application-insights (Service-Linked Role)

1 hour ago

☐

[AWSServiceRoleForAWSServiceCatalogAppRegistry](#)

AWS Service: servicecatalog-appregistry (Service-Linked Role)

1 hour ago

☐

[AWSServiceRoleForElasticBeanstalk](#)

AWS Service: elasticbeanstalk (Service-Linked Role)

-

☐

[AWSServiceRoleForResourceGroups](#)

AWS Service: resource-groups (Service-Linked Role)

8 minutes ago

☐

[AWSServiceRoleForSupport](#)

AWS Service: support (Service-Linked Role)

-

☐

[AWSServiceRoleForTrustedAdvisor](#)

AWS Service: trustedadvisor (Service-Linked Role)

-

☐

[S3ReplicationRole](#)

AWS Service: s3

2 hours ago

☐

[tag-sync-role-eu-north-1-2075a9pj](#)

AWS Service: resource-groups

9 minutes ago

Roles Anywhere Info

Authenticate your non AWS workloads and securely provide access to AWS services.

VolumeIOPEXceededCheck

0

0

0

0

0

Browse

Multi source query

Graphed metrics (5)

Options

Source

=

Add math ▼

Add query ▼

Add dynamic label ▼ Info

Statistic: Average ▼

Period: 5 minutes ▼

Clear graph

☒

Label

Details

Statistic

Period

Y axis

Actions

☒

[VolumeStalledIOCheck](#)

EBS • VolumeStalledIOCheck • VolumeId: [...](#)

Average ▼

5 minu...

< >

☒

[VolumeIOPEXceededCheck](#)

EBS • VolumeIOPEXceededCheck • Volur: [...](#)

Average ▼

5 minu...

< >

☒

[VolumeAvgReadLatency](#)

EBS • VolumeAvgReadLatency • VolumeId: [...](#)

Average ▼

5 minu...

< >

☒

[VolumeThroughputExceededCheck](#)

EBS • VolumeThroughputExceededCheck • VolumeId: [...](#)

Average ▼

5 minu...

< >

Browse

Multi source query

Graphed metrics

Options

Source

=

Add math ▼

Add query ▼

Metrics (132) Info

☒ Alarm recommendations ⓘ

Download alarm code ▼

Create alarm

Graph with SQL

Graph search

Stockholm ▼

Q Search for any metric, dimension, resource id or account id

EBS13

[View automatic dashboard](#)

EC220

[View automatic dashboard](#)

Logs6

[View automatic dashboard](#)

Usage93

[View automatic dashboard](#)