

Eheritage: Shadow Puppetry Creation and Manipulation

Zhenzhen Hu, Min Lin, Si Liu^{1,2}, Richang Hong, Wang Meng, Shuicheng Yan¹

¹ ECE Department, National University of Singapore

² School of Computer and Information, Hefei University of Technology

{a0104018,dcslius,eleyans}@nus.edu.sg

ABSTRACT

In this paper, we propose a creative and manipulable Chinese shadow play system to automatically create user-specified shadow puppetry figure and manipulate figure to tell story by user script.

General Terms

Algorithms, Experimentation, Performance

Keywords

Chinese shadow puppetry, face rendering, dynamic programming, SVM

1. INTRODUCTION

Chinese shadow puppetry is a traditional graphical art which describes a story with a sequence of puppetry images. It is a kind of drama that silhouettes made of hard leather and projected onto a white screen. As an ancient form of storytelling, puppets are manipulated in sticks and flat behind an illuminated background to create moving pictures [1]. By moving both the puppets and the light source, various effects can be achieved.

A traditional Chinese shadow puppetry is composed by a head part and a body part. The design of the figures follows traditional moral evaluation and aesthetics. The audience can tell a figure's character by seeing his mask. A red mask represents uprightness, a black mask, fidelity, and a white one, treachery. The positive figure has long narrow eyes, a small mouth and a straight bridge of nose, while the negative one has small eyes, a protruding forehead and sagging mouth. The procedure of puppet making include nearly seven steps which are all complex and ingenious. Nowadays, few existing shadow puppets have been collectible curiosities. To create a personal shadow puppet is

The performance pattern of Chinese shadow puppetry is also varied. A talented puppeteer can make the figures perform all kinds of actions, such as walk, dance, fight, nod




Figure 1: system introduction.

and laugh. However, it is not that easy for a normal user to control the movements of the puppets. A more friendly interface for them is to manipulate directly using input text script so that the puppets can play the motions with user director.

Digital puppetry technique has received lots of interests in the past years. To solve the complex operation skills, existing researches on shadow puppets are focus on the user body interaction capabilities for controlling the puppets [7],[8],[16]. Control the puppetry motion by human body is activity. However, the real puppet is controlled by simple three sticks which fixed on puppetry neck and two hands separately, and its motion pattern affected by gravity has special styles. (Here is a figure) Puppetry techniques mentioned above can't guarantee the puppetry motion style. So these kinds of play cannot convey this traditional art charm completely.

Our artistic motivation is to exploit a system in which the shadow puppetry becomes fully creative and more manipulable naturally. In this paper, we propose a creative and manipulable shadow play system to automatically create user-specified shadow puppetry figure and manipulate figure to tell story by user script. Our approach mainly contains two aspects: creation and manipulation. For creation, we extract the central profile curve from side view face image and

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

MM'12, October 29–November 2, 2012, Nara, Japan.

Copyright 2012 ACM 978-1-4503-1089-5/12/10 ...\$15.00.



Figure 2: puppetry introduction.

warp front view eye into puppet eye style simultaneously. Then we transfer the texture of face area into puppet texture. For manipulation ,XXX.

Our objective is to create a digital puppetry figure used with non expert-artists to create expressive virtual shadow plays using input script.

The remainder of paper is structured as follows.

2. RELATED WORK

2.1 Face Rendering

Digital image processing provides a solid foundation for building artistic rendering algorithms. All image-based artistic rendering (IB-AR) approaches utilize image processing operations in some form to extract information or synthesize results. For instance, classical stroke-based rendering utilizes the image gradient for stroke placement.

2.2 Digital puppetry

Digital puppetry experiments started in early 1960s, using analog circuits to animate figures in real-time, conducted by Lee Harrison III [13]. But it was only in 1988 that the live animated computer graphics (CG) characters arrived. Recently, a lot of works have been carried out on digital puppetry.

However, all of these mentioned works are based on 3D characters. Shadow puppets are also used to produce animated films. The Adventures of Prince Achmed is an example of a feature film from 1962 built with thousands of cutout paper puppets, but producing an animated film with shadow puppets, frame by frame, is laborious and time-consuming.

The solution of animation performed by two dimensional puppets appears only recently. In [6], Hsu et al. introduced a motion planning technique which automatically generates the animation of 2D puppets. Tan et al. [14] presented a method for interactive animation of 2D shadow play puppets by real-time visual simulating the shadow using texture mapping, blending techniques, and lighting and blur-




Figure 3: Frame work

ring effects. ShadowStory [9] is a project created by Fei et al. for digital storytelling inspired by traditional Chinese shadow puppetry. The system allows children to design with a tablet PC their own puppets and animate them. In [12], a 2D shape deformation of the triangulated cartoon is driven by its skeleton and the animation can be obtained by retargeting the skeleton joints to the shape.

We found interesting performance puppet manipulation methods in some digital puppet artwork, like Puppet Parade, an interactive puppetry installation that animates puppets by tracking the arms of the puppeteers, or We Be Monsters, a collaborative puppet art installation that tracks multiple skeletons to animate a puppet. Although they do not focus the shadow puppetry, they use the body motion to control the puppets. However,

3. OVERVIEW

4. PUPPETRY API: CREATOR

The design of Chinese shadow puppetry figures follows traditional moral evaluation and aesthetics. There are mainly four kinds of puppetry face: Sheng (male roles), Dan (female roles), Jing (roles with painted faces) and Chou (a comic character). These roles are most from classical plays and appearances are formalization. Since the procedures of puppetry making is very complicated and expensive, user is hard to customize a specific puppetry figure. In this section, we will introduce the creation part of our system in details.

4.1 Pre-Processing

Given a front view face image and a side view face image of the same people, we use generally utilize front eye

and eyebrow and side profile curve to create a use-specified puppetry figure head.

Before creation, we aligned each face to the same direction, rotated pictures according to Frankfurt horizontal plane.

4.2 Eye & eyebrow warping

In Chinese shadow puppetry, the face of figures are almost side-view. For the reason of describing features of characters, eyes and eyebrow are abstracted and exaggerated in an artistic way. The topology of puppetry is similar to the front view eye. To guarantee the similarity of output figure face, given a target front view face image and a puppetry face, we can warp the puppetry eye and eyebrow into target eye and eyebrow shape.

The key idea of most warping methods [4, 5] is that the user must provide an explicit correspondence between the source and target shapes. Other points are mapped according to their relative positions with respect to the correspondence (anchor) points. We would like the computer to derive this correspondence automatically. Barycentric coordinates for triangles provide a convenient way to linearly interpolate data that is given at the corners of a triangle. Given a planar triangle $[v_1, v_2, v_3]$, any point v inside it has three masses w_1, w_2 and w_3 . If placed at the corresponding vertices of the triangle, their barycentre will coincide with v :

$$\frac{w_1 v_1 + w_2 v_2 + w_3 v_3}{w_1 + w_2 + w_3} = v \quad (1)$$

So w_1, w_2 and w_3 are defined as the barycentric coordinates of v .

Given an arbitrary planar polygon ψ with vertices $\{v_i\}$, each point $x_i \in \psi$ has mean value coordinates corresponding to three vertices v_{i-1}, v_i and v_{i+1} . For a topologically equivalent target polygon ψ' with vertices v'_i , which ψ and ψ' have the same number of components and vertices for per component, we would like to construct a smooth warp function $f: \psi \rightarrow \psi'$ that maps each v_i to v'_i . This warp function f can then be used to deform the source image $I: x_i \in \psi$ into the target image $I': x'_i \in \psi'$ with new coordinates according to v'_{i-1}, v'_i and v'_{i+1} .

According to our common sense, the shape of humane eye is convex. In our case, we first extract the contours of puppetry eye $C_i = \{c_1, \dots, c_n\}$ and real eye $P_i = \{p_1, \dots, p_m\}$, by annotating landmarks around the eye boundary. In practice, we annotate 10 points, where $n = m = 10$.

We define a warp from C_i to P_i by the approach introduced above, and apply it to the keywords. We apply the geometric warp of Hormann and Floater [5] inside each convex piece to obtain a warp of the entire phrase polygon. Each point in C_i has the mean value coordinates according to vertices locations. When C_i is warped to the location of P_i , a correspondence between the sample points on C_i and P_i can be generated. Given a correspondence between the sample points on C_i and P_i , we can then map the points in polygon C_i through the correspondence.

4.3 Profile Curve generation

Central profile curve is an important geometric feature. To generate an appropriate puppetry profile, we will consider two aspects: 1) this profile should be like the input face and 2) this profile should have puppetry style. We keep the most unique part of the profile curve and transfer it into puppetry style.




Figure 4: Eye & eyebrow warping.




Figure 5: Profile Curve generation.

4.3.1 Profile abstraction

The central profile curve is highly discriminative. Some 3D facial research works use central profile curve as a significant feature to do face matching [11] and face recognition [10].

Given a 90 degree side face, we first extract the edge of side view face according to [15] and detect the profile curve. Then we process this curve area by binary morphology tools and extract the skeleton line with only one pixel width.

A profile curve can be separated into four parts: forehead, nose, mouth and jaw. For each part, we use histogram of oriented gradients (HOG) [2] to present the feature of this part with a vector. The uniqueness of each part is evaluated by a distance matrix of side-view face training dataset. We calculate the average distances between real face profile curves. The part which far from other training face is considered more unique. The two most unique parts are kept and the other parts are replaced by parts of shadow puppetry profile.

4.3.2 Profile texture transfer

After previous steps, we can generate a profile skeleton which both like real face and puppetry face. Then we dilate this line till puppetry profile width. To be more like puppetry, we transfer the leather texture to profile area. Alexei A. Efros [3] presented a simple image quilting algorithm of generating novel visual appearance in which a new image is synthesized by stitching together small patches of existing images. Given a piece of leather sample in Figure, they synthesized the texture by following steps:

- 1) Go through the sample image in raster scan order in steps of one block.
- 2) For every location of binary profile image in Figure,




Figure 6: TextureTransfer

search the input texture for a set of blocks that satisfy the overlap constraints within some error tolerance.

3) Compute the error surface between the newly chosen block and the old blocks at the overlap region. Find the minimum cost path along this surface by dynamic programming and make that the boundary of the new block. Paste the block onto the texture.

After image quilting, texture transfer is generated by requiring a desired correspondence map. The correspondence map is a spatial map of some corresponding quantity over both the texture source image and a controlling target image.

Some examples of texture transfer is shown in Figure 1.

4.4 Post processing

For artistically expressing roles of human, puppets are decorated with exquisite headdress.

In shadow puppetry play, there is a lot of vivid props, including architecture, furniture, plants and animals, designed with distinct period features from past dynasties

5. PUPPETRY API: MANIPULATOR

6. EXPERIMENTS

In this section, we provide the results of not only objective but also subjective studies. For creation,

6.1 Creator

6.1.1 Examples

6.1.2 User Study

Totally, 40 participants (15 females and 25 males who are students and staff members of National University of Singapore) ranged from 22 to 40 years old ($\mu=27.3$, $\sigma=3.9$) participated in the user study. Then we show some qualitative exemplar results. Finally we discuss the limitation of the system.

- Natural: Is the result image natural or with obvious artifacts?
- Aesthetic: Does the result looks elegant or ugly?
- Discriminative: Can you recognize the people/object inside the image?



Figure 7: examples of creators




Figure 8: user study

- Informative: How much information does the image convey?
- Visual Effect: Is the result vivid?
- Overall Attractiveness: All in all, do you like this system?

6.2 Manipulator

7. CONCLUSIONS

8. REFERENCES

- [1] Fan Pen Li Chen. Visions for the masses: Chinese shadow plays from shaanxi and shanxi. *Pacific Science*, 66(3), 2012.
- [2] Navneet Dalal and Bill Triggs. Histograms of oriented gradients for human detection. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, volume 1, pages 886–893, 2005.
- [3] Alexei A Efros and William T Freeman. Image quilting for texture synthesis and transfer. In *Proceedings of the 28th annual conference on Computer graphics and interactive techniques*, pages 341–346. ACM, 2001.
- [4] J. Gomes. *Warping and morphing of graphical objects*, volume 1. Morgan Kaufmann, 1999.

- [5] Kai Hormann and Michael S Floater. Mean value coordinates for arbitrary planar polygons. *ACM Transactions on Graphics (TOG)*, 25(4):1424–1441, 2006.
- [6] Shu-Wei Hsu and Tsai-Yen Li. Planning character motions for shadow play animations. *Proc. CASA*, 5:184–190, 2005.
- [7] L. Leite and V. Orvalho. Shape your body: control a virtual silhouette using body motion. In *Proceedings of the 2012 ACM annual conference extended abstracts on Human Factors in Computing Systems Extended Abstracts*, pages 1913–1918, 2012.
- [8] Shih-Yao Lin, Chuen-Kai Shie, Shen-Chi Chen, and Yi-Ping Hung. Action recognition for human-marionette interaction. In *Proceedings of the 20th ACM international conference on Multimedia*, pages 39–48. ACM, 2012.
- [9] F. Lu, F. Tian, Y. Jiang, X. Cao, W. Luo, G. Li, X. Zhang, G. Dai, and H. Wang. Shadowstory: creative and collaborative digital storytelling inspired by cultural heritage. In *Proceedings of the 2011 annual conference on Human factors in computing systems*, pages 1919–1928, 2011.
- [10] Takashi Nagamine, Tetsuya Uemura, and Isao Masuda. 3d facial image analysis for human identification. In *Pattern Recognition, 1992. Vol. I. Conference A: Computer Vision and Applications, Proceedings., 11th IAPR International Conference on*, pages 324–327. IEEE, 1992.
- [11] Gang Pan, Yijun Wu, Zhaohui Wu, and Wenyao Liu. 3d face recognition by profile and surface matching. In *Neural Networks, 2003. Proceedings of the International Joint Conference on*, volume 3, pages 2169–2174. IEEE, 2003.
- [12] Junjun Pan and Jian Zhang. Sketch-based skeleton-driven 2d animation and motion capture. *Transactions on edutainment VI*, pages 164–181, 2011.
- [13] David Sturman. The state of computer animation. *Computer Graphics-New York-Association For Computing Machinery*, 32:57–61, 1998.
- [14] KL Tan, AZ Talib, and MA Osman. Real-time simulation and interactive animation of shadow play puppets using opengl. *International Journal of IJCIE*, 4:1–8, 2010.
- [15] Holger Winnemöller. Xdog: advanced image stylization with extended difference-of-gaussians. In *Proceedings of the ACM SIGGRAPH/Eurographics Symposium on Non-Photorealistic Animation and Rendering*, pages 147–156, 2011.
- [16] Hui Zhang, Yuhao Song, Zhuo Chen, Ji Cai, and Ke Lu. Chinese shadow puppetry with an interactive interface using the kinect sensor. In *Computer Vision-ECCV 2012. Workshops and Demonstrations*, pages 352–361. Springer, 2012.