BaseSettings

Equipments

Business

company
- id BIGINT
- name VARCHAR(50)
- addr VARCHAR(100)
- parent BIGINT

Indexes

site_type
- id BIGINT
- company BIGINT
- name VARCHAR(50)

Indexes

site
- id BIGINT
- company BIGINT
- type BIGINT
- code VARCHAR(50)
- name VARCHAR(50)
- addr VARCHAR(100)
- addr_detail VARCHAR(100)
- longitude DOUBLE
- latitude DOUBLE
- scale DOUBLE
- fence_path VARCHAR(500)
- manager VARCHAR(50)
- phone VARCHAR(50)
- comment VARCHAR(200)
- image VARCHAR(50)

Indexes

base_station
- id BIGINT
- type BIGINT
- site BIGINT
- is_enable TINYINT(1)
- is_mobile TINYINT(1)
- online_state TINYINT
- name VARCHAR(50)
- mac_addr VARCHAR(50)
- heartbeat_interval INT
- report_interval INT
- month_offline BIGINT
- create_time DATETIME
- report_time DATETIME
- location_mode TINYINT
- longitude DOUBLE
- latitude DOUBLE
- x DOUBLE
- y DOUBLE
- image VARCHAR(50)

Indexes

station_type
- id BIGINT
- name VARCHAR(50)

Indexes

station_record
- id BIGINT
- station BIGINT
- report_time DATETIME
- online_state TINYINT
- location_mode TINYINT
- longitude DOUBLE
- latitude DOUBLE
- address VARCHAR(100)

Indexes

asset_record
- id BIGINT
- asset BIGINT
- tag BIGINT
- site BIGINT
- target_site BIGINT
- report_time DATETIME
- state TINYINT
- online_state TINYINT
- location_mode TINYINT
- battery INT
- signal INT
- temperature DOUBLE
- longitude DOUBLE
- latitude DOUBLE
- address VARCHAR(100)

Indexes

asset_state_record
- id BIGINT
- company BIGINT
- count INT
- no_record INT
- inbound INT
- in_store INT
- stolid INT
- outbound INT
- in_transit INT
- timeout INT
- time DATETIME

Indexes

department
- id BIGINT
- company BIGINT
- name VARCHAR(50)

Indexes

role
- id BIGINT
- department BIGINT
- name VARCHAR(50)

Indexes

authority
- id BIGINT
- role BIGINT
- path VARCHAR(100)
- is_readonly TINYINT(1)

Indexes

inventory_record
- id BIGINT
- site BIGINT
- in_store INT
- stolid INT
- add INT
- reduce INT
- time DATETIME

Indexes

tag
- id BIGINT
- batch BIGINT
- type BIGINT
- station BIGINT
- station_id VARCHAR(50)
- eqp_type TINYINT
- is_fall TINYINT(1)
- is_enable TINYINT(1)
- online_state TINYINT
- location_mode TINYINT
- tag_id VARCHAR(50)
- asset BIGINT
- asset_id VARCHAR(50)
- rfid VARCHAR(50)
- imei VARCHAR(50)
- iccid VARCHAR(50)
- battery INT
- signal INT
- temperature DOUBLE
- longitude DOUBLE
- latitude DOUBLE
- x DOUBLE
- y DOUBLE
- comment VARCHAR(200)
- report_time DATETIME
- image VARCHAR(50)

Indexes

station_binding
- id BIGINT
- station BIGINT
- tag BIGINT
- is_binding TINYINT(1)
- time DATETIME

Indexes

asset
- id BIGINT
- department BIGINT
- type BIGINT
- asset_id VARCHAR(50)
- is_fall TINYINT(1)
- is_auto TINYINT(1)
- is_in_fence TINYINT(1)
- state TINYINT
- online_state TINYINT
- error_type TINYINT
- tag BIGINT
- tag_id VARCHAR(50)
- tag_type BIGINT
- station BIGINT
- station_id VARCHAR(50)
- signal INT
- report_time DATETIME
- vehicle BIGINT
- transfer BIGINT
- last_record BIGINT
- name VARCHAR(50)
- comment VARCHAR(100)
- binding_time DATETIME
- calculation_time DATETIME
- daily_move INT
- monthly_move INT
- total_move INT
- stay_duration DOUBLE
- travel_duration DOUBLE
- offline_duration DOUBLE

Indexes

transfer
- id BIGINT
- asset BIGINT
- site BIGINT
- target BIGINT
- code VARCHAR(50)
- asset_id VARCHAR(50)
- start_time DATETIME
- end_time DATETIME
- plate VARCHAR(50)
- logistics VARCHAR(50)
- driver VARCHAR(50)
- phone VARCHAR(50)

Indexes

person
- id BIGINT
- role BIGINT
- is_admin TINYINT(1)
- username VARCHAR(50)
- nickname VARCHAR(50)
- password VARCHAR(100)
- avatar VARCHAR(100)
- phone VARCHAR(50)
- mail VARCHAR(100)

Indexes

batch
- id BIGINT
- company BIGINT
- scenario BIGINT
- batch_id VARCHAR(50)
- shipment_time DATETIME
- manager VARCHAR(50)
- phone VARCHAR(50)
- comment VARCHAR(200)

Indexes

scenario
- id BIGINT
- name VARCHAR(50)

Indexes

tag_type
- id BIGINT
- name VARCHAR(50)

Indexes

asset_type
- id BIGINT
- company BIGINT
- name VARCHAR(50)

Indexes

admin
- id BIGINT
- name VARCHAR(50)
- password VARCHAR(100)

Indexes

vehicle
- id BIGINT
- company BIGINT
- plate VARCHAR(50)
- logistics VARCHAR(50)
- driver VARCHAR(50)
- phone VARCHAR(50)

Indexes

binding_record
- id BIGINT
- asset BIGINT
- tag BIGINT
- is_binding TINYINT(1)
- time DATETIME

Indexes