

TM Forum Component

Service Order Management

TMFC007

Maturity Level: General Availability (GA)	Team Approved Date: 23-Feb-2024
Release Status: Production	Approval Status: TM Forum Approved
Version 2.1.0	IPR Mode: RAND

Notice

Copyright © TM Forum 2024. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

100 Enterprise Drive
Suite 301 #1649
Rockaway, NJ 070866, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

Notice	2
Table of Contents	3
1. Overview	5
2. eTOM Processes, SID Data Entities and Functional Framework Functions	5
2.1. eTOM business activities	5
2.2. SID ABEs	7
2.3. eTOM L2 - SID ABEs links	7
2.4. Functional Framework Functions	8
3. TM Forum Open APIs & Events	23
3.1. API Context Diagram	23
3.2. Exposed APIs	24
3.3. Dependent APIs	25
3.4. Events	29
Published Events	29
Subscribed Events	30
4. Machine Readable Component Specification	31
5. References	31
5.1. TMF Standards related versions	31
5.2. Jira References	31
5.3. Further resources	32
6. Administrative Appendix	32
6.1. Document History	32



6.1.1. Version History	32
6.1.2. Release History	33
6.2. Acknowledgements	33

TMFC007 – Service Order Management

1. Overview

Component Name	ID	Description	ODA Function Block
Service Order Management	TMFC007	Service Order Management (SOM) component is the entry point to the Production Domain. It oversees delivery of Customer-Facing-Service (CFS) resources (network and service platform equipment). The SOM exposes the API ServiceOrder. It is triggered when the Product Order Delivery Orchestration And Management component calls this API to request CFS delivery. To achieve delivery of a CFS, the SOM orchestrates the CFS delivery process which identifies possible RFS and chooses one, using the catalog and technical inventory. It selects the resources (servers, equipment, etc.) and their instances, and requests the Resource Order Management (ROM) component to update selected resource instances to deliver CFS. Requests sent to the ROM contain the CFS and the list of configured resource instances to be updated.	Production

2. eTOM Processes, SID Data Entities and Functional Framework Functions

2.1. eTOM business activities

eTOM business activities this ODA Component is responsible for:

Identifier	Level	Business Activity Name	Description
------------	-------	------------------------	-------------

1.4.5	L2	Service Configuration & Activation	Allocation, implementation, configuration, activation and testing of specific services to meet customer requirements.
1.4.5.1	L3	Design Solution	Develop an end-end specific service design which complies with a particular customer's requirement
1.4.5.2	L3	Allocate Specific Service Parameters to Services	Issue service identifiers for new services.
1.4.5.3	L3	Track & Manage Service Provisioning	Ensure service provisioning activities are assigned, managed and tracked efficiently.
1.4.5.4	L3	Implement, configure & activate service	Implement, configure and activate the specific services allocated against an issued service order.
1.4.5.6	L3	Issue Service Order	Issue correct and complete service orders
1.4.5.7	L3	Report service provisioning	Monitor the status of service orders, provide notifications of any changes and provide management reports.
1.4.5.8	L3	Close Service Order	Close a service order when the service provisioning activities have been completed
1.5.5	L2	Resource Order Management	Resource Order Management business process directs and controls ordering, scheduling, and allocation of resources (such as materials, equipment, and personnel) within the business.
1.5.5.6	L3	Manage Resource Order Capture	Manage Resource Order Capture is responsible for directing and controlling the capture and collection of resource orders from internal and external customers.


1.5.5.6.1	L4	Initiate Resource Order Capture	Initiate Resource Order Capture business activity is responsible for the initial activity of capturing and collecting resource orders from internal and external customers.
1.5.5.7	L3	Manage Resource Work Order	Manage Resource Order Work business activity directs and controls all work that are required to fulfill an approved resource order by ensuring the work related to the order is planned, executed and closed in a timely and efficient manner.
1.5.5.7.1	L4	Initiate Resource Work Order	Initiate Resource Work Order business activity starts a new work order for a specific resource along with all work orders tasks, roles and supporting resources that are need.

2.2. SID ABEs

SID ABEs this ODA Component is responsible for:

SID ABE Level 1	SID ABE Level 2 (or set of BEs)	SID ABE L1 Definition	SID ABE L2 Definition
Service Order		The Service Order ABE contains entities that represent a type of Request that decomposes a Customer Order's products into the services associated with a ServiceOrder through which the products are realized.	<i>(no description available)</i>

2.3. eTOM L2 - SID ABEs links



2.4. Functional Framework Functions

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
584	Service Activation Planning	Service Activation Planning provides planning of service activation to access, plan and gather additional information for service activation.	Service Order Management	Service Order Orchestration
588	Service Orchestration Configuration	Service Orchestration Configuration function provides composition of a service configuration plan according to the required service actions and sent to Service Order Orchestration and/or Service Activation Management.	Service Order Management	Service Order Orchestration

591	Service Parameters Allocation	Service Parameters Allocation provides allocation of the right service parameters to fulfill service orders.	Service Order Management	Service Order Orchestration
596	Service Order Transfer Supervision	Oversees the transfer of Service Order Requests to appropriate resource providers.	Service Order Management	Service Order Orchestration

598	Service Order Orchestration	The Service Order Orchestration function provides workflow and orchestration capabilities for a dedicated Service (CFS) Order. / Orchestration is needed when: / the technical solution includes the expansion of the operator Installed Resources or the purchase of a partner product (ex: local loop purchase) / a work order is necessary at the delivery address or somewhere in the operator network / part of the delivery process or checks needs to be delegated to another Service Order Manager / contributing or support systems must be informed / Example: to deliver a VOIP service, it will orchestrate actions on Access Network Factory, VOIP service platform and CPE. / Service Order Orchestration will also orchestrate and manage dependencies between related Service Order items of Service Order.	Service Order Management	Service Order Orchestration
-----	--------------------------------	--	-----------------------------	--------------------------------

733	Service Order Decomposition	The Service Order Decomposition Function allows in the context of a Service Order to prepare Resource Order, Service Order which will be delegated to another system, Supplier Order, Stock Item Order or Work Order with the necessary information (the effective update in the order repositories will be supported by the corresponding Order Repository Management functions). / In the case of a Service associated with an existing Internal Resource Type, this function also allows to: / • Check if a corresponding Installed Resource is operational in the resource installed base, and determine the operation to be performed at Resource level (creation or modification) / • Eventually group in the same Resource order several ordered services, based on the same Customer Facing Service Specification (a.k.a. CFS specification), and/or identified to be delivered at the same time by the Service Order Delivery Orchestration.	Service Order Management	Service Order Delivery Preparation
-----	-----------------------------	--	--------------------------	------------------------------------

734	Service Data Collection	The Service Data Collection function gathers any needed service data to aid in the verification and issuance of a complete and valid service order as well as data necessary to address dependencies between service and/or resource orders.	Service Order Management	Service Order Orchestration
963	Service Task Item Decomposition	Service Task Item Decomposition: By a request for an orchestration of a service the service needs to be analyzed and decomposed into the part-actions necessary to take to fulfill the requested orchestration. The Service may consist of several services and may use a number of Resources. It may also be controlled by several parameters for optional behaviors. This composition of the Service is given by configuration data available from Catalog applications and the Service Capability Orchestration application.	Service Order Management	Service Order Orchestration

968	Service Work Item Sequence Execution	Service Work Item Sequence Execution function executes each individual item in sequence of the service orchestration to fulfill, or roll back according to a pre-defined configuration, and reports the sequence execution result. / Because of the "Service Decomposition" of an orchestration request the result may be several actions that needs to take place in a specific sequence.	Service Order Management	Service Order Orchestration
969	Service Work Item Sequence Execution Configuration	The "Service Work Item Sequence Execution" function controls so that the sequence is fulfilled or rolled back. The rules for the sequence execution will set the conditions for the fulfillment, or roll-back, and for the reporting and notification. The "Service Task Item Sequence Carry Through configuration" is a management of the application function that defines how the execution of the orchestration sequence will be done.	Service Order Management	Service Order Orchestration

571	Service Delivery Due Date Calculation	Service Delivery Due Date Calculation functions calculates the service delivery due date using network capacity, access provider selection and work center intelligence (including workload and capacity).	Service Order Management	Service Order Initialization
1061	Service Order Initiation	Service Order Initiation function issues valid and complete service orders. / As part of order issuing/publication, additional data might be obtained or derived to support downstream functions that are not provided in the service order request.	Service Order Management	Service Order Initialization
595	Service Order Completion	Completes the service order when all resource orders have been completed.	Service Order Management	Service Order Completion
600	Service Order Validation	The Service Order Validation function validates the service order request based on contract, catalog, and provisioning rules.	Service Order Management	Service Order Completion
583	Activation Notification	Activation Notification function provides notifications on successful activation and, in cases of exceptions send fallouts to Service Order Orchestration and manage rollbacks activities (if applicable).	Service Order Management	Service Order Repository Management

594	Service Order Storage	Service order Storage function stores the service order into an appropriate data store.	Service Order Management	Service Order Repository Management
597	Service Order Exposure	Service Order Exposure provides exposure of the status on the overall service order.	Fulfillment Integration Management	Service Fulfillment Access Management
599	Service Order Tracking	The Service Order Tracking function tracks and manages the events and the lifecycle related to the Service (CFS) Order and to its items (e.g.: service order lines). / It gathers Service Order items delivery events from Service Order Orchestration and manages related Service Order lifecycle and Installed CFS lifecycle (via the Installed Service Management function). / Depending on the Service Order (or any of its elements) events, and on the implemented business rules, this function can decide to notify other systems (for example in case of delivery problems or delays) – via the business event publication function.	Service Order Management	Service Order Repository Management

735	Access Provider Selection	Access Provider Selection function selects an access provider among identified available access providers or access technologies at the given location, based on business rules.	Service Order Management	Service Technical Solution Identification
341	Service Activation	Service Activation function for services/products sold by affiliates.	Service Configuration & Activation	Service Activation
342	Mass Service Pre-activation	Mass Service Pre-activation of services to prepare for a swift activation at sales. E.g., subsequent affiliate sales.	Service Configuration & Activation	Service Activation
570	Solution Services Design Management	Solution Services Design Management function supports the end to end service design. It applies engineering rules to determine required network facilities, equipment configurations and the method and access path to the customer site or location of service termination. / This function also establishes and manages the detailed design tasks required to issue the work orders.	Service Configuration & Activation	Service Configuration

589	Cross Services Dependencies Configuration	Cross Services Dependencies Configuration function provides support for appropriately considered cross service dependencies as part of the configuration activities to fulfill a service order.	Service Configuration & Activation	Service Configuration
590	Service Configuration	The Service Configuration function is in charge of configuring the specific service and its parameters as appropriate for the fulfillment of a service order.	Service Configuration & Activation	Service Configuration
585	Service Configuration Activation	Service Configuration Activation implements and activates the specific service configuration against the service configuration plan (including activation of CPE if part of the service).	Service Configuration & Activation	Service Activation
592	Service Parameters Reservation	Service Parameters Reservation reserves the right service parameters based on service specification and service inventory for a service order.	Service Order Management	Service Availability

1219	Service Order Request Consistency Check	The Service Order Request Consistency Check Function allows, when receiving a Service Order request prepared and transmitted by another system, to check its consistency.	Service Order Management	Service Order Initialization
1220	Internal Service Order Initialization	The Internal Service Order Initialization Function permit to initialize Customer Facing Service Orders (a.k.a. CFS Orders) for operator internal needs, for example to change (part of) a technical solution and migrate operational Installed CFS on the new solution elements (ex: VOIP H323 -> VOIP SIP).	Service Order Management	Service Order Initialization
632	Service Termination Points Determining	Service Termination Points Determining determines the termination points i.e. the appropriate service provider entry point to support the Customer's service request.	Service Order Management	Service Technical Solution Identification

1141	Installed Resources Identification	Installed Resources Identification Function identifies the installed resources to update, as part of the chosen technical solution, to deliver the ordered service (CFS). / This information enriches the CFS order and the CFS. / This choice is based on service catalogue rules (between RFS specification and Resources specification) and it can be necessary to check the installed resources availability, occupancy, etc. via the Resource Availability function. / Cloud example: In case of a cloud service, the Service Order Delivery process only identifies the equipment in charge of the management of the cloud infrastructure and it will be informed of the ordered service characteristics. Depending on its own rules, the cloud infrastructure manager will decide or not to immediately allocate and configure all or part of the required resources. / So the first usage request of the cloud service can trigger the effective choice and configuration of the necessary resources and these resources can change between usages. In this case the end of the delivery process is assumed by the manager of the cloud infrastructure. / Note: This function is globally a part of the technical solution identification.	Service Order Management	Installed Resources Identification
------	------------------------------------	---	--------------------------	------------------------------------

1217	Service Order Needs Identification	The Service Order Needs Identification Function allows in the context of a Service Order to query catalogues and installed bases to identify what needs to be delivered: resource specification and its configuration, service specification (CFSSpec), intervention (WorkSpec), supplier product, related to the ordered service.	Service Order Management	Service Order Delivery Preparation
16	Fallout Automated Correction	Fallout Automated Correction function tries to automatically fix fallouts in workflows before they go to a human for handling. This includes a Fallout Rules Engine that provides the capability to handling various errors or error types based on built rules. These rules can facilitate autocorrection, correction assistance, placement of errors in the appropriate queues for manual handling, as well as access to various systems.	Fallout Management	Fallout Correction Management

17	Fallout Correction Information Collection	Fallout Correction Information Collection collects relevant information for errors or situations that cannot be handled via Fallout Auto Correction. The intent is to reduce the time required by the technician in diagnosing and fixing the fallout.	Fallout Management	Fallout Correction Management
19	Fallout Manual Correction Queuing	Fallout Manual Correction Queuing function provides the required functionality to place error fallout into appropriate queues to be handled via various staff or workgroups assigned to handle or fix the various types of fallout that occurs during the fulfillment process. This includes the ability to create and configure queues, route errors to the appropriate queues, as well as the ability for staff to access and address the various fallout instances within the queues.	Fallout Management	Fallout Correction Management
21	Fallout Orchestration	The Fallout Orchestration function provides workflow and orchestration capability across Fallout Management.	Fallout Management	Fallout Correction Management


24	Pre-populated Fallout Information Presentation	Pre-populated Fallout Information Presentation automatically position the analyzer on appropriate screens pre-populated with information about the order(s) that's subject for fallout handling.	Fallout Management	Fallout Correction Management
756	Fallout Rule Based Error Correction	Fallout Rule Based Error Correction function provides the capability to handle various errors or error types based on pre-defined rules. These rules can facilitate autocorrection.	Fallout Management	Fallout Correction Management
18	Fallout Management to Fulfillment Application Accessing	Fallout Management to Fulfillment Application Accessing function provides a variety of tools to facilitate Fallout Management access to other applications and repositories to facilitate proper Fallout Management. This can include various general access techniques such as messaging, publish and subscribe, etc. as well as specific APIs and contracts to perform specific queries or updates to various applications or repositories within the fulfillment domain.	Fallout Management	Fallout Repository Management

20	Fallout Notification	Fallout Notification function provides the means to alert people or workgroups of some fallout situation. This can be done via a number of means, including email, paging, (Fallout management interface bus) etc. This function is done via business rules.	Fallout Management	Fallout Repository Management
22	Fallout Reporting	Fallout Reporting provides various reports regarding Fallout Management, including statistics on fallout per various times periods (per hour, week, month, etc) as well as information about specific fallout.	Fallout Management	Fallout Repository Management
23	Fallout Dashboard System Log-in Accessing	Fallout Dashboard System Log-in Accessing provides auto logon capability into various applications needed to analyze and fix fallout.	Fallout Management	Fallout Repository Management

3. TM Forum Open APIs & Events

The following part covers the APIs and Events; this part is split in 3: - List of Exposed APIs - This is the list of APIs available from this component. - List of Dependent APIs - In order to satisfy the provided API, the component could require the usage of this set of required APIs. - List of Events (generated & consumed) - The events which the component may generate are listed in this section along with a list of the events which it may consume. Since there is a possibility of multiple sources and receivers for each defined event.

3.1. API Context Diagram




(SVG source: [TMFC007_API_Context.svg](#) — hand-drawn rather than PlantUML for this one diagram, since PlantUML's automatic layout couldn't give each API its own straight, individually-anchored connector at a chosen height. Generated by the *component-specification-documentation skill's scripts/render_api_context_svg.py*.)

3.2. Exposed APIs

API ID	API Name	Mandatory / Optional	API Version	Resource	Operations

TMF641	Service Ordering Management API	Mandatory	4	serviceOrder cancelServiceOrder	GET GET /id POST PATCH DELETE
TMF701	Process Flow Management API	Optional	4	processFlow taskFlow	GET GET /id POST DELETE /id PATCH /id




3.3. Dependent APIs

API ID	API Name	API Version	Mandatory / Optional	Resource	Operations
TMF632	TMF632	5	Optional	individual organization	GET GET /id
TMF632	TMF632	4	Optional	individual organization	GET GET /id
TMF633	TMF633	4	Mandatory	serviceSpecification	GET GET /id
TMF634	TMF634	5	Optional	resourceSpecification	GET GET /id
TMF634	TMF634	4	Optional	resourceSpecification	GET GET /id

TMF638	TMF638	5	Mandatory	service	GET GET /id POST PATCH DELETE
TMF638	TMF638	4	Mandatory	service	GET GET /id POST PATCH DELETE
TMF639	TMF639	4	Optional	resource	GET GET /id
TMF640	TMF640	4	Optional	monitor	GET GET /id
TMF641	Service Ordering Management API	4	Optional	serviceOrder cancelServiceOrder	GET GET /id POST PATCH DELETE
TMF645	Service Qualification Management API	5	Optional	checkServiceQualification queryServiceQualification	GET GET /id POST PATCH
TMF645	Service Qualification Management API	4	Optional	checkServiceQualification queryServiceQualification	GET GET /id POST PATCH
TMF646	TMF646	4	Optional	appointment searchTimeSlot	GET GET /id POST PATCH
TMF652	Resource Order Management API	4	Optional	resourceOrder cancelResourceOrder	GET GET /id POST PATCH DELETE
TMF653	TMF653	4	Optional	serviceTest serviceTestSpecification	GET GET /id

TMF669	TMF669	5	Optional	partyRole	GET GET /id
TMF669	TMF669	4	Optional	partyRole	GET GET /id
TMF673	TMF673	4	Optional	geographicAddress geographicSubAddress geographicAddressValidation	GET GET /id POST
TMF674	TMF674	4	Optional	geographicLocation	GET GET /id
TMF675	TMF675	4	Optional	geographicSite	GET GET /id
TMF681	Communication Management API	4	Optional	communicationMessage	GET GET /id
TMF697	TMF697	4	Optional	workOrder	GET GET /id
TMF701	Process Flow Management API	4	Optional	processFlow	POST GET GET /id PATCH






3.4. Events

The diagram illustrates the Events which the component may publish and the Events that the component may subscribe to and then may receive. Both lists are derived from the APIs listed in the preceding sections.

Published Events

API ID	API Name	Event Resources
--------	----------	-----------------


TMF641	Service Ordering Management API	serviceOrderCreateEvent serviceOrderStateChangeEvent serviceOrderDeleteEvent serviceOrderAttributeValueChangeEvent serviceOrderInformationRequiredEvent serviceOrderMilestoneEvent serviceOrderJeopardyEvent cancelServiceOrderCreateEvent cancelServiceOrderStateChangeEvent cancelServiceOrderInformationRequiredEvent
TMF701	Process Flow Management API	processFlowCreateEvent processFlowStateChangeEvent processFlowStateDeleteEvent processFlowStateAttributeValueChangeEvent taskFlowCreateEvent taskFlowStateChangeEvent taskFlowDeleteEvent taskFlowAttributeValueChangeEvent taskFlowInformationRequiredEvent



Subscribed Events

API ID	API Name	Event Resources
TMF652	Resource Order Management API	resourceOrderStateChange resourceOrderAttributeValueChangeEvent resourceOrderInformationRequiredEvent cancelResourceOrderStateChange cancelResourceOrderInformationRequiredEvent

TMF645	Service Qualification Management API	checkServiceQualificationStateChangeEvent queryServiceQualificationStateChangeEvent
TMF681	Communication Management API	communicationMessageStateChangeEvent
TMF697	WorkOrder	workOrderStateChange
TMF681	Communication Management API	



4. Machine Readable Component Specification

Refer to the ODA Component Directory on the TM Forum website for the machine-readable component specification files for this component.

5. References

5.1. TMF Standards related versions

Standard	Version(s)
eTOM	v21.5, v26.0
SID	v25.0
Functional Framework	v21.5, v26.0

5.2. Jira References

No open Jira issues currently listed for this component.

5.3. Further resources

Service Order Management is used in the following IG1228 use cases: - TMFS004: Order Delivery - Fiber contract - TMFS007: B2B use-case re-using MEF - TMFS008: Service and Resource order management for postpaid mobile subscribers - TMFS009: Service and Resource order management for postpaid mobile subscribers with provisioning in 5G Core - TMFS010: ODA flow with NaaS Support

6. Administrative Appendix

6.1. Document History

6.1.1. Version History

Version Number	Date	Modified by	Description of changes
1.0.0	01-Oct-2021	Goutham Babu	Final edits prior to publication
1.0.0	05-Aug-2022	Goutham Babu	Final edits prior to publication
1.0.1	25-Jul-2023	Ian Turkington	No content changed, simply a layout change to match template 3. Separated the YAML files to a managed repository.
1.0.1	15-Aug-2023	Amaia White	Final edits prior to publication
1.1.1	01-Mar-2024	Amaia White	Final edits prior to publication
1.2.1	25-Jun-2024	Gaetano Biancardi	Updated for new ODA Component template; updated to ODF v23.5; removed TMF672 as mandatory dependent API; exposed API removed: TMF688 Event Mgmt, TMF672 User Roles and Permissions; dependent API removed: TMF688 Event Mgmt
1.2.2	08-Jul-2025	Rosie Wilson	Update to Overview Diagram to remove TMF688 Event Management as requested by Sylvie Demarest to align with previous amendments; updates to description per agreed YAML updated on 03-Jun-2025

1.2.2	15-Jul-2025	Rosie Wilson	Final edits prior to publication
2.1.0	02-Jun-2026	Hugo Vaughan	Gen 5 API Updates
2.1.0	25-Jun-2026	Sannah Sibaya	Final edits prior to publication

6.1.2. Release History

Release Status	Date Modified	Modified by	Description of changes
Pre-production	01-Oct-2021	Goutham Babu	Initial release of document
Pre-production	05-Aug-2022	Goutham Babu	Initial release of document
Pre-production	15-Aug-2023	Amaia White	New release 1.0.1
Production	06-Oct-2023	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	01-Mar-2024	Amaia White	New release 1.1.1
Production	26-Apr-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	02-Jul-2024	Amaia White	New release 1.2.1
Production	30-Aug-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	15-Jul-2025	Rosie Wilson	New release 1.2.2
Production	05-Sep-2025	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	25-Jun-2026	Sannah Sibaya	New release 2.1.0

6.2. Acknowledgements

This document was prepared by the members of the TM Forum ODA Components & Canvas team.

Team Member	Company	Role
-------------	---------	------

Roland Leners	Satec	Reviewer
Sylvie Demarest	Orange	Editor
Abel Ruiz Huerta	Satec	Reviewer
Robert Ludovic	Orange	Reviewer
Cecile Ludwichowski	Orange	Reviewer
Ian Turkington	TM Forum	Additional Input
Hugo Vaughan (TM Forum)	TM Forum	Additional Input
Gaetano Biancardi	Accenture	Editor
Elisabeth Andersson	MATRIX	Reviewer
Abinash Vishwakarma	Netcracker	Reviewer
Jose Macaluso	Xacria	Reviewer
Kamal Maghsoudlou	Ericsson	Reviewer
Milind Bhagwat	BT	Reviewer
Ritu Arora	BT	Reviewer
Matteo Destino	Accenture	Reviewer