

TM Forum Component

Location Management

TMFC014

Maturity Level: Beta	Team Approved Date: 18-Aug-2023
Release Status: Roadmap	Approval Status: Not yet approved
Version 1.3.1	IPR Mode: RAND

Notice

Copyright © TM Forum 2023. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

100 Enterprise Drive
Suite 301 #1649
Rockaway, NJ 070866, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

Notice	2
Table of Contents	3
1. Overview	5
2. eTOM Processes, SID Data Entities and Functional Framework Functions	5
2.1. eTOM business activities	5
2.2. SID ABEs	5
2.3. eTOM L2 - SID ABEs links	11
2.4. Functional Framework Functions	11
3. TM Forum Open APIs & Events	12
3.1. API Context Diagram	12
3.2. Exposed APIs	13
3.3. Dependent APIs	14
3.4. Events	14
Published Events	14
Subscribed Events	15
4. Machine Readable Component Specification	15
5. References	15
5.1. TMF Standards related versions	15
5.2. Jira References	16
5.3. Further resources	16
6. Administrative Appendix	16
6.1. Document History	16

6.1.1. Version History	16
6.1.2. Release History	17
6.2. Acknowledgements	17

TMFC014 – Location Management

1. Overview

Component Name	ID	Description	ODA Function Block
Location Management	TMFC014	The Location Management component allows easy reference to geographic places important to other entities, where a geographic place is an entity that can answer the question "where?" This component could be a facade tool for GIS systems, address systems, BIM systems, mapping systems ... (eg. Google Maps).	Production

2. eTOM Processes, SID Data Entities and Functional Framework Functions

2.1. eTOM business activities

eTOM business activities this ODA Component is responsible for:

(none listed in the component YAML)

2.2. SID ABEs

SID ABEs this ODA Component is responsible for:

SID ABE Level 1	SID ABE Level 2 (or set of BEs)	SID ABE L1 Definition	SID ABE L2 Definition

Location	Geographic Place	The Location ABE represents the site or position of something, such as a customer's address, the site of equipment where there is a fault and where is the nearest person who could repair the equipment, and so forth. Locations can take the form of coordinates and/or addresses and/or physical representations. Disclaimer This Location model is complex and has a number of subtleties. It provides a high level framework, explains broad concepts and gives illustrative examples. Actual solutions for particular requirements will be dependent factors such as country address standards state/ country / province map standards Service Provider addressing standards Equipment vendor equipment naming & addressing conventions whether textual only or graphical representations will be provided It is expected that when this model is used in NGOSS Catalyst projects, the feedback will clarify its application & usage in particular situations. There is obviously a limit to the amount of detail that can be included in a document like this. Those wishing to delve into more detail should consult the references used as the basis for this document. Introduction At the most fundamental level [Zachman], [Coad-Archetypes] the world can be thought of as comprising of entities that answer the 5 fundamental questions. (see below Figure L.00 - Showing how Location Fits in)	A group of entities that are used to define a geographic location and enable it to be marked it on a map or given an address.
----------	------------------	---	--

Location	Geographic Location	The Location ABE represents the site or position of something, such as a customer's address, the site of equipment where there is a fault and where is the nearest person who could repair the equipment, and so forth. Locations can take the form of coordinates and/or addresses and/or physical representations. Disclaimer This Location model is complex and has a number of subtleties. It provides a high level framework, explains broad concepts and gives illustrative examples. Actual solutions for particular requirements will be dependent factors such as country address standards state/ country / province map standards Service Provider addressing standards Equipment vendor equipment naming & addressing conventions whether textual only or graphical representations will be provided It is expected that when this model is used in NGOSS Catalyst projects, the feedback will clarify its application & usage in particular situations. There is obviously a limit to the amount of detail that can be included in a document like this. Those wishing to delve into more detail should consult the references used as the basis for this document. Introduction At the most fundamental level [Zachman], [Coad-Archetypes] the world can be thought of as comprising of entities that answer the 5 fundamental questions. (see below Figure L.00 - Showing how Location Fits in)	(no description available)
----------	---------------------	---	----------------------------

Location	Geographic Address	The Location ABE represents the site or position of something, such as a customer's address, the site of equipment where there is a fault and where is the nearest person who could repair the equipment, and so forth. Locations can take the form of coordinates and/or addresses and/or physical representations. Disclaimer This Location model is complex and has a number of subtleties. It provides a high level framework, explains broad concepts and gives illustrative examples. Actual solutions for particular requirements will be dependent factors such as country address standards state/ country / province map standards Service Provider addressing standards Equipment vendor equipment naming & addressing conventions whether textual only or graphical representations will be provided It is expected that when this model is used in NGOSS Catalyst projects, the feedback will clarify its application & usage in particular situations. There is obviously a limit to the amount of detail that can be included in a document like this. Those wishing to delve into more detail should consult the references used as the basis for this document. Introduction At the most fundamental level [Zachman], [Coad-Archetypes] the world can be thought of as comprising of entities that answer the 5 fundamental questions. (see below Figure L.00 - Showing how Location Fits in)	A group of entities used to represent the geographic address of a location.
----------	--------------------	---	--

Location	Geographic Site	The Location ABE represents the site or position of something, such as a customer's address, the site of equipment where there is a fault and where is the nearest person who could repair the equipment, and so forth. Locations can take the form of coordinates and/or addresses and/or physical representations. Disclaimer This Location model is complex and has a number of subtleties. It provides a high level framework, explains broad concepts and gives illustrative examples. Actual solutions for particular requirements will be dependent factors such as country address standards state/ country / province map standards Service Provider addressing standards Equipment vendor equipment naming & addressing conventions whether textual only or graphical representations will be provided It is expected that when this model is used in NGOSS Catalyst projects, the feedback will clarify its application & usage in particular situations. There is obviously a limit to the amount of detail that can be included in a document like this. Those wishing to delve into more detail should consult the references used as the basis for this document. Introduction At the most fundamental level [Zachman], [Coad-Archetypes] the world can be thought of as comprising of entities that answer the 5 fundamental questions. (see below Figure L.00 - Showing how Location Fits in)	(no description available)
----------	-----------------	---	----------------------------

Location	Local Place	The Location ABE represents the site or position of something, such as a customer's address, the site of equipment where there is a fault and where is the nearest person who could repair the equipment, and so forth. Locations can take the form of coordinates and/or addresses and/or physical representations. Disclaimer This Location model is complex and has a number of subtleties. It provides a high level framework, explains broad concepts and gives illustrative examples. Actual solutions for particular requirements will be dependent factors such as country address standards state/ country / province map standards Service Provider addressing standards Equipment vendor equipment naming & addressing conventions whether textual only or graphical representations will be provided It is expected that when this model is used in NGOSS Catalyst projects, the feedback will clarify its application & usage in particular situations. There is obviously a limit to the amount of detail that can be included in a document like this. Those wishing to delve into more detail should consult the references used as the basis for this document. Introduction At the most fundamental level [Zachman], [Coad-Archetypes] the world can be thought of as comprising of entities that answer the 5 fundamental questions. (see below Figure L.00 - Showing how Location Fits in)	A set of entities that determine where things are in relation to a local coordinate system. It provides a linking point to other parts of the SID model.
----------	-------------	---	---

2.3. eTOM L2 - SID ABEs links

(no eTOM business activities are listed for this component in the YAML — see 2.1)

2.4. Functional Framework Functions


Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
429	Location Change History Management	Location Change History Management; Tracks all changes of location data, making available attributes according to their historical values in certain periods.	Resource Management	Location Management
430	PreFormattedLocation InformationPresentation	Pre-formatted Location Information Presentation generates different views for different business cases (e.g. different format of address strings)	Resource Management	Location Management
431	Location Information Updating	Location Information Updating provides means to update the repository with new/updated location information from external sources.	Resource Management	Location Management
432	Location Information Searching	Location Information Searching provide the ability to search for a provided location/address, as part of the Location Management, including the ability to return near matches if an exact match is not found.	Resource Management	Location Management

433	Location Structure Data Configuration	Location Structure Data Configuration provides facilities for creating, modifying and deleting location structures data according to business rules of Service Providers or national and international location regulations. Also, utilities for defining sets of location attributes, levels and hierarchies should be available.	Resource Management	Location Management
434	Location Data Integrity Management	Location Data Integrity Management provides ability to maintain data integrity in the whole location repository. It's especially important if there are many external data sources that deliver new addresses for the repository.	Resource Management	Location Management

3. TM Forum Open APIs & Events

The following part covers the APIs and Events; this part is split in 3: - List of Exposed APIs - This is the list of APIs available from this component. - List of Dependent APIs - In order to satisfy the provided API, the component could require the usage of this set of required APIs. - List of Events (generated & consumed) - The events which the component may generate are listed in this section along with a list of the events which it may consume. Since there is a possibility of multiple sources and receivers for each defined event.

3.1. API Context Diagram




(SVG source: [TMFC014 API Context.svg](#) — hand-drawn rather than PlantUML for this one diagram, since PlantUML's automatic layout couldn't give each API its own straight, individually-anchored connector at a chosen height. Generated by the *component-specification-documentation skill's scripts/render_api_context_svg.py*.)

3.2. Exposed APIs

API ID	API Name	Mandatory / Optional	API Version	Resource	Operations
TMF673	Geographic Address Management API	Mandatory	4	geographicAddressValidation geographicAddress geographicSubAddress	GET GET /id POST PATCH
TMF674	Geographic Site Management API	Mandatory	4	geographicSite	GET GET /id POST PATCH DELETE

TMF675	Geographic Location Management API	Mandatory	4	geographicLocation	GET GET /id POST PATCH DELETE
TMF701	Process Flow Management API	Optional	4	processFlow taskFlow	POST GET GET /id DELETE PATCH



3.3. Dependent APIs

API ID	API Name	API Version	Mandatory / Optional	Resource	Operations




3.4. Events

The diagram illustrates the Events which the component may publish and the Events that the component may subscribe to and then may receive. Both lists are derived from the APIs listed in the preceding sections.

Published Events

API ID	API Name	Event Resources
TMF673	Geographic Address Management API	geographicAddressValidationStateChangeEvent
TMF674	Geographic Site Management API	geographicSiteAttributeValueChangeEvent geographicSiteCreateEvent geographicSiteDeleteEvent geographicSiteStatusChangeEvent
TMF675	Geographic Location Management API	geographicLocationAttributeValueChangeEvent geographicLocationCreateEvent geographicLocationDeleteEvent



Subscribed Events

(none listed in the component YAML)



4. Machine Readable Component Specification

Refer to the ODA Component Directory on the TM Forum website for the machine-readable component specification files for this component.

5. References

5.1. TMF Standards related versions

Standard	Version(s)
eTOM	(none)

SID	v23.5
Functional Framework	v23.0

5.2. Jira References

eTOM - ISA-559 Enrich eTOM with business activities necessary to manage any type of Location

5.3. Further resources

n/a

6. Administrative Appendix

6.1. Document History

6.1.1. Version History

Version Number	Date	Modified by	Description of changes
0.1.0	28-Jun-2022	Gaetano Biancardi, Sylvie Demarest	Final edits prior to publication
0.2.0	19-Aug-2022	Anastasios Sarantis	Changes asked from the community. Component description changed according to feedback + Functional Framework updates
1.0.0	07-Dec-2022	Goutham Babu	Initial release of document
1.0.1	25-Jul-2023	Ian Turkington	No content changed, simply a layout change to match template 3. Separated the YAML files to a managed repository.
1.0.1	15-Aug-2023	Amaia White	Final edits prior to publication
1.1.0	13-May-2024	Hugo Vaughan, Gaetano Biancardi	Aligned to Frameworks 23.5; aligned to latest template; removed TMF688 from exposed and dependent API

1.1.0	12-Jul-2024	Amaia White	Final edits prior to publication
1.2.0	24-Oct-2024	Gaetano Biancardi	Exposed API: fixed duplication of TMF674
1.2.0	14-Mar-2025	Rosie Wilson	Updated Maturity Level to Beta as confirmed by Gaetano Biancardi, as v4 of TMF675 is still in preview and API confirmed as Mandatory for this component by Anastasios Sarantis; final administrative updates

6.1.2. Release History

Release Status	Date Modified	Modified by	Description of changes
Pre-production	07-Dec-2023	Goutham Babu	Initial release of document
Pre-production	23-Jan-2023	Adrienne Walcott	Updated to member evaluation status
Pre-production	15-Aug-2023	Amaia White	New release 1.0.1
Production	06-Oct-2023	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	12-Jul-2024	Amaia White	New release 1.1.0
Production	30-Aug-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	14-Mar-2025	Rosie Wilson	New release 1.2.0
Production	09-May-2025	Adrienne Walcott	Updated to reflect TM Forum Approved status

6.2. Acknowledgements

Team Member	Company	Role
Anastasios Sarantis	Vodafone	Editor
Sylvie Demarest	Orange	Reviewer

Ian Turkington	TM Forum	Additional Input
Hugo Vaughan (TM Forum)	TM Forum	Additional Input