

TM Forum Component

Party Interaction Management

TMFC023

Maturity Level: General Availability (GA)	Team Approved Date: 21-Oct-2025
Release Status: Production	Approval Status: TM Forum Approved
Version 1.2.2	IPR Mode: RAND

Notice

Copyright © TM Forum 2025. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

100 Enterprise Drive
Suite 301 #1649
Rockaway, NJ 070866, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

Notice	2
Table of Contents	3
1. Overview	5
2. eTOM Processes, SID Data Entities and Functional Framework Functions	5
2.1. eTOM business activities	5
2.2. SID ABEs	6
2.3. eTOM L2 - SID ABEs links	7
2.4. Functional Framework Functions	7
3. TM Forum Open APIs & Events	11
3.1. API Context Diagram	11
3.2. Exposed APIs	12
3.3. Dependent APIs	13
3.4. Events	14
Published Events	14
Subscribed Events	15
4. Machine Readable Component Specification	16
5. References	16
5.1. TMF Standards related versions	16
5.2. Jira References	16
5.3. Further resources	16
6. Administrative Appendix	17
6.1. Document History	17

6.1.1. Version History	17
6.1.2. Release History	17
6.2. Acknowledgements	18

TMFC023 – Party Interaction Management

1. Overview

Component Name	ID	Description	ODA Function Block
Party Interaction Management	TMFC023	Party Interaction deals with the initial greeting and welcoming of a new contact. This will typically be the first component in a customer experience journey, shared by unassisted (self-service, retail kiosk) or assisted (call center, retail store) channels. It will identify known Parties or new Parties and react appropriately to propose available actions. It records all the interactions for the Parties from all channels.	Party Management

2. eTOM Processes, SID Data Entities and Functional Framework Functions

2.1. eTOM business activities

eTOM business activities this ODA Component is responsible for:

Identifier	Level	Business Activity Name	Description
1.3.5	L2	Customer Interaction Management	Manage interactions between the customer and the enterprise. Interactions can be triggered by the customer or by the enterprise.
1.3.5.1	L3	Create Customer Interaction	Create a record that logs the customer interaction.
1.3.5.2	L3	Update Customer Interaction	Update the customer interaction.
1.3.5.3	L3	Close Customer Interaction	Close the customer interaction.

1.3.5.4	L3	Log Customer Interaction	Record and maintain all information about the customer interaction.
1.3.5.6	L3	Track and Manage Customer Interaction	Ensure that Customer Interactions are managed and tracked efficiently.
1.3.5.7	L3	Report Customer interaction	Monitor the status of a customer interaction.
1.6.9	L2	Business Partner Interaction Management	Manage interactions between parties and the enterprise. Interactions can be triggered by the enterprise (as a result of a query or complaint) or by a Business Partner (for example sending bills or other notifications.)
1.6.9.1	L3	Log Business Partner Interaction	Record and maintain all information about the Business Partner interaction.
1.6.9.3	L3	Track and Manage Business Partner Interaction	Ensure that Business Partner Interactions are managed and tracked efficiently to meet the Business Partner interaction policies and SLA requirements.
1.6.9.5	L3	Analyze & Report Business Partner Interactions	Perform all required analysis on closed requests and on Business Partner contacts and generate related reports.


2.2. SID ABEs

SID ABEs this ODA Component is responsible for:

SID ABE Level 1	SID ABE Level 2 (or set of BEs)	SID ABE L1 Definition	SID ABE L2 Definition
-----------------	---------------------------------	-----------------------	-----------------------

Communication Interaction		The Communication Interaction ABE contains all entities needed for specifying a CommunicationInteraction describing an exchange of information during a communication between two or more human(s) and/or machine(s) during a period of time. CommunicationInteraction might concern Parties playing a role of Customer, Supplier... or even Resource, therefore the ABE « Communication Interaction ABE » is located in « Shared Domain ».	(no description available)
---------------------------	--	---	----------------------------

2.3. eTOM L2 - SID ABEs links



2.4. Functional Framework Functions

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
-------------	---------------	----------------------	----------------------------	----------------------------

93	Customer Behavior Tracking	Customer Behavior Tracking function monitor the customer behavior through the customer interaction, public communication and use of products. / It includes mapping the customer relation/context to systems such as call center or self-service touch.	Welcome and Interaction	Customer Interaction Management
163	Contact Queuing	Contact Queuing; Contact Queuing provides the means to queue the contact until such time that a suitable agent comes available to work the contact.	Welcome and Interaction	Queue Management
165	Customer Support Collaboration Access	Customer Support Collaboration Access provides the means for customer to agent or agent to support online chatting.	Welcome and Interaction	Customer Interaction Management
168	Voice Channel Contact Routing	Voice Channel Contact Routing function provides the means for a customer to speak to a service representative, including the mechanism to query the customer (e.g. – IVR) on the nature of their request, and routing of the contact to the best available agent with the skills required for the contact and presents to the agent selected call information.	Welcome and Interaction	Customer Interaction Management

189	Customer Interaction Information Capturing	Customer Interaction Information Capturing captures customer interaction event data from all channels (agent interaction/notes, web/device click analytics, retail transactions, etc.), including receiving information from Customer Interaction Collection & Storage.	Welcome and Interaction	Customer Interaction Management
191	Customer Relationship/Context Event Data Accumulation	Customer Relationship/Context Event Data Accumulation provides an ability to accumulate and map customer interaction event data from all channels (agent interaction/notes, web/device click analytics, retail transactions, etc.), including received information from Customer Interaction Collection & Storage.	Welcome and Interaction	Customer Interaction Management


196	Customer Interaction Logging	Customer Interaction Logging provides collection and storage of all contact events with the customer via all channels whether unassisted (self service, retail kiosk) or assisted (call center, retail store). All types of interactions, including interaction history, order history, trouble ticket history, billing collection history, case management, etc... / The Store of any communications in any current or future form including Fax, IVR, email, Page, text, online chat, social media and postal mail. / The storage of all inbound and outbound interactions with the customer.	Welcome and Interaction	Customer Interaction Management
-----	------------------------------	---	-------------------------	---------------------------------

239	Recommendation to Customer Notification	Recommendation to Customer Notification provides necessary hooks to reach out to the customer via preferred channels such as SMS, email or Social media. For Inbound, Self-Service or Call Center touch points can get recommendations and a guided action flow to complete the suitable customer treatment (ex. Credit Adjustment handled by agent, or bill dispute initiation via self-service).	Welcome and Interaction	Customer Context Management
1041	Partner Interaction Journalizing	Partner Interaction Journalizing provides collection & storage of all contact events with the partner via all channels whether unassisted (self service, retail kiosk) or assisted (call center, retail store).	Business Partner Welcome and Interaction	Business Partner Interaction Management

3. TM Forum Open APIs & Events

The following part covers the APIs and Events; this part is split in 3: - List of Exposed APIs - This is the list of APIs available from this component. - List of Dependent APIs - In order to satisfy the provided API, the component could require the usage of this set of required APIs. - List of Events (generated & consumed) - The events which the component may generate are listed in this section along with a list of the events which it may consume. Since there is a possibility of multiple sources and receivers for each defined event.


3.1. API Context Diagram



(SVG source: [TMFC023 API Context.svg](#) — hand-drawn rather than PlantUML for this one diagram, since PlantUML's automatic layout couldn't give each API its own straight, individually-anchored connector at a chosen height. Generated by the *component-specification-documentation skill's scripts/render_api_context_svg.py*.)


3.2. Exposed APIs

API ID	API Name	Mandatory / Optional	API Version	Resource	Operations
TMF683	Party Interaction Management API	Mandatory	5	partyInteraction	GET GET /id POST PATCH DELETE
TMF683	Party Interaction Management API	Mandatory	4	partyInteraction	GET GET /id POST PATCH DELETE
TMF701	Process Flow Management API	Optional	4	processFlow taskFlow	POST GET GET /id DELETE PATCH



3.3. Dependent APIs

API ID	API Name	API Version	Mandatory / Optional	Resource	Operations
TMF632	Party Management API	5	Optional	individual organization	GET GET /id
TMF632	Party Management API	4	Optional	individual organization	GET GET /id
TMF669	Party Role Management API	5	Optional	partyRole	GET GET /id
TMF669	Party Role Management API	4	Optional	partyRole	GET GET /id
TMF662	Entity Catalog Management API	4	Optional	entitySpecification entityCategory entityCatalog entityCatalogItem	GET GET /id
TMF667	Document Management API	4	Optional	document	GET GET /id
TMF681	Communication Management API	4	Optional	communicationMessage	GET GET /id
TMF701	Process Flow Management API	4	Optional	processFlow	POST GET GET /id PATCH




3.4. Events

The diagram illustrates the Events which the component may publish and the Events that the component may subscribe to and then may receive. Both lists are derived from the APIs listed in the preceding sections.

Published Events


API ID	API Name	Event Resources
TMF683	Party Interaction Management API	partyInteractionCreateEvent partyInteractionAttributeValueChangeEvent partyInteractionDeleteEvent partyInteractionStatusChangeEvent

TMF701	Process Flow Management API	processFlowCreateEvent processFlowStateChangeEvent processFlowStateDeleteEvent processFlowStateAttributeValueChangeEvent taskFlowCreateEvent taskFlowStateChangeEvent taskFlowDeleteEvent taskFlowAttributeValueChangeEvent taskFlowInformationRequiredEvent
--------	-----------------------------	--



Subscribed Events

API ID	API Name	Event Resources
TMF632	Party Management API	individualCreateEvent individualAttributeValueChangeEvent individualStateChangeEvent individualDeleteEvent organizationCreateEvent organizationAttributeValueChangeEvent organizationStateChangeEvent organizationDeleteEvent
TMF669	Party Role Management API	partyRoleCreateEvent
TMF667	Document Management API	documentChangeEvent documentSpecificationAttributeValueChangeEvent
TMF701	Process Flow Management API	processFlowCreateEvent processFlowStateChangeEvent taskFlowCreateEvent taskFlowStateChangeEvent



4. Machine Readable Component Specification

Refer to the ODA Component Directory on the TM Forum website for the machine-readable component specification files for this component.

5. References

5.1. TMF Standards related versions

Standard	Version(s)
eTOM	v24.0
SID	v25.0
Functional Framework	v24.0

5.2. Jira References

N/A

5.3. Further resources

1. IG1228: please refer to IG1228 for defined use cases with ODA components interactions.

6. Administrative Appendix

6.1. Document History

6.1.1. Version History

Version Number	Date	Modified by	Description of changes
1.0.0	07-Dec-2022	Goutham Babu	Final edits prior to publication
1.0.1	25-Jul-2023	Ian Turkington	No content changed, simply a layout change to match template 3. Separated the YAML files to a managed repository.
1.0.1	15-Aug-2023	Amaia White	Final edits prior to publication
1.1.0	16-Apr-2024	Gaetano Biancardi	Component Template updated; Functional Framework: following functions reclassified for Level 2: 164, 168, 239
1.1.0	30-Apr-2024	Amaia White	Final edits prior to publication
1.1.1	09-Jul-2025	Rosie Wilson	Updates to description per agreed YAML updated on 03-Jun-2025
1.1.1	15-Jul-2025	Rosie Wilson	Final edits prior to publication
1.1.2	21-Oct-2025	Gaetano Biancardi	Updated to eTOM/SID/FF to 24.0; TMF688 removed from the specification (Core Functions - exposed and dependent), ODA canvas Operators offer its functions; TMF672 removed from the specification (Core Functions - dependent), ODA canvas Operators offer its functions
1.1.2	19-Nov-2025	Rosie Wilson	Final edits prior to publication
1.2.0	05-Jun-2026	Hugo Vaughan	Gen 5 API updates
1.2.0	24-Jun-2026	Sannah Sibaya	Final edits prior to publication

6.1.2. Release History

Release Status	Date Modified	Modified by	Description of changes
Pre-production	15-Aug-2023	Amaia White	New version 1.0.1
Production	06-Oct-2023	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	30-Apr-2024	Amaia White	New version 1.1.0
Production	28-Jun-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	15-Jul-2025	Rosie Wilson	New version 1.1.1
Production	05-Sep-2025	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	15-Jul-2025	Rosie Wilson	New version 1.1.2
Production	16-Jan-2026	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	24-Jun-2026	Sannah Sibaya	New version 1.2.0

6.2. Acknowledgements

This document was prepared by the members of the TM Forum ODA Components & Canvas team.

Team Member	Company	Role
Gaetano Biancardi	Accenture	Editor
Sylvie Demarest	Orange	Reviewer
Elisabeth Andersson	MATRIX	Reviewer
Ian Turkington	TM Forum	Additional Input
Hugo Vaughan (TM Forum)	TM Forum	Additional Input
Abinash Vishwakarma	Netcracker	Reviewer
Jose Macaluso	Xacria	Reviewer

Kamal Maghsoudlou	Ericsson	Reviewer
Milind Bhagwat	BT	Reviewer
Ritu Arora	BT	Reviewer
Matteo Destino	Accenture	Reviewer
Julien Rouland	Orange	Reviewer