

TM Forum Component

Permissions Management

TMFC035

Maturity Level: General Availability (GA)	Team Approved Date: 2026-05-21
Release Status: Preview	Approval Status: Team Approved
Version 1.2.1	IPR Mode: RAND

Notice

Copyright © TM Forum 2026. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

100 Enterprise Drive
Suite 301 #1649
Rockaway, NJ 070866, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

Notice	2
Table of Contents	3
1. Overview	5
2. eTOM Processes, SID Data Entities and Functional Framework Functions	5
2.1. eTOM L2 - SID ABEs links	5
2.2. eTOM business activities	5
2.3. SID ABEs	5
2.4. Functional Framework Functions	10
3. TM Forum Open APIs & Events	12
3.1. API Context Diagram	13
3.2. Exposed APIs	13
3.3. Dependent APIs	14
3.4. Events	15
Published Events	15
Subscribed Events	16
4. Machine Readable Component Specification	16
5. References	16
5.1. TMF Standards related versions	17
5.2. Jira References	17
5.3. Further resources	17
6. Administrative Appendix	17
6.1. Document History	17

6.1.1. Version History	17
6.1.2. Release History	18
6.2. Acknowledgements	18

TMFC035 – Permissions Management

1. Overview

Component Name	ID	Description	ODA Function Block
Permissions Management	TMFC035	The Permissions Management component manages and exposes roles and related permissions. This component enables creation, modification and deletion of permissions and delegate permissions. When a specific role is assigned, a set of permissions is inherited.	Party Management

2. eTOM Processes, SID Data Entities and Functional Framework Functions

2.1. eTOM L2 - SID ABEs links

	eTOM Business Activity
<database>	SID Data Entity
--->	produced by the activity
<---	consumed by the activity

2.2. eTOM business activities

eTOM business activities this ODA Component is responsible for:

(none listed in the component YAML)

2.3. SID ABEs

SID ABEs this ODA Component is responsible for:

SID ABE L1	SID ABE L1 Definition	SID ABE L2 (or set of BEs)	SID ABE L2 Definition
Permission	Permission ABE contains all Business Entities for describing Permission Specifications, effective Permissions granted including the scope of permissions.	PermissionSpecSet	PermissionSpecSet specifies a set of permissions that might concern one or many PartyRoleSpecifications. A PermissionSpecSet contains one or many ImplicitPermissionSpec.
Permission	Permission ABE contains all Business Entities for describing Permission Specifications, effective Permissions granted including the scope of permissions.	PermissionSet	Each PermissionSet may refer to a PermissionSpecSet if it corresponds to applying permissions specified for a PartyRoleSpecification. If PermissionSet corresponds to permissions granted by another PartyRole it has no relationship with a PermissionSpecSet.
Permission	Permission ABE contains all Business Entities for describing Permission Specifications, effective Permissions granted including the scope of permissions.	Permission	Permission represents permissions granted to a PartyRole that might be either implicit (ImplicitPermission) or explicit through delegation (ExplicitPermission).

Party	The Party ABE enables defining an individual, an organization, or an organization unit that is of interest, involved or that provides value directly or indirectly from an enterprise perspective (Enterprise is to be understood here as provider, service provider or operator). Hence the Party plays one or more roles with the enterprise or with another Party playing a role with the enterprise (indirectly). This is introduced to specify that the only party an enterprise would be interested in and will consider in its systems is a party playing a role (directly or indirectly). Roles would be represented by the PartyRole concept. Additional roles will be defined to cover the needs of the new digital ecosystem." Examples of roles played by Parties include those: Of interest, such as competitors, sales prospects Involved, such as customers, users, employees That provides value directly or indirectly, such as service providers, operators, cloud brokers, infrastructure providers, application developers. This Party ABE defines information about companies and people. Implementations of this model are responsible for ensuring that the relevant privacy legislation standards are adhered to in the countries that will use the implementation.	PartyRole	The part played by a party in a given context with any characteristics, such as expected pattern of behavior, attributes, and/or associations that it entails. PartyRole should be used in places where the business refers to a Party playing a Role.
-------	--	-----------	---

Party	The Party ABE enables defining an individual, an organization, or an organization unit that is of interest, involved or that provides value directly or indirectly from an enterprise perspective (Enterprise is to be understood here as provider, service provider or operator). Hence the Party plays one or more roles with the enterprise or with another Party playing a role with the enterprise (indirectly). This is introduced to specify that the only party an enterprise would be interested in and will consider in its systems is a party playing a role (directly or indirectly). Roles would be represented by the PartyRole concept. Additional roles will be defined to cover the needs of the new digital ecosystem." Examples of roles played by Parties include those: Of interest, such as competitors, sales prospects Involved, such as customers, users, employees That provides value directly or indirectly, such as service providers, operators, cloud brokers, infrastructure providers, application developers. This Party ABE defines information about companies and people. Implementations of this model are responsible for ensuring that the relevant privacy legislation standards are adhered to in the countries that will use the implementation.	PartyRoleSpecification	The definition of a role a party may play. this is entityone Task
-------	--	------------------------	--

Party	The Party ABE enables defining an individual, an organization, or an organization unit that is of interest, involved or that provides value directly or indirectly from an enterprise perspective (Enterprise is to be understood here as provider, service provider or operator). Hence the Party plays one or more roles with the enterprise or with another Party playing a role with the enterprise (indirectly). This is introduced to specify that the only party an enterprise would be interested in and will consider in its systems is a party playing a role (directly or indirectly). Roles would be represented by the PartyRole concept. Additional roles will be defined to cover the needs of the new digital ecosystem." Examples of roles played by Parties include those: Of interest, such as competitors, sales prospects Involved, such as customers, users, employees That provides value directly or indirectly, such as service providers, operators, cloud brokers, infrastructure providers, application developers. This Party ABE defines information about companies and people. Implementations of this model are responsible for ensuring that the relevant privacy legislation standards are adhered to in the countries that will use the implementation.	Party Organization	The Party Organization ABE is used to model Party Organization.
-------	--	--------------------	--

Market Sales Party Roles	Market Sales Party Roles ABE contains all PartyRoles related to the Market Sales Domain such as MarketingManager, SalesAgent...		(no description available)
Service Party Roles	The Service Party Roles ABE contains all PartyRoles related to the Service Domain such as ServiceManager.		(no description available)
Resource Party Roles	Resource Party Roles ABE contains all PartyRoles related to the Resource Domain such as Technician and ResourceManager.		(no description available)

2.4. Functional Framework Functions

Function ID	Function Name	Aggregate Function Level 1	Aggregate Function Level 2	Function Description
899	Single Sign-On Access Control	Identification and Permission Management	Identification and Authentication	Single Sign-On Access Control grant access in cooperation with central Authentication and Authorization functions to secure the most updated security.
906	PKI and Digital Certificates Systems Integration	Identification and Permission Management	Identification and Authentication	PKI and Digital Certificates Systems Integration provides integration to Public Key Infrastructure Systems that provides digital certificates, and the support to use public keys and digital certificates.


1025	Application Access	Identification and Permission Management	Identification and Authentication	Application Access provides access interfaces with authentication and authorization control for the requests and responses related to the application's functionality, including event logging and usage statistics.
897	Building Access Control	Identification and Permission Management	Permission Control	Building Access Control checks, stops or allows physical access to facilities according to access roles and rules.
900	Authorization Control	Identification and Permission Management	Permission Control	Authorization Control Management sets and administrates the Role and Rule based access to functions.
898	Application Security Management	Identification and Permission Management	Permission Definition	Application Security Management administrates the roles and rules that applies to getting the right to use an application.
260	Anonymous User Account Creation	Identification and Permission Management	Digital Identity Management	Anonymous User Account Creation provides account creation for anonymous user account, either through external customer self empowered fulfillment function or internal customer support access.

1181	Party Role Assignment	Identification and Permission Management	Role and Permission Assignment / Configuration	Party Role Assignment Function consists in assigning a party role to a person according to a type of role such as Customer or Payer. Sometimes a party role might be not played by a Party when unknown. For example, we might not know the Party that uses a mail box.
1182	Permission Perimeter Configuration	Identification and Permission Management	Role and Permission Assignment / Configuration	Permission Perimeter Configuration Function consists in specifying on which perimeter the permission carried by the Party Role applies on. A perimeter defines: - either an object or a set of objects such as a Product, a Billing Account, etc. - or using selection criteria to identify objects on which permission applies such as geographical area where the Distributor has right to sell.

3. TM Forum Open APIs & Events

The following part covers the APIs and Events; this part is split in 3: - List of Exposed APIs - This is the list of APIs available from this component. - List of Dependent APIs - In order to satisfy the provided API, the component could require the usage of this set of required APIs. - List of Events (generated & consumed) - The events which the component may generate are listed in this section along with a list of the events which it may consume. Since there is a possibility of multiple sources and receivers for each defined event.

3.1. API Context Diagram




(SVG source: [TMFC035 API Context.svg](#) — hand-drawn rather than PlantUML for this one diagram, since PlantUML's automatic layout couldn't give each API its own straight, individually-anchored connector at a chosen height. Generated by the *component-specification-documentation skill's scripts/render_api_context_svg.py*.)

3.2. Exposed APIs


API ID	API Name	Mandatory / Optional	API Version	Resource	Operations
TMF672	User Role Permission Management API	Mandatory	4	permission	GET, GET /id, POST, PATCH /id, DELETE /id

TMF672	User Role Permission Management API	Mandatory	4	userRole	GET, GET /id, POST, PATCH /id, DELETE /id
TMF669	Party Role Management API	Mandatory	5	partyRole	GET, GET /id, POST, PATCH /id, DELETE /id
TMF669	Party Role Management API	Mandatory	4	partyRole	GET, GET /id, POST, PATCH /id, DELETE /id



3.3. Dependent APIs

API ID	API Name	API Version	Mandatory / Optional	Resource	Operations
TMF632	Party Management API	5	Mandatory	individual	GET, GET /id
TMF632	Party Management API	5	Mandatory	organization	GET, GET /id
TMF632	Party Management API	4	Mandatory	individual	GET, GET /id
TMF632	Party Management API	4	Mandatory	organization	GET, GET /id
TMF701	UNRESOLVED-TMF701	4	Optional	processFlow	POST, GET, GET /id, DELETE
TMF701	UNRESOLVED-TMF701	4	Optional	taskFlow	PATCH, GET, GET /id




3.4. Events

The diagram illustrates the Events which the component may publish and the Events that the component may subscribe to and then may receive. Both lists are derived from the APIs listed in the preceding sections.


Published Events

API ID	API Name	Event Resources
TMF672	User Role Permission Management API	permissionCreateEvent permissionAttributeValueChangeEvent permissionStateChangeEvent permissionDeleteEvent userRoleCreateEvent userRoleAttributeValueChangeEvent userRoleStateChangeEvent userRoleDeleteEvent
TMF669	Party Role Management API	PartyRoleCreateEvent PartyRoleAttributeValueChangeEvent PartyRoleStateChangeEvent PartyRoleDeleteEvent



Subscribed Events

API ID	API Name	Event Resources
TMF632	Party Management API	individualCreateEvent individualAttributeValueChangeEvent individualStateChangeEvent organizationCreateEvenet organizationAttributeValueChangeEvent organizationStateChangeEvent
TMF701	UNRESOLVED-TMF701	processFlowCreateEvent processFlowStateChangeEvent taskFlowCreateEvent taskFlowStateChangeEvent



4. Machine Readable Component Specification

Refer to the ODA Component Directory on the TM Forum website for the machine-readable component specification files for this component.

5. References

5.1. TMF Standards related versions

Standard	Version(s)
eTOM	(none)
SID	v25.0
Functional Framework	v26.0

5.2. Jira References

[ISA-758] Manage Party Roles and Permissions: enrich eTOM with business activities managing party roles specifications and permissions/permissions specifications.

5.3. Further resources

1. IG1228: please refer to IG1228 for defined use cases with ODA components interactions.

6. Administrative Appendix

6.1. Document History

6.1.1. Version History

Version Number	Date	Modified by	Description of changes
1.0.0	11-Jan-2023	Matteo Destino	Initial draft for Party Role and Permissions Management Component
1.0.0		Amaia White	Final edits prior to publication
1.0.1	25-Jul-2023	Ian Turkington	No content changed, simply a layout change to match template 3.
1.1.0	27-Aug-2024	Hugo Vaughan	Links to Frameworks confirmed for 23.5; TMF688 removed from core specification
1.1.0	06-Sep-2024	Amaia White	Final edits prior to publication of v1.1.0

1.1.1	20-Jan-2026	Rosie Wilson	Updates to description per agreed YAML updated on 03-Jun-2025
1.2.0	05-Jun-2026	Hugo Vaughan	Gen 5 API updates
1.2.1	25-Jun-2026	Sannah Sibaya	Final edits prior to publication

6.1.2. Release History

Release Status	Date Modified	Modified by	Description of changes
Pre-production	14-Jun-2023	Amaia White	Initial release of document
Pre-production	17-Jul-2023	Adrienne Walcott	Updated to Member Evaluated status
Pre-production	14-Aug-2023	Amaia White	New release v1.0.1
Production	06-Oct-2023	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	06-Sep-2024	Amaia White	New release 1.1.0
Pre-production	20-Jan-2026	Rosie Wilson	New release 1.1.1
Pre-production	25-Jun-2026	Sannah Sibaya	New release 1.2.1

6.2. Acknowledgements

This document was prepared by the members of the TM Forum Component and Canvas project team.

Team Member	Company	Role
Matteo Destino	Accenture	Editor
Gaetano Biancardi	Accenture	Reviewer
Emmanuel A. Otchere	Huawei	Additional Input
David Milham	TM Forum	Additional Input
Hugo Vaughan (TM Forum)	TM Forum	Additional Input

Ian Turkington	TM Forum	Additional Input
Elisabeth Andersson	MATRIX	Reviewer
Abinash Vishwakarma	Netcracker	Reviewer
Jose Macaluso	Xacria	Reviewer
Milind Bhagwat	BT	Reviewer
Ritu Arora	BT	Reviewer
Rosie Wilson	TM Forum	Additional Input