**Cuong Hoang** 

CSC3320

Lab 2

- A) /home/choang7
- B) In Step (3), there was no file in my home directory (/home/choang7), so the result returned empty when I used the command "Is" to list all the content in my current working directory. In step (4), I created a new folder "csc3320" in that working directory. Therefore, when I used "Is" to list all the content, it shows "csc3320", which is the file I have created from that home directory.
- C) pwd
- D) mkdir lab2
- E) cd lab2
- F) the special character ">" between "cat" and "myLab2.txt" indicates that we will create a new file named myLab2 with type "txt" and redirect us to that newly created file "myLab2.txt" and wait for input from user. After user's input, we press "CTRL -D" to indicate that this is the end of the file.

```
🖟 login as: choang7
choang7@snowball.cs.gsu.edu's password:
Last login: Fri Jan 22 14:25:19 2021 from 14.175.64.35
       GSU Computer Science
       Instructional Server
       SNOWBALL.cs.gsu.edu
[choang7@gsuad.gsu.edu@snowball ~]$ man cat
[choang7@gsuad.gsu.edu@snowball ~]$ cd ~
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
/home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ ls
[choang7@gsuad.gsu.edu@snowball ~]$ mkdir csc3320
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
/home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ cd csc3320
[choang7@gsuad.gsu.edu@snowball csc3320]$ pwd
/home/choang7/csc3320
[choang7@gsuad.gsu.edu@snowball csc3320]$ mkdir lab2
[choang7@gsuad.gsu.edu@snowball csc3320]$ cd lab2
[choang7@gsuad.gsu.edu@snowball lab2]$ cat > myLab2.txt
My name is Cuong Hoang
[choang7@gsuad.gsu.edu@snowball lab2]$ cat -n myLab2.txt
     1 My name is Cuong Hoang
[choang7@gsuad.gsu.edu@snowball lab2]$ pwd
/home/choang7/csc3320/lab2
[choang7@gsuad.gsu.edu@snowball lab2]$ cd ~
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
/home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ ls
[choang7@gsuad.gsu.edu@snowball ~]$
```

```
login as: choang7
choang7@snowball.cs.gsu.edu's password:
Last login: Fri Jan 22 14:25:19 2021 from 14.175.64.35
       GSU Computer Science
       Instructional Server
       SNOWBALL.cs.gsu.edu
[choang7@gsuad.gsu.edu@snowball ~]$ man cat
[choang7@gsuad.gsu.edu@snowball ~]$ cd ~
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
/home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ ls
[choang7@gsuad.gsu.edu@snowball ~]$ mkdir csc3320
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
/home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ cd csc3320
[choang7@gsuad.gsu.edu@snowball csc3320]$ pwd
/home/choang7/csc3320
[choang7@gsuad.gsu.edu@snowball csc3320]$ mkdir lab2
[choang7@gsuad.gsu.edu@snowball csc3320]$ cd lab2
[choang7@gsuad.gsu.edu@snowball lab2]$ cat > myLab2.txt
My name is Cuong Hoang
[choang7@gsuad.gsu.edu@snowball lab2]$ cat -n myLab2.txt
     1 My name is Cuong Hoang
[choang7@gsuad.gsu.edu@snowball lab2]$ pwd
/home/choang7/csc3320/lab2
[choang7@gsuad.gsu.edu@snowball lab2]$ cd ~
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
/home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ ls
[choang7@gsuad.gsu.edu@snowball ~]$ cd /home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$ pwd
home/choang7
[choang7@gsuad.gsu.edu@snowball ~]$
```