

## Call-back API documentation

### Notice

- 1、 The partner shall provide the callback address.
- 2、 Request data format: Json
- 3、 Response data format: Json

**\*This doc is for demonstration,the specific scheme might differ in a few details.**

### Request

| Field name | Required/Optional | Description                                      |
|------------|-------------------|--------------------------------------------------|
| type       | Y                 | Message type,1.device status,<br>2.drug message. |
| data       | Y                 | Message content                                  |

#### 1.Device status

1. Usage: device fault or offline message
2. Request parameters:

| Field name     | Required/Optional | Description                                  |
|----------------|-------------------|----------------------------------------------|
| data.device_sn | Y                 | DN code                                      |
| data.status    | Y                 | status, 1.offline, 2.device fault 3.lid open |

3. Request Example:

```
{  
  "type":1,  
  "data":{  
    "device_sn":"d3-0000001583c83d0e",  
  }  
}
```

```
        "status":1  
    }  
}
```

## 2. Drug message

1. Usage: Push when alarm bell rings or medication status changes
2. Request parameters:

| Field name     | Required/Optional | Description                                                                      |
|----------------|-------------------|----------------------------------------------------------------------------------|
| data.device_sn | Y                 | DN code                                                                          |
| data.alarm_id  | Y                 | Alarm ID                                                                         |
| data.status    | Y                 | Status:0.alarm bell,<br>1.take on time,<br>2.take overtime,<br>3.forget to take, |
| data.take_time | N                 | Time of taking medicine.Status is valid when it is 1 or 2                        |

3. Request Example:

```
{  
    "type":2,  
    "data":{  
        "device_sn":"d3-0000001583c83d0e",  
        "alarm_id":"9391",  
        "status":1,  
        "take_time":"12:00"  
    }  
}
```

## Response

| Field name | Required/Optional | Description                          |
|------------|-------------------|--------------------------------------|
| code       | Y                 | status, 200 - success, other - error |

|         |   |  |
|---------|---|--|
| message | N |  |
|---------|---|--|

Response Example:

```
{
  "code": 200,
  "message": "Success"
}
```