

WiFi  
GA-Guest  
yellowpencil

September 24, 2019

---

# Intro to Python

Please install Python 3.7 from  
<https://anaconda.com/download>





# GENERAL ASSEMBLY



The Tremont Street Subway in Boston's MBTA Subway system is the oldest subway tunnel in North America and the third oldest worldwide.  
ESTABLISHED  
1898



WiFi  
Password

GA-Guest  
yellowpencil



# Welcome to General Assembly

## *Intro to Python*

**WiFi**

GA-Guest

**Password**

yellowpencil

**Schedule**

6:30 PM: Welcome & Introduction

6:35 PM: Workshop

8:20 PM: Time for Feedback

8:25 PM: Q&A




---

General Assembly is a pioneer in education and career transformation, specializing in today's most in-demand skills. We foster a flourishing community of professionals pursuing careers they love.

What began as a co-working space in 2011 has since grown into a global learning experience with campuses in 15 cities and over 25,000 alums worldwide.

---



---

## What We Teach

We provide innovative training for lifelong learning and success in the in-demand fields of today's rapidly changing technological economy.

**Coding**



**UX & Design**



**Data**



**Marketing**



**Business**



**Career Development**



# {Agenda}

## What We'll Cover Today

In this class, we'll explore the following topics:

Time	Topic
15 min	Introductions
15 min	Python Overview
15 min	Software Install
40 min	Programming Basics
20 min	Example Program
15 min	Q&A and Next Steps



# Matthew Garton



Trader | Data Scientist | Researcher

---

General Assembly:  
Data Science Immersive Graduate  
Python & Data Science Instructor





## Introduce yourself:

- **Name**
- **What Languages have you coded in?**
  - None!, Excel, SQL, HTML, BASH/DOS, C, Python, etc.
- **What industries are you interested in?**
  - Finance, Technology, Medicine, Publishing, etc.
- **How will this course help you with your goals?**
- **Share something you recently read/watched/heard.**

# About this course

## Learning Objectives


- Discuss the history of Python & how it's used in different industries
- Describe the benefits of a Python workflow when looking at data
- Demonstrate basic Python programming fundamentals to solve a real world problem
- Create a custom learning plan to build your data science skills after this workshop!



# About this course

## Getting the most out of this course

- Make sure you have the tools you need running smoothly
- Think / ask how Python could fit into your workflow
- The exercises are guidelines, pursue your interests in during practice
- Plan how you will continue your learning





**Today dozens of Google engineers use Python, and we're looking for more people with skills in this language.**

Peter Norvig,  
Director of search quality at Google, Inc.




Intro to Python



# What Is Python?


# What is Python



- Created by Guido Van Rossum in 1991
- Emphasizes **productivity** and code **readability**
- **Easy** to pick up and learn
- Easier for many to contribute to **production level code**
- **Readable** code means that almost anyone can read and **understand what code is doing**




# Why is Python readable



- **Interpreted language:**
  - Step by step execution for easier programming ideation
  - Write once, run anywhere
  - Performance tradeoff
- **Object-oriented (OO)**
  - Code with objects that contain data and functions to manipulate it in predefined ways
- **High-level programming**
  - Use natural language syntax where possible

# Why Python?




- **Free, Flexible, and Open Source**
- Rapid **prototyping** and **full-stack** commercial applications
- **Extensible** with easy to install **libraries**
- Great **documentation**
- Established and growing **community**
- **Scripts** can be run many times
  - When data changes
  - On different machines
  - At different times







- **Industry & Academia**
  - AstroPy
  - BioPython
- **Web Development**
  - Youtube
  - DropBox
- **Game Development**
  - Civilization IV
- **Standalone Applications**
  - BitTorrent
- **Finance**
  - AQR



# BitTorrent™



# Real Cases: Examples



- **Industry**




- [Drug discovery](#)
- [Financial services](#)
- [Films and special effects](#)

- **Academia**

- [Gravitational waves](#)
- [Scientific visualisation](#)
- [Biomolecule simulation](#)

- **More**

- [Success Stories](#)
- [Python as a Second Language](#)



# By All Accounts, Python is Popular

## Stack Overflow 2018 Annual Developer Survey


**Most Wanted**, with **25.1%** share of more than 100,000 respondents worldwide.

## TIOBE Index

**Number 4** and rising as of August 2018, with speculation that it **will rise to number 1** surpassing Java.

## PYPL

**Number 1** and **up 5.7%** as of August 2018 over the previous year.



**“Python has risen** in the ranks of programming languages on our survey, **surpassing C#** in popularity this year, much like it surpassed PHP last year.”

- Stack Overflow 2018 Annual Developer Survey



## How will you use python?

- Job or Industry
- Workflow Improvements
- Dream Projects


Intro to Python



# Exploring Python With Anaconda






# Download Anaconda <https://anaconda.com/download>



The screenshot shows the Anaconda download page for macOS. The page has a green header with the title "Download Anaconda Distribution" and the version "Version 5.2 | Release Date: May 30, 2018". Below the header, there are three columns of text: "High-Performance Distribution", "Package Management", and "Portal to Data Science". A red arrow points to the "Python 3.6 version" download button.

Download Anaconda Distribution

Version 5.2 | Release Date: May 30, 2018

Download For:   

High-Performance Distribution




Easily install 1,000+ [data science packages](#)

Package Management

Manage packages, dependencies and environments with [conda](#)

Portal to Data Science

Uncover insights in your data and create interactive visualizations

 Windows |  macOS |  Linux

Anaconda 5.2 For macOS Installer

Python 3.6 version \*

[Download](#)


[64-Bit Graphical Installer \(613 MB\)](#)

Python 2.7 version \*


[Download](#)

[64-Bit Graphical Installer \(617 MB\)](#)

# Anaconda Navigator



# Terminal / Anaconda Prompt



```
mattg@mattg-Galago-Pro: ~  
File Edit View Search Terminal Help  
mattg@mattg-Galago-Pro:~$ jupyter notebook  
[I 16:29:29.667 NotebookApp] Writing notebook server cookie secret to /run/user/  
1000/jupyter/notebook_cookie_secret  
[I 16:29:29.867 NotebookApp] JupyterLab beta preview extension loaded from /home  
/mattg/anaconda3/lib/python3.6/site-packages/jupyterlab  
[I 16:29:29.867 NotebookApp] JupyterLab application directory is /home/mattg/ana  
conda3/share/jupyter/lab  
[I 16:29:29.871 NotebookApp] Serving notebooks from local directory: /home/mattg  
[I 16:29:29.871 NotebookApp] 0 active kernels  
[I 16:29:29.871 NotebookApp] The Jupyter Notebook is running at:  
[I 16:29:29.871 NotebookApp] http://localhost:8888/?token=79612d7ad606906c7823bb  
d4f272174df0c908b8c83ebfb4  
[I 16:29:29.871 NotebookApp] Use Control-C to stop this server and shut down all  
kernels (twice to skip confirmation).  
[C 16:29:29.872 NotebookApp]  
  
Copy/paste this URL into your browser when you connect for the first time,  
to login with a token:  
http://localhost:8888/?token=79612d7ad606906c7823bbd4f272174df0c908b8c83  
ebfb4&token=79612d7ad606906c7823bbd4f272174df0c908b8c83ebfb4  
[I 16:29:30.166 NotebookApp] Accepting one-time-token-authenticated connection f  
rom 127.0.0.1  
Created new window in existing browser session.
```

## MAC:

Open Terminal (**Applications > Utilities > Terminal**).

Type `jupyter notebook` and press **Enter**.

## WINDOWS:

In the Start Menu, go to **Anaconda > Anaconda Prompt**.

When the command prompt launches, type `jupyter notebook` and press **Enter**.

## LINUX:


Open Terminal (Ctrl+Alt+Tab)

When the command prompt launches, type `jupyter notebook` and press **Enter**.






# New Web Browser window with personal files



# Jupyter Notebook

jupyter Untitled



- **Cells:**

- **Markdown** for notes
- **Code** for Python

- **Modes**

- **Blue** for command
- **Green** for editing

- **Execution**

- Shift + return

- **Output**

- Print (all)
- Return values (last)

This is a note

In [54]: 2+2

Out[54]: 4

In [55]: print("hello")  
2+2  
3+3

hello

Out[55]: 6

# Jupyter Notebook errors

Mistakes happen! Here's what they look like:

```
just some code
```

```
File "<ipython-input-56-2516a36d8922>", line 1
```

```
just some code
```

^

```
SyntaxError: invalid syntax
```

1. Try to understand what went wrong
2. Attempt to fix the problem
3. Execute the cell again



**Solo Exercise:**

## Try out Jupyter notebook

**5 minutes**



Take some time to try out Jupyter notebook.

Make sure you can:

1. Convert cells between Markdown and Code
2. Edit and execute a note cell
3. Edit and execute a code cell
4. Try to do some math
5. Make an error





**We wrote more code in python than we were expecting, including all [the] in-game screens and the main interface.**

Soren Johnson,  
Lead designer on Civilization IV, Firaxis Games



Intro to Python

---

# Python Programming Fundamentals



# Programming Fundamentals Framework

Every programming language can be broken down into core components. Having a general framework for this context will help us learn specifics for Python.

- **Syntax**
  - The structure of the commands given to the computer
- **Variables**
  - How computers store information
- **Control Structures**
  - Sets the hierarchy/priorities of programming logic
- **Data Structures**
  - How computers organize data



# Syntax

The **syntax** of a programming language is the set of rules that define the combinations of symbols that are considered to be correctly structured programs in that language

Just like our spoken languages have structures like paragraphs and sentences, programming languages have **code blocks** and **statements**.





# Variables

**Variables** are symbolic names that store a specific piece of information. Variables come in different types in order to hold different kinds of information.

- For example: **r = 3**
  - Defines a variable: named “r”
  - This holds a numerical integer: **3**
- Other types of variables:
  - float (3.14)
  - string (“Hello”)

# Control Structures

A block of programming that analyses variables and chooses a direction in which to go based on given parameters is a **control structure**.

- The term **flow control** details the direction the program takes (how program logic “flows”). It determines how a computer will respond when given certain conditions and parameters. Some typical structures include:
  - **If** statements
  - **For** loops
  - **Functions**

# Data Structures

A **data structure** is a particular way of storing and organizing data in a computer so that it can be used efficiently.

- Some examples in Python include:
  - Lists
  - Tuples
  - Dictionaries
  - Dataframes



# Python programming

- Let's see what a Python program looks like.
- We'll start with the classic "*Hello World!*" program:
  - This code will print the message "Hello World!" on the screen.

```
1 | print("hello world")
```

# What did we just see?

- Data
  - “hello world”
  - string
  - Denoted by quotation marks
    - Single ‘..’
    - Double “..”
    - Triple “””...”””
- Function
  - Print
- Aside: # makes comments

```
1 | print("hello world")
```

# Variables

- **Types**

- **Bool** - 1 or 0, True or False
- **Int** - number w/o decimal point
- **Float** - number w/ decimal
- **String** - text

- **Assignment**

- = operator defines variable

- **Variable names**

- snake\_case
- Lowercase Letters, Numbers, Underscores

- **type() function** - shows data type

```
1  # variable assignments
2  x = 1.0
3  my_variable = 12.2
4  type(x)
5
6  y = 1
7  type(y)
8
9  b1 = True
10 type(b1)
11
12 s = "String"
13 type(s)
```

# Variables

- **Operators** - combine data
  - `+, -, *, /` (add, subtract, multiply, divide)
  - `+=, -=, etc` (perform operation and save result)
  - `**` (power)
  - `//, %` (quotient, remainder (modulus))
  - `>, <, ==, !=, <=, >=` (greater than, less than, equal, not equal, etc)
- **Functions and methods** - saved instructions to manipulate data
  - **`abs(my_int)`** - `function_name(data)`
  - **`len(my_string)`**
  - **`my_string.lower()`** - `data.method_name()`
  - **`my_int.__add__(5)`**
    - **“Dunder”** - double underscore (`__`) = important Python built in item



Now you try! Pair up with a partner to attempt the following in your notebooks. Help each other out!:

1. Create variables
  - a. Bool
  - b. Int
  - c. Float
  - d. String
2. Check their class with `type()`
3. Try out some operations on your variables
  - a. What works? What causes errors?



# Data Structures

- **Lists**

- A **collection** of objects
  - Mixed types are okay
- Defined with **square brackets** [ ]
- They can be modified
  - `my_list.append()`
  - `my_list.remove()`
- **Slicing**
  - Access elements
  - `my_list[ start : end : step ]`

```
1 | l = [1,2,3,4]
2 | print(type(l))
3 | print(l)
4 | print(l)
5 | print(l[1:3])
6 | print(l[::2])
7 |
8 | # Python starts counting from 0
9 | print(l[0])
```

# Data Structures

- **Tuples**

- very similar to lists, but:
  - They are defined with parentheses ( ) instead of square brackets
  - They cannot be changed
    - No append() method
    - No remove() method
- Slicing works the same way

```
1 | point = (10, 20)
2 | print(point, type(point))
3 |
4 | x, y = point
5 | print("x =", x)
6 | print("y =", y)
```

# Data Structures

- **Dictionaries**

- Collections of **key/value pairs**
- Defined by curly brackets { }
- Slicing uses **keys**
- **Order** is not preserved

```
1 | params = {"parameter1" : 1.0, "parameter2" : 2.0,  
2 | "parameter3" : 3.0,}  
3 | print(type(params))  
4 | print(params)
```

Python

# Control Structures

- **If / elif / else**

- Check conditions with boolean operators (i.e. <, >, ==)
- Execute a single code block depending on result
- If True: code runs
- Can be:
  - if alone
  - f/else
  - if/elif(s)/else
- Indentation controls end of **if** block
- Data controls which code runs

```
1 | if age_person > 18:  
2 |     return "They can drive"  
3 | else:  
4 |     return "They cannot drive"
```

Python

# Control Structures - if

Python

```
1 | A = 10
2 | B = 100
3 | if A>B:
4 |     print("A is larger than B")
5 | elif A==B:
6 |     print("A is equal to B")
7 | else:
8 |     print("A is smaller than B")
```



# Control Structures

- **for** loop
  - Repeat operations
  - Loop variable takes each value from list in turn
  - Indentation controls end of loop
  - Watch out for infinite loops!
    - Interrupt or restart kernel when this happens

```
1 users = ["Jeff", "Jay", "Theresa"]
2
3 for user in users:
4     print("Hello %s" % user)
```

Python

# Control Structures

- **Functions**

- Groups of instructions repeat / create abstractions of common tasks.
- Divide our code into useful blocks
- Provide order, making the code more readable and reusable
- `def name(input1, input2, ...)` :
- First line is “Document String” describing how function works
- Definition saves instructions only - no execution!

```
Python
1 | def square(x):
2 |     """
3 |     Return the square of x.
4 |     """
5 |     return x ** 2
```

# Control Structures

- **Functions**

- Run functions with parentheses after the name
- Needs to be defined before it can be executed!
- The return value is saved in var2
- Other functions can be run on the result!

```
1 | var1 = 7
2 |
3 | var2 = square(var1)
4 |
5 | print(var2)
```

Python



# Control Structures

- **Methods**

- 'Procedure' associated with an 'object' - works like a function, but is called on the object itself.
- Example: method v function
  - `func(arg1, arg2, ...)`
  - `object.method(arg1, arg2, ...)`

# Expanding python

- **Packages**

- Install new libraries to add functionality to Python:  
conda install <name>  
or  
pip install <name>
- Use packages by importing them into your Python scripts



```
1 | import math
2 | x = math.cos(2 * math.pi)
3 | print(x)
4 |
```



## Real Cases: Expanding python

### Common Packages

- Data manipulation: pandas, Numpy, scipy
- Machine Learning: scikit-learn, nltk
- Databases: psycopq2, sqlalchemy
- Visualizations: matplotlib, plotly, bokeh
- API calls / web scraping: requests, BeautifulSoup, Scrapy
- Web development: Django, Flask, Twisted, Scapy
- Game Development: Pygame, Pyglet
- Desktop App: PyQt, Tkinter

[More](#)





**I have students learn Python in our undergraduate and graduate Web courses. Why? Because there's nothing else with the flexibility or as many pre-built libraries...**

Prof. James A. Hendler, Univ. of Maryland



Intro to Python

---

# Python Programming Practice!



1. Start a new notebook and rename it to **speeding\_example**
2. Import pandas and load the dataset

```
1 import pandas as pd
2 df = pd.read_csv(
3     "https://vincentarelbundock.github.io/Rdatasets/csv/boot/amis.csv",
4     usecols=range(1,5)
5     )
```

3. Google R datasets, should see listing as second hit linking to <https://vincentarelbundock.github.io/Rdatasets/datasets.html>
  - a. We are using the amis dataset, fifth on that page



The data used here show measured car speeds with 3 other labels:

- **pair** - There are 14 pairs of data collected
- **warning** - For each pair, two sections of road were measured:
  - Where a warning sign was placed for part of the experiment
  - Whether there was a similar stretch of road in another part of town where no sign was erected during the experiment (control)
- **period** - There are 3 time periods in the data for each pair:
  - Before the warning sign was placed on road section 1
  - Just after the sign was placed on road section 1
  - Some time after the sign was erected (so the sign is no longer "new")



We want to study how the **average speed changes** in one section of road after the sign was erected, so we need to:

1. ✓Read the data
2. Loop over the rows of data
3. Select data only from the group of interest (just pair 7)
4. Compute the answer





1. Create lists to store data of interest
2. For loop over all the data
3. Nested if statements to filter just the:
  - a. Pair
  - b. Warning
  - c. Period
  - d. we are look for
4. Save data to appropriate list
5. Print average of list after loop

```
1 before = []
2 after = []
3
4 for row in df.values:
5     if row[3] == 7:
6         if row[2] == 1:
7             if row[1] == 1:
8                 before.append(row[0])
9             if row[1] == 3:
10                after.append(row[0])
11
12 print("average before sign: ",
13       sum(before)/len(before))
14 print("average after sign: ",
15       sum(after)/len(after))
```



5. Change the Notebook name to **speeding\_example**
  - a. Note no spaces!
  - b. File > Download As > Python (.py)
  - c. Click **Keep** if Browser warns file may be dangerous
6. Open new Terminal (or Anaconda Prompt) window
7. Change to Downloads folder in Terminal
  - a. type: **cd Downloads** and press enter
8. Run the python script
  - a. Type: **python speeding\_example.py** and press enter

Note only the printed output lines appear in the terminal!

“

**The goal is to turn data into  
information, and information into  
insight.**

Carly Fiorina,  
Former CEO, Hewlett-Packard

Intro to Python



# Let's Review

# Review and Recap

In this workshop, we've covered the following topics:

- Python as a popular, flexible programming language
- Python has applications in many different areas
- Python is particularly great for data manipulation
- Python programming basics include: types, variables, functions, and more!



# Finish That Sentence

What are your biggest takeaways from this lesson?



“Something that really got me thinking is...”

“The best thing I got out of this unit is...”

“I discovered...”

“I still want to learn about...”

“I was surprised to learn that...”



**Please share your feedback:**

[www.ga.co/introclass](http://www.ga.co/introclass)

**Mobile & Laptop Friendly**

**Instructor Note: Please See Presenter Note Below**

# Ask Me Anything!





Intro to Python



# Next Steps

# Create a learning plan

## What's next?

Solidify your learning:

- Go through the parts of [Learn How to Think Like a Computer Scientist](#).
- Familiarize yourself with the language by going through [A Beginner's Python Tutorial](#).

Practice Practice Practice! Problems to expand your skills are available at:

- [HackerRank](#)
- [CodeWars](#)

A.B.C. - “Always Be Coding!”

- Start (and continue) working on your own projects!

# Create a learning plan

General Assembly also offers courses that teach you how to use Python!

Check out our:

- [Part-time Data Science Course](#)
- [Data Science Immersive Course](#)
- [Online Part-time Data Science Course](#)
- [Part-time Python Course](#)
- [Online Part-time Python Course](#)



# GA Course Offerings Related to Python

	Python Programming	Data Science	Data Science Immersive
<b>Format</b>	Part-time in the evenings	Part-time in the evenings	Full-time, Monday-Friday
<b>Next Course</b>	DEC 3 - FEB 18	NOV 18 - FEB 10	DEC 9 - MAR 13
<b>Outcome</b>	Learn python programming skills, and translate new knowledge into career gains. Working with experts, you'll build your own custom web application.	Learn to build robust predictive models, test their validity, and clearly communicate resulting insights.	Make smarter decisions by gaining the data analytics, data modeling, programming and statistics skills you need to start a career in data.
<b>Tuition</b>	\$3,950	\$3,950	\$15,950



# Next Steps

**Interested in experiencing more of our in-class offerings or events?**

Check out [ga.co/boston](https://ga.co/boston) or follow us on social!



@GA.Boston



@GA\_Boston




@GA.Boston

**Want to apply for one of our courses?**

- Get in touch with our admissions team and they'll help you determine the right path for you!
- [boston\\_admissions@ga.co](mailto:boston_admissions@ga.co)

# A Few Good References

1. [Official Python Documentation](#)
2. [PEP-8 Official Guide](#)
3. [Anaconda Tutorials](#)
4. [Jupyter Documentation](#)
5. [Example Notebooks](#)



See you next time!



**THANK YOU!**

