- 1. Total wait time: **23 time units**
 - Total runnint time: 20 time units
 - Average wait time: 4.6 time units
 - Average time to completion: 8.6 time units

CSC 369: Exercise 11

Scheduling

Consider the following list of processes:

If time starts at 0, then A arrives at time 0 and gets 3 time units of service. At this point it is complete and leaves. B arrives at time 2, waits 1 time unit, and then runs for 6 time units. We assume that once a process has the CPU it runs to completion.

Time

Process	I	Service					
	Time	Time					
Α	0	3					
В	2	6					
С	4	4					
D	6	5					
E	8	2					

Q1. Fill in the chart below for the remaining 3 processes using a First-Come-First-Served algorithm. (The bars in the last 3 rows indicate the arrival time of the process.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	Α																			
		w			В															
						W				(
									W						D					
													W					Е		

Total Waiting time: 23 time units

Total Running time: 20 time units

Average Wait time: 4.6 time units

2. Now create a schedule that minimizes wait time. You may not change the arrival time,

CSC 369 Exercise 12

and once a process begins running, it runs to completion. How do you choose the next process to run?

Answer:

Shortest job First

From the tasks that are on schedule, choose one with the shortest job once a task finishes.

- 3. What is the minimum average waiting time?:
 - What is the average turnaround time?:


Answer:

CSC 369 Exercise 12

CSC 369: Exercise 11

Scheduling

Q2+3. Now create a schedule that minimizes wait time. You may not change the arrival time, and once a process begins running, it runs to completion. How do you choose the next process to run?



Total Waiting time: ___

18 time units

Average Wait time: _

3.6 time units

Average turnaround time: 7.6

Turnaround time = sum(completion time - arrival time)/ num processes

• What is the minimum average waiting time?: 3.6 time units

• What is the average turnaround time?: 7.6 time units

4.