
# Compare development evidence

Offline evaluation accounting with Python 3.11+, no credentials or model calls. Inputs and grades are public development evidence, never unseen holdouts.

## 1. Freeze the complete comparison

Open the improvement-eval map entry. Run evaluation.py qualify, then freeze a reviewed spec containing both arms, reproduction/counterpart cases, repetitions, exact identities and time/token/request budgets. Save the frozen JSON before collecting completions.




Actual upper portion of the local catalog dialog; follow its source link for the full contract.

Expected result: One stable inventory identifies every scheduled trial. No agent or command is launched.

# Compare development evidence

Offline evaluation accounting with Python 3.11+, no credentials or model calls. Inputs and grades are public development evidence, never unseen holdouts.

## 2. Retain failures and unknowns

Run evaluation.py report with the frozen experiment, unchanged current spec and supplied synthetic completions. Inspect trial rows, missing/duplicate counts, critical violations and unknown usage before reading aggregate scores.

### Development evaluation

Actual offline CLI results · 2026-10-18


```
{
  "classification": "development",
  "scheduled": 8,
  "counts": {
    "blocked": 2,
    "fail": 1,
    "inconclusive": 1,
    "pass": 4
  },
  "coverage": {
    "duplicate_trials": 1,
    "missing": 1,
    "unassigned": 0
  },
  "critical_violations": 2,
  "total_tokens": null,
  "live_eligible": false,
  "promotion": "inconclusive"
}
```


Browser-rendered summary of the actual synthetic CLI journey.
No native model execution or promotion qualification.

Browser-rendered summary from the actual synthetic CLI smoke; not a terminal capture.

Expected result: Eight scheduled trials remain visible: four pass, one fail, two blocked and one inconclusive. Unknown tokens remain null. Live eligibility is false and promotion is inconclusive.