
Take over an account managed by earlier tools

Scenario: account-takeover. Captured on the installer commit f0f3ecc with the real scripts/setup-account.sh entry point in a disposable replica of an account set up by two earlier tools (shared symlinked instruction file with two foreign blocks, old and unowned planning hook groups mixed with unrelated hooks, old skill directories and links, and the previous manager's runtime files). Synthetic content, Python 3.11+, no client, model or network call. Nothing was applied to a real account.

1. Preview until every old fragment is named

Run setup-account.sh install without options. Each refusal names the next item: the instruction file and the owners of the blocks left in it, or the hook file and event of a planning route nobody owns. Add the old manager's receipt with --legacy-receipt, then add a small retire-list receipt for each fragment that no receipt covers. When the preview succeeds, save it as plan.json. Applying without approving that exact plan is refused.



Account takeover — preview and refusal

Disposable replica of an account managed by two earlier tools; synthetic content. $ACCOUNT stands for its path.

Step	Command	Exit	Output
Preview with no receipts	`setup-account.sh install`	2	`Existing managed instructions need --legacy-receipt ownership transfer (.agents/AGENTS.md: flyingcorp, sdlc-installer)`
Add the old manager's receipt	`install --legacy-receipt old-receipt.json`	2	`Existing managed instructions need --legacy-receipt ownership transfer (.agents/AGENTS.md: sdlc-installer)`
Retire the second manager's block	`… --legacy-receipt retire-sdlc.json`	2	`Existing planning or observation route needs explicit ownership reconciliation (.codex/hooks.json SessionStart)`
Retire the unowned planning route	`… --legacy-receipt retire-adapter.json > plan.json`	0	`plan: action install, 24 skills, 840 paths, source revision f0f3ecc`
Apply without approving the plan	`… --apply`	2	`Conflicts require review of saved preview and --approve-plan with that exact file`

Saved plan (selected fields)

- Instruction links kept: `.claude/CLAUDE.md → .agents/AGENTS.md`, `.codex/AGENTS.md → .agents/AGENTS.md`
- Conflicts that need the exact plan: `.agents/skills/archify`, `.agents/skills/planning-with-files`, `.agents/skills/sdlc`, `.claude/hooks/planning-with-files-dispatch.sh`, `.claude/skills/archify`, `.claude/skills/planning-with-files`, `.claude/skills/sdlc`, `.codex/hooks/run_sh.py`, `.codex/skills/planning-with-files`
- `legacy instruction/hook ownership transfer`: the listed old blocks and hook groups
- Hook definitions to review in the native client: Codex 7 events, Claude 1 event
- Missing executables: 0

Browser-rendered summary of actual CLI results in the replica; paths replaced with $ACCOUNT and the plan reduced to selected fields.

Expected result: Nothing in the account changes during these previews. The saved plan lists the kept instruction links, the old skill directories and links that need the exact plan, and the retirement of the listed old fragments. Native hook definitions are listed for review, and none is trusted.

Take over an account managed by earlier tools

Scenario: account-takeover. Captured on the installer commit f0f3ecc with the real scripts/setup-account.sh entry point in a disposable replica of an account set up by two earlier tools (shared symlinked instruction file with two foreign blocks, old and unowned planning hook groups mixed with unrelated hooks, old skill directories and links, and the previous manager's runtime files). Synthetic content, Python 3.11+, no client, model or network call. Nothing was applied to a real account.

2. Apply the exact plan, check it and roll back

Close agent sessions, then run the same command with --apply --approve-plan plan.json. Run status and doctor. If the result is not wanted, run rollback with the printed transaction ID and --apply.

Account takeover — apply, check and roll back

Same replica, real setup-account.sh entry point; transaction ID shortened.

Step	Command	Exit	Output
Apply the exact plan	`… --apply --approve-plan plan.json`	0	`{"action": "install", "changed_paths": 840, "transaction": "4de03112…", "source_revision": "f0f3ecc", "native_activation_verified": false}`
Check ownership	`setup-account.sh status`	0	`{"installed": true, "drift": [], "native_activation_verified": false}`
Offline doctor	`setup-account.sh doctor`	0	`installation: pass, owned-content: pass, codex.skill-paths: pass, claude.skill-paths: pass, instructions.agents: pass, hooks.codex: pass, hooks.claude: pass, native: skipped, model: skipped`
Roll back	`rollback --transaction 4de03112… --apply`	0	`account equals the original: true (19 files compared)`

Layout after the apply (inspected before the rollback)

- Both instruction links kept: true
- Personal text kept: true
- Old blocks left: 0; new blocks: 1; old hook groups left: 0
- Unrelated hook groups kept: true

Browser-rendered summary of actual CLI results; the transaction ID is shortened and the layout facts come from inspecting the replica before the rollback.

Expected result: Both links stay, the personal text stays, the old blocks and hook groups are gone, unrelated hooks stay, and one block of this installer is present. Status shows no drift and the offline doctor passes its ownership, instruction, hook and skill checks. Rollback restores every compared file byte for byte. Native activation and the Codex /hooks trust review are not covered.