

Noctra

Public and Private Lending on Horizen

Henk-Wim de Boer
Blockstat Solutions

Draft v0.1 — 28 September 2026

Abstract

Noctra is a lending protocol on Horizen, an OP Stack L3 on Base, that will offer public and private borrowing and lending from one shared pool of liquidity. The public version is built: an Aave-style pool for WETH and USDC with interest indices, a kinked rate model, health-factor liquidations and a Chainlink price feed relayed from Base by a k -of- n set of relayers. It is covered by unit, fuzz and invariant tests and an internal security review.

The private version hides who owns a position, how large it is and what its owner does with it, while pool totals stay public so solvency remains verifiable. Private positions exist on-chain only as commitments with encrypted data, funds move through a shielded token pool, private actions are settled in batches per epoch so the public totals do not reveal individual actions, and a trusted execution environment (TEE) computes health factors on hidden data. A position is revealed only at the moment it becomes liquidatable, so permissionless keepers can still liquidate it; a protocol vault acts as a fallback. The design rule is that a broken TEE may leak data but can never move funds.

Noctra builds directly on ZKPerp, the author’s prize-winning private perpetuals exchange on Aleo (top three at the Aleo × AKINDO Buildathon). It reuses ZKPerp’s tooling and patterns: a Chainlink price relay with a relayer quorum, off-chain liquidation bots, a Merkle-allowlist compliance layer and viewing keys, together with its lessons on liquidation under privacy. Perpetual trading on Horizen is the planned next product, sharing Noctra’s oracle, collateral and privacy layer.

Contents

1	Introduction and motivation	3
2	Architecture overview	4
3	The public lending pool (v1)	4
3.1	Interest and rounding	4
3.2	Kinked rate model	5
4	Risk parameters and liquidations	5
4.1	Health factor and liquidation	5
4.2	Worked example	6
5	Price oracle	6
6	Testing and security status	6

7	Private lending: goals and threat model	7
7.1	The privacy model	7
7.2	Levels of privacy	8
7.3	What is hidden, and what still leaks	8
8	Private architecture	9
8.1	The private position	9
8.2	Four mechanisms, four jobs	10
8.3	Moving funds and settling in batches	10
8.4	Example: Alice borrows privately	11
9	Liquidation under privacy	11
10	Relation to ZKPerp and the path to perpetuals	12
11	Compliance design	13
12	Roadmap	13
13	Risks and open questions	13

1 Introduction and motivation

On a public chain, every loan is an open book: anyone can see who borrowed, how much, against what, and at which price the position will be liquidated. For individuals that is a privacy problem. For businesses, funds and treasuries it is a commercial one, because size and leverage are exactly what competitors and counterparties want to know.

Public loans also create a specific market risk. Because every liquidation price is visible, a large position can be targeted: on a chain with thin liquidity it can pay to push the price just past that level and collect the liquidation bonus. Hiding amounts removes the map that makes this attack easy.

Horizen is a natural home for this. It relaunched as an OP Stack L3 on Base in December 2025 with a focus on regulatory-compliant privacy [8]. The chain itself is public; privacy lives at the application layer, with Horizen Labs tooling such as Vela, a TEE-based confidential co-processor, and zkVerify for proof verification [6]. Noctra uses that split: a public lending core, and a private layer on top of the same liquidity.

Offering both from one pool matters on a new chain. Two separate pools would split already thin liquidity, raise rates on both sides and make liquidations less reliable. With one pool, public and private users earn and pay the same rates and share the same depth.

Built on ZKPerp. Noctra is not a first attempt. It uses the same tools and patterns as ZKPerp [3], a privacy-preserving perpetuals exchange on Aleo by the same author that placed in the top three at the Aleo × AKINDO Buildathon and is live on Aleo testnet:

- **Oracle relay.** Chainlink prices read on another chain and relayed by a quorum of independent relayers, checked on-chain (2-of-3 in ZKPerp, k -of- n in Noctra).
- **Off-chain services.** A relay backend and permissionless liquidation bots that watch positions and act when they fail.
- **Compliance.** A Merkle allowlist for entry screening and viewing keys for selective disclosure.


Section 10 compares the two designs in detail. ZKPerp’s whitepaper [3], source code [5] and live app [4] are public:

- Whitepaper: <https://hwdeboer1977.github.io/ZKPerp/zkperp-whitepaper-v5.html>
- Code: <https://github.com/hwdeboer1977/ZKPerp>
- App: <https://zk-perp.vercel.app/>

2 Architecture overview

Noctra v1 has three parts: Chainlink prices on Base, off-chain relayers and liquidators, and two contracts on Horizon (Figure 1). Horizon has no native Chainlink feeds, so prices are read on Base and relayed.

Figure 1: Noctra v1 architecture: prices flow from Chainlink on Base to the pool on Horizon.



Relayers read the same Chainlink round and submit it to **RelayedPriceOracle**; a price counts once k of n agree. The pool reads prices through the **IPriceOracle** interface, so the oracle can be swapped without changing the pool. Liquidator bots scan borrowers and liquidate positions below a health factor of 1. A read-only price server exposes the same Base readings over HTTP for monitoring.

3 The public lending pool (v1)

The v1 pool is a single Solidity contract that lets users supply WETH and USDC, borrow against them, repay with interest and be liquidated. It follows the Aave design [1] closely, without its complexity.

3.1 Interest and rounding

Each asset has two indices that start at 1.0 (in RAY, 10^{27}): a liquidity index for what suppliers earn and a borrow index for what borrowers owe. Users store scaled balances, and their real balance is always the scaled balance times the current index:

$$\text{balance}(t) = \text{scaled} \cdot \text{index}(t), \quad \text{scaled} = \frac{\text{amount}}{\text{index}(t_0)}. \quad (1)$$

Every action first accrues the indices for the time elapsed, so interest reaches every user without looping over them. Total supply grows by exactly the interest total debt grew, so the pool stays solvent by construction.

Every conversion between amounts and scaled balances rounds in the pool's favour: suppliers get slightly less claim, borrowers owe slightly more. A full exit burns the whole scaled balance, so no dust is left behind.

3.2 Kinked rate model

The borrow rate depends on utilization $U = \text{debt}/(\text{cash} + \text{debt})$. It rises slowly up to an optimal utilization U^* and steeply above it, which pulls utilization back and keeps withdrawals possible:

$$r_b = \begin{cases} r_0 + s_1 \frac{U}{U^*} & U \leq U^* \\ r_0 + s_1 + s_2 \frac{U - U^*}{1 - U^*} & U > U^* \end{cases} \quad r_s = r_b \cdot U \cdot (1 - \rho). \quad (2)$$

Here ρ is the reserve factor: the share of interest that goes to the treasury as a supply position. Utilization uses cash tracked inside the pool, not the token balance, so donating tokens cannot push rates down. Table 1 lists the launch parameters.

Table 1: Rate model parameters.

Asset	Base rate r_0	Slope s_1	Kink U^*	Slope s_2	Reserve factor ρ
WETH	0%	3%	80%	80%	15%
USDC	0%	4%	90%	60%	10%

4 Risk parameters and liquidations

Each collateral asset has two ratios: a loan-to-value (LTV) that caps how much a user may borrow, and a higher liquidation threshold (LT) that decides when a position can be liquidated. The gap between them is a buffer, so a position opened at maximum LTV is not liquidatable in the same block.

Table 2: Risk parameters.

Asset	LTV	Liquidation threshold	Liquidation bonus
WETH	75%	80%	7.5%
USDC	70%	75%	5%

These are more conservative than Aave on Ethereum mainnet, on purpose: Horizen’s DEX liquidity is thinner, so liquidators need a larger bonus and more room to sell seized collateral.

4.1 Health factor and liquidation

A position’s health factor is

$$HF = \frac{\sum_i \text{collateral}_i \cdot \text{price}_i \cdot LT_i}{\sum_j \text{debt}_j \cdot \text{price}_j} \quad (3)$$

At $HF \geq 1$ a position is safe; below 1 anyone may liquidate it. The contract enforces $LTV \leq LT < 100\%$ and $LT \cdot (1 + \text{bonus}) < 100\%$ for every asset. Without the second rule, the collateral a liquidator is owed at $HF = 1$ would exceed what exists, and every liquidation would create bad debt.

A liquidator repays part of the debt and receives collateral worth that amount plus the bonus. Above $HF = 0.95$ at most 50% of the debt can be repaid per call (the close factor); below 0.95 the whole debt can be closed. If the collateral cannot cover the bonus, the liquidator takes all of it and covers proportionally less debt.

4.2 Worked example

Bob supplies 1 WETH at \$3,000 and borrows the maximum 2,250 USDC (75% LTV). His health factor is $3,000 \times 0.80 / 2,250 = 1.067$.

1. ETH falls to \$2,750. $HF = 2,200 / 2,250 = 0.978$, so Bob is liquidatable. The liquidation price was $2,250 / 0.80 = \$2,812.50$.
2. HF is above 0.95, so a liquidator may repay at most 1,125 USDC.
3. The liquidator receives $1,125 \times 1.075 / 2,750 = 0.4398$ WETH, worth \$1,209.38: a profit of \$84.38 before gas.
4. Bob keeps 0.5602 WETH against 1,125 USDC of debt. His health factor rises to 1.096, so he is safe again.

5 Price oracle

`RelayedPriceOracle` accepts a Chainlink [2] price on Horizen once k of n relayers have submitted exactly the same round from Base. Every honest relayer reads the same data (round id, answer, update time), so an exact match is required and no median is needed.

Vote key.

Each vote is keyed by the relayer-set epoch, the asset and the full round. Changing relayers or the quorum starts a new epoch, so old votes never count toward a new set.

Sanity checks.

A round must have a positive answer, no future timestamp beyond 60 seconds of drift, and be strictly newer than the last known round. Malformed or replayed data reverts.

Staleness.

`getPrice` reverts when Chainlink's own update time is older than the asset's maximum age: about 70 minutes for ETH and 25 hours for USDC, each just above the feed's heartbeat.

Circuit breaker.

A round that moves the price more than the allowed deviation (20% for ETH, 50% for USDC) trips the asset instead of being accepted. `getPrice` then reverts immediately, and the owner either accepts the new price or discards it. The pool stops using the old price at once rather than keeping it alive until it goes stale.

The relayer backend skips ticks while the Base sequencer is down or within an hour of restarting, and simulates each submission before sending it.

Trust model. The oracle cannot see Base. It trusts that at least k relayers are honest, so relayer keys run on separate infrastructure and the owner is a multisig. A later version could replace relayers with storage proofs against Base's block hash.

6 Testing and security status

The pool is tested in three layers, has had an internal security review, and is not yet externally audited or deployed to Horizen testnet.

The invariant suite found one real bug: once the borrow index exceeds 1, a liquidation repaying 1 wei burned zero scaled debt while still seizing collateral. The pool now rejects such a liquidation, with a regression test.

Table 3: Test layers.

Layer	What it covers
Unit tests (40)	Admin checks, supply and withdraw, borrowing at and above LTV, a year of interest accrual, rate-model changes, liquidation at 50% and 100% close factor, bad debt after a crash
Fuzz tests	Liquidation accounting at any price and amount; solvency after random borrow, repay and time jumps
Invariant tests (7)	Random sequences of all actions, prices and time jumps across 4 users. After every call: cash equals token balance, scaled balances sum to totals, cash plus debt covers supply, indices never decrease, no borrow beyond LTV, every liquidation reduces debt and collateral, utilization at most 100%
End-to-end demo	Deploy on a local anvil node, drop the ETH price, liquidate with the backend bot

Known gaps before mainnet.

- **Bad debt.** Debt left without collateral cannot be cleared and keeps accruing interest, which inflates supplier and treasury claims. A write-off mechanism is next on the roadmap.
- **Oracle outages.** When a price is stale or the breaker trips, liquidations stop for affected users, exactly when prices move most.
- **Admin powers.** Oracle and risk parameters change instantly; a timelock is needed.
- **Missing controls.** No supply or borrow caps, no emergency pause and no minimum borrow size yet.
- **Zero-threshold collateral.** An asset with a liquidation threshold of 0 can still be seized, and its bonus is not capped.

7 Private lending: goals and threat model

The private side hides who owns a position, how large it is, and what its owner does with it, while keeping liquidations open and the pool verifiably solvent. It does not make users invisible. On a public chain, money entering and leaving a privacy system is always visible. The goal is *unlinkability*: an observer who sees Alice deposit cannot tell what she did afterwards, or which later withdrawal is hers.

7.1 The privacy model

Noctra’s privacy rests on three rules.

Aggregates are public. Total supply, total debt, cash and utilization per asset stay public. Rates are computed from them, anyone can verify that the pool is solvent, and the pool’s token balance is public on Horizen anyway. Like Zcash’s turnstile, public totals also make it detectable if a bug ever creates value out of nothing.

Positions are private. The owner, size, collateral and debt of each private position are hidden. Only commitments and encrypted data appear on-chain.

Changes are batched. If private actions settled one by one, each change to the public totals would reveal the size of one action. Private actions are therefore collected per epoch and settled

as one net change. The public sees how much private borrowing rose in an epoch, not who borrowed or how much.

Entry and exit sit outside these rules. A deposit into the shielded pool shows the depositor’s address and amount; a withdrawal shows the amount and destination. Privacy covers everything in between.

7.2 Levels of privacy

Table 4: Levels of privacy.

Level	Hidden	Stays public	Liquidation	Trust
1. Unlinkable	Owner	Size, health factor, liquidation price	Anyone computes HF	Math only
2. Confidential (Noctra)	Owner, size, link between actions	Totals, net change per epoch, entry and exit	Enclave reveals a position once $HF < 1$	TEE for confidentiality, ZK proofs for integrity
3. Hidden aggregates	Also totals and utilization	Only entry and exit	Same as level 2	TEE or committee; solvency unverifiable

Level 1 hides only the owner. A large position can often be identified by its size, and its public liquidation price still invites the price attack described in Section 1.

Level 2 is Noctra’s choice. It hides everything that identifies or exposes a user, while keeping public what the pool needs: totals for rates and solvency. Batched settlement (Section 7.1) stops those totals from revealing individual actions.

Level 3 is neither possible nor desirable. The pool’s cash is a public token balance, rates reveal utilization, and hiding totals would make solvency unverifiable.

7.3 What is hidden, and what still leaks

Who we hide from.

- **The public and chain analysts:** owner and size are hidden.
- **Competitors and counterparties:** position size and leverage are hidden.
- **Liquidation hunters:** liquidation prices are never published in advance.
- **The protocol team:** does not see positions; there is no operator viewing key for liquidations.
- **An auditor or regulator:** can see what the compliance design allows (Section 11).
- **Anyone watching entry and exit:** can see deposits into and withdrawals from the shielded pool, but not link them to each other or to activity inside.

What still leaks.

- **Entry and exit.** Every deposit into and withdrawal from the shielded pool shows an address and an amount. Withdrawing to the same address as the deposit reconnects the two.
- **Net change per epoch.** Each epoch’s net change in private supply and debt is public. With few private users, it can reveal a single action.

- **Timing and amount patterns.** A deposit of 4,987.31 followed by an epoch whose net change is exactly 4,987.31 identifies the user. Round amounts and waiting help.
- **Liquidations.** A liquidated position’s size becomes public at that moment, not its owner.
- **Network metadata.** IP addresses, RPC providers and frontends can link actions off-chain.
- **Privileged views.** The enclave sees all private state by design, and an auditor sees what the compliance design allows.

Privacy is a crowd property. Cryptography hides values, but unlinkability depends on how many others use the system at the same time. One private borrower in an epoch has no cover, however strong the proofs. Privacy on Noctra will therefore be weak at launch and strengthen with usage. Longer epochs give more cover but slower settlement. Users improve their own privacy by using common amounts, waiting between entry and use, and exiting to a different identity than they entered with.

8 Private architecture

Public and private positions live in the same pool, keyed by a position identifier instead of an address. Interest, health factors and liquidation logic operate on positions, so they stay the same for both.

Table 5: Public and private positions in the same pool.

	Public position	Private position
Position id	Hash of the owner’s address	Commitment to a secret only the owner knows
Authorization	Transaction sender	ZK proof of the secret, with a nullifier against replay
Balances on-chain	Plain	A commitment plus encrypted data (Section 8.1)
Funds in and out	Directly from and to a wallet	Through a shielded token pool
Gas	Paid by the user	Paid through a relay
Health factor	Computed by anyone	Computed inside the TEE
Settlement	Immediately	Per epoch, netted with other private actions

8.1 The private position

A private position is isolated: one collateral asset and one debt asset. This keeps each position’s state small and its health factor simple to prove. Its state is committed on-chain as

$$C = H(secret, collAsset, scaledColl, debtAsset, scaledDebt, nonce).$$

Collateral and debt are stored as scaled balances, like public positions, so interest accrues through the indices without the commitment changing. The secret is known only to the owner; the nonce makes every commitment unique.

Next to each commitment, two ciphertexts of the same state are stored on-chain: one encrypted to the enclave’s key and one to the owner’s key. The first lets the enclave check actions and health factors. The second makes the owner independent of the enclave: if it goes offline, the owner can still read their state and exit through the escape hatch.

Positions are updated UTXO-style. Every action spends the current commitment by publishing its nullifier and creates a new commitment. A nullifier cannot be linked to the commitment it spends, so observers cannot tell whether two actions concern the same position. Table 6 summarizes where each piece of data lives.

Table 6: Where private position data lives.

Location	What it holds
On-chain, public	Commitments, nullifiers, ciphertexts, per-asset totals, oracle prices, epoch net changes
Inside the enclave	Decrypted position states, health factors
With the user	Position secret and nonce, their own decryption key
Visible to the public	No owner, no collateral amount, no debt amount, no link between actions

8.2 Four mechanisms, four jobs

Commitments give integrity. The contract and ZK proofs check against them. They reveal nothing about the values inside.

Ciphertexts give availability. They keep private state recoverable without trusting any single party to store it.

ZK proofs give correctness. Each state change proves that the new commitment follows from the old one under the protocol’s rules, without revealing values. This is what stops a compromised enclave from forging state.

The TEE gives hidden checks. The enclave holds the decryption keys for private balances. It checks each private action against the hidden state (for example, that a borrow stays within LTV) and computes health factors when prices change. It adds what none of the others can: it evaluates hidden state when nobody has an incentive to prove it, such as a health factor falling below 1.

The central rule is that *a compromised TEE may leak data but must never drain the pool*. TEEs have a long record of side-channel attacks, so confidentiality is treated as breakable. Integrity must not rest on the enclave:

- The authoritative state stays on-chain as commitments; the enclave only proposes state changes.
- The contract enforces conservation: debt only falls with a repayment, collateral only moves with a matching burn, and totals must reconcile.
- Each private state change carries a ZK proof that the contract verifies, so a forged change is rejected even if the enclave is compromised.

Until the proof system is in place, integrity rests partly on the enclave, and private deposits should be capped accordingly.

8.3 Moving funds and settling in batches

The shielded token pool holds tokens as private notes: commitments to an amount and an owner secret. Depositing creates a note and is public (address and amount). Inside the pool, notes can be split, merged and transferred to other users privately, using nullifiers as above.

The shielded pool and the lending pool are deliberately separate steps. A user first deposits into the shielded pool and later, in a separate action, uses a note to supply collateral. If deposits

went straight into a position, the depositor’s address would be attached to that position from the start. Borrowed funds likewise arrive as a new note in the shielded pool, not in a wallet.

A relayer submits private transactions and pays their gas, so no user address appears as the sender. The same shielded pool can later fund other private applications on Horizen, such as private perpetuals, so notes can circulate without ever touching a public address.

Private actions are collected per epoch of E blocks and settled together at its end. The pool accrues interest once, applies the net change in private supply, debt and cash, and moves the net token amount between the shielded pool and the lending pool in one transfer. Borrows and repays within an epoch cancel out in the public totals.

LTV checks for private actions use the price and indices at settlement, and the new commitments are finalized then. The cost is latency: a private borrow is available at the end of its epoch, not immediately.

8.4 Example: Alice borrows privately

1. Alice deposits 5,000 USDC from her wallet into the shielded pool. *Public: her address, 5,000.*
2. Later, through the relayer, she uses the note to open a private position. *Public: a nullifier and a new commitment.*
3. She requests a 2,000 USDC borrow with a ZK proof of ownership. The enclave checks the borrow against her hidden collateral.
4. At the end of the epoch, private borrowing is netted and settled. *Public: the epoch’s net change in debt.*
5. Alice receives a 2,000 USDC note in the shielded pool. She can repay, pay others privately, or withdraw.

If she withdraws 2,000 to her original address, an observer sees 5,000 go in and 2,000 come out, but cannot tell whether that was a loan, a partial withdrawal or a payment she received. Withdrawing to an unrelated address removes even that link.

Refactor first. The first step is a pure refactor of the v1 pool from address-keyed to position-keyed storage, with no privacy yet. All existing unit, fuzz and invariant tests must still pass, which makes the change verifiable before any private logic is added.

9 Liquidation under privacy


A private position is revealed only when it becomes liquidatable, and only its liquidation terms. Pure ZK cannot do this: a borrower has no incentive to prove they are underwater, so someone must be able to evaluate hidden health factors. In Noctra that is the TEE (Figure 2).

Option A: reveal on liquidation (default). After each price update the enclave checks every private position. For a position below $HF = 1$ it publishes an attested instruction: the debt to repay and the collateral to seize. Any keeper can execute it with their own capital, as in the public pool. Healthy positions and their liquidation prices are never published.

Option B: protocol vault (fallback). If no keeper acts within N blocks, a protocol vault executes the same instruction. The vault needs no viewing key; it acts only on the enclave’s attestation. Its capital source, rewards and loss handling are still to be designed.

Seeing and executing are split. The enclave sees; keepers or the vault execute; the protocol team holds no viewing key for liquidations.

Figure 2: Private liquidation flow: positions stay hidden until they become liquidatable.



Escape hatch. If the enclave stops sending heartbeats for a set period, new private borrows stop and users can exit with a ZK proof of their own position. This keeps funds reachable if the TEE operator disappears. Liquidations of private positions also stop during such an outage, which is the same failure mode as an oracle outage in the public pool.

10 Relation to ZKPerp and the path to perpetuals

Noctra’s private design builds on ZKPerp [3], a privacy-preserving perpetuals exchange on Aleo by the same author. ZKPerp placed in the top three at the Aleo × AKINDO Buildathon and runs on Aleo testnet, with a mainnet pilot in preparation. Its source code [5] and live app [4] are public.

ZKPerp combines a GMX-style pooled counterparty vault, a concentrated-liquidity AMM and a ZK dark pool with uniform-price batch auctions. Its oracle is relayed by a quorum of relayers, liquidations are run by a race between keepers, and a compliance layer gates trading with a Merkle allowlist.

Table 7: What carries over from ZKPerp.

Topic	ZKPerp on Aleo	Noctra on Horizen
Privacy base	Native: Aleo records are private by default	Application layer: the chain is public, so a TEE plus ZK proofs
Who can see positions for liquidation	Protocol keepers and operator	Only the enclave; keepers see a position only once it is liquidatable
Oracle	Relayed prices with a quorum	Chainlink on Base, relayed with a k -of- n exact-match quorum
Compliance	Merkle allowlist, operator viewing key	Same pattern, with an auditor viewing key
Off-chain services	Oracle relayers, liquidation bot, compliance server	Oracle relayers and liquidator bots; compliance service planned

The main lesson from ZKPerp is that liquidation is the hardest part of private DeFi: someone must be able to see enough to act when a position fails. Noctra’s answer separates seeing (the enclave) from executing (open keepers), which ZKPerp could not do on Aleo alone.

Perpetuals on Horizen. Private perpetual trading is the planned next product. It would reuse Noctra’s relayed oracle, its TEE-based privacy layer and the same liquidation design. Two

further links are worth evaluating: using collateral supplied to Noctra as trading margin, and whether a perps liquidity vault could serve as the lending pool’s liquidation backstop. The second couples the two products’ risks, so it needs its own analysis before any decision.

11 Compliance design


Noctra aims for privacy from the public, not from lawful oversight. That matches Horizen’s positioning, which offers view keys and access logs so applications can tailor privacy levels [7].

- **Entry screening.** Deposits into the shielded token pool can be restricted to an allowlist, following ZKPerp’s Merkle-allowlist pattern, or to Privacy Pools-style association sets that let users prove their funds do not come from a flagged set.
- **Auditor viewing key.** A separate, logged viewing key lets an authorized auditor see private positions. It is not used for liquidations, and its use should be visible on-chain.
- **No team access by default.** The protocol team does not hold a key that reveals positions.
- **Regulatory status.** The regulatory classification of private lending, and of a protocol-run backstop vault, is not settled here and needs legal review before mainnet. A vault that takes over positions makes the protocol a counterparty, which moves it closer to an operator role.

12 Roadmap

The public pool is hardened, deployed to testnet and externally audited before any private feature is built on top of it (Figure 3). Private lending gets its own security review before mainnet, covering the TEE integration and the ZK circuits. No dates are set yet.

Figure 3: Roadmap: public hardening and an external audit come before private features.



13 Risks and open questions

The main risks are trust in relayers and in the TEE, thin liquidity on Horizen, and the unresolved regulatory position of private lending.

Table 8: Main risks and mitigations.

Risk	Mitigation
k relay keys compromised	Separate infrastructure per key, multisig owner, circuit breaker; storage proofs later
TEE confidentiality broken	Integrity enforced on-chain and by ZK proofs, so a breach leaks data but moves no funds
TEE operator offline	Escape hatch: users read their state from their own ciphertext and exit with a ZK proof of their own position
ZK proofs not yet in place, so integrity rests partly on the enclave	Cap private deposits until every private state change is proven
Small anonymity set per epoch, so a net change reveals a single action	Longer epochs at launch; users break up amounts and timing; privacy grows with usage
Thin liquidity makes large positions hard to liquidate	Conservative LTVs, larger bonus, supply and borrow caps
USDC.e on Horizen versus native USDC in Chainlink’s feed	Lower LTV and caps; the oracle cannot see a bridge depeg on its own
Bad debt	Write-off mechanism in the hardening phase
Relaying Chainlink data to another chain	Check Chainlink’s terms before mainnet

Open questions.

- Is Vela production-ready, how is its attestation verified on-chain, and who runs the hardware?
- Which proof system for private state changes: Noir or Circom, verified directly on Horizen or through zkVerify?
- Who funds the backstop vault, how is it rewarded, and who bears its losses?
- How long is N , the keeper window before the vault takes over?
- How long is E , the settlement epoch: more cover per epoch against slower private actions?
- Which compliance route for the shielded pool: allowlist, association sets or both?
- What is the regulatory classification of private lending and of the backstop vault in the Netherlands and the EU?

References

- [1] Aave. Aave Protocol v3 Technical Paper. <https://github.com/aave/aave-v3-core>, 2022.
- [2] Chainlink. Chainlink Data Feeds Documentation. <https://docs.chain.link/data-feeds>, 2026.
- [3] Henk-Wim de Boer. ZKPerp: Privacy-Preserving Perpetuals on Aleo, Whitepaper v5.1. <https://hwdeboer1977.github.io/ZKPerp/zkperp-whitepaper-v5.html>, May 2026.
- [4] Henk-Wim de Boer. ZKPerp app on Aleo testnet. <https://zk-perp.vercel.app/>, 2026.
- [5] Henk-Wim de Boer. ZKPerp source code. <https://github.com/hwdeboer1977/ZKPerp>, 2026.

- [6] Horizen. Practical Privacy Has a Home, Part 2. Via Bitget News, <https://www.bitget.com/news/detail/12560605521153>, July 2026.
- [7] Horizen. Horizen Roadmap. <https://www.horizen.io/roadmap>, 2026.
- [8] The Block. Vintage privacy project Horizen relaunched as Layer 3 on Base. <https://www.theblock.co/news/ecosystems/2025-12-09-privacy-horizen-launches-layer-3-base-mainnet-381846>, December 2025.