

MICRO REX / ASSEMBLY REFERENCE

Microduck-compatible joint interface / independent T-rex retrofit / not factory manufacturing drawings



PRINTED RETROFIT BOM

01	skull_cheek_left	10.1 g
02	teeth_left	0.4 g
03	brow_left	2.6 g
04	skull_cheek_right	10.1 g
05	teeth_right	0.4 g
06	brow_right	2.6 g
07	head_bridge_1	3.5 g
08	head_bridge_2	3.5 g
09	tail_segment_1	5.1 g
10	tail_segment_2	3.3 g
11	tail_segment_3	1.4 g
12	tail_saddle	3.4 g
13	forearm_left	1.5 g
14	arm_standoff_left	1.7 g
15	forearm_right	1.5 g
16	arm_standoff_right	1.7 g

- Stock legs, motors, camera and head module are retained.
- Cheek clearance holes: diameter 2.4 mm. Screws: prototype M2.
- Head bridge bosses meet inner cheek faces at Y = +/-44 mm.
- Tail saddle slots: 3 x 17 mm; strap mount requires trial fitting.
- Teeth/eyebrows are bonded decorative parts; no biting mechanism.
- Tail segments are reference parts: joint bonding/fit is unverified.
- Arm brackets use M2 clearance and a 3 x 4 mm strap channel.
- CAD coordinates use the source MJCF reference pose, not print-bed origin.




SKULL CHEEK LEFT

Part 01 | parent: jaw_soft | PLA solid-equivalent estimate 10.07 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 118.99 x 2.00 x 52.38 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TEETH LEFT

Part 02 | parent: jaw_soft | PLA solid-equivalent estimate 0.44 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 33.79 x 2.00 x 8.75 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


BROW LEFT

Part 03 | parent: jaw_soft | PLA solid-equivalent estimate 2.58 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 24.00 x 7.98 x 24.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




SKULL CHEEK RIGHT

Part 04 | parent: jaw_soft | PLA solid-equivalent estimate 10.07 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 118.99 x 2.00 x 52.38 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TEETH RIGHT

Part 05 | parent: jaw_soft | PLA solid-equivalent estimate 0.44 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 33.79 x 2.00 x 8.75 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


BROW RIGHT

Part 06 | parent: jaw_soft | PLA solid-equivalent estimate 2.58 g

SIDE X/Z

TOP X/Y

FRONT Y/Z




Overall envelope: 24.00 x 7.98 x 24.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.

HEAD BRIDGE 1

Part 07 | parent: jaw_soft | PLA solid-equivalent estimate 3.53 g



Overall envelope: 7.00 x 92.00 x 8.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




HEAD BRIDGE 2

Part 08 | parent: jaw_soft | PLA solid-equivalent estimate 3.53 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 7.00 x 92.00 x 8.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 1

Part 09 | parent: trunk_base | PLA solid-equivalent estimate 5.11 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 48.61 x 22.00 x 22.93 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 2

Part 10 | parent: trunk_base | PLA solid-equivalent estimate 3.28 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 47.78 x 16.00 x 29.09 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 3

Part 11 | parent: trunk_base | PLA solid-equivalent estimate 1.38 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 40.86 x 10.00 x 23.39 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


TAIL SADDLE

Part 12 | parent: trunk_base | PLA solid-equivalent estimate 3.42 g


SIDE X/Z



TOP X/Y



FRONT Y/Z




Overall envelope: 3.00 x 34.00 x 30.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.

FOREARM LEFT

Part 13 | parent: trunk_base | PLA solid-equivalent estimate 1.53 g



Overall envelope: 42.00 x 3.00 x 23.00 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


ARM STANDOFF LEFT

Part 14 | parent: trunk_base | PLA solid-equivalent estimate 1.66 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 10.00 x 10.00 x 15.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




FOREARM RIGHT

Part 15 | parent: trunk_base | PLA solid-equivalent estimate 1.53 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 42.00 x 3.00 x 23.00 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


ARM STANDOFF RIGHT

Part 16 | parent: trunk_base | PLA solid-equivalent estimate 1.66 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 10.00 x 10.00 x 15.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.