


MICRO REX / ASSEMBLY REFERENCE

Microduck-compatible joint interface / independent T-rex retrofit / not factory manufacturing drawings



PRINTED RETROFIT BOM

- 01 skull_cheek_left 9.5 g
- 02 teeth_left 0.8 g
- 03 brow_left 0.2 g
- 04 skull_cheek_right 9.5 g
- 05 teeth_right 0.8 g
- 06 brow_right 0.2 g
- 07 head_bridge_1 3.5 g
- 08 head_bridge_2 3.5 g
- 09 tail_segment_1 5.1 g
- 10 tail_segment_2 3.3 g
- 11 tail_segment_3 1.4 g
- 12 tail_saddle 3.4 g
- 13 forearm_left 1.5 g
- 14 arm_standoff_left 1.7 g
- 15 forearm_right 1.5 g
- 16 arm_standoff_right 1.7 g

Stock legs, motors, camera and head module are retained.
Cheek clearance holes: diameter 2.4 mm. Screws: prototype M2.
Head bridge bosses meet inner cheek faces at Y = +/-44 mm.
Tail saddle slots: 3 x 17 mm; strap mount requires trial fitting.
Teeth/eyebrows are bonded decorative parts; no biting mechanism.
Tail segments are reference parts: joint bonding/fit is unverified.
Arm brackets use M2 clearance and a 3 x 4 mm strap channel.
CAD coordinates use the source MJCF reference pose, not print-bed origin.




SKULL CHEEK LEFT

Part 01 | parent: jaw_soft | PLA solid-equivalent estimate 9.54 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 140.00 x 2.00 x 55.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TEETH LEFT

Part 02 | parent: jaw_soft | PLA solid-equivalent estimate 0.83 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 50.00 x 2.00 x 13.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


BROW LEFT

Part 03 | parent: jaw_soft | PLA solid-equivalent estimate 0.16 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 18.00 x 1.50 x 5.99 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




SKULL CHEEK RIGHT

Part 04 | parent: jaw_soft | PLA solid-equivalent estimate 9.54 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 140.00 x 2.00 x 55.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TEETH RIGHT

Part 05 | parent: jaw_soft | PLA solid-equivalent estimate 0.83 g

SIDE X/Z

TOP X/Y

FRONT Y/Z





Overall envelope: 50.00 x 2.00 x 13.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.

BROW RIGHT

Part 06 | parent: jaw_soft | PLA solid-equivalent estimate 0.16 g




Overall envelope: 18.00 x 1.50 x 5.99 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.

HEAD BRIDGE 1

Part 07 | parent: jaw_soft | PLA solid-equivalent estimate 3.54 g



Overall envelope: 7.00 x 92.00 x 8.00 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


HEAD BRIDGE 2

Part 08 | parent: jaw_soft | PLA solid-equivalent estimate 3.54 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 7.00 x 92.00 x 8.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 1

Part 09 | parent: trunk_base | PLA solid-equivalent estimate 5.11 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 48.61 x 22.00 x 22.93 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 2

Part 10 | parent: trunk_base | PLA solid-equivalent estimate 3.28 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 47.78 x 16.00 x 29.09 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 3

Part 11 | parent: trunk_base | PLA solid-equivalent estimate 1.38 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 40.86 x 10.00 x 23.39 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


TAIL SADDLE

Part 12 | parent: trunk_base | PLA solid-equivalent estimate 3.42 g


SIDE X/Z



TOP X/Y



FRONT Y/Z




Overall envelope: 3.00 x 34.00 x 30.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.

FOREARM LEFT

Part 13 | parent: trunk_base | PLA solid-equivalent estimate 1.53 g



Overall envelope: 42.00 x 3.00 x 23.00 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


ARM STANDOFF LEFT

Part 14 | parent: trunk_base | PLA solid-equivalent estimate 1.66 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 10.00 x 10.00 x 15.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




FOREARM RIGHT

Part 15 | parent: trunk_base | PLA solid-equivalent estimate 1.53 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 42.00 x 3.00 x 23.00 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


ARM STANDOFF RIGHT

Part 16 | parent: trunk_base | PLA solid-equivalent estimate 1.66 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 10.00 x 10.00 x 15.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.