


MICRO REX / ASSEMBLY REFERENCE

Microduck-compatible joint interface / independent T-rex retrofit / not factory manufacturing drawings



PRINTED RETROFIT BOM

- 01 skull_cheek_left 7.7 g
- 02 teeth_left 0.4 g
- 03 brow_left 1.9 g
- 04 skull_cheek_right 7.7 g
- 05 teeth_right 0.4 g
- 06 brow_right 1.9 g
- 07 head_bridge_1 3.4 g
- 08 head_bridge_2 3.4 g
- 09 tail_segment_1 5.1 g
- 10 tail_segment_2 3.3 g
- 11 tail_segment_3 1.4 g
- 12 tail_saddle 3.4 g
- 13 forearm_left 1.5 g
- 14 arm_standoff_left 1.7 g
- 15 forearm_right 1.5 g
- 16 arm_standoff_right 1.7 g

Stock legs, motors, camera and head module are retained.
Cheek M2 bridge holes: diameter 2.4 mm; eye stem hole: diameter 5.4 mm.
Eye: M2 x 6 plastic screw + OD8 x 0.5 washer, pilot diameter 1.6 x 6 deep.
Head bridge strap slots: 4 x 2 mm; routing and retention need physical tests.
Cheek: 1.2 mm face with 3 mm perimeter rib and full-thickness screw lands.
Tail segment joints and decorative tooth retention remain unverified.
Arm brackets use M2 clearance and a 3 x 4 mm strap channel.
CAD coordinates use the source MJCF reference pose, not print-bed origin.




SKULL CHEEK LEFT

Part 01 | parent: jaw_soft | PLA solid-equivalent estimate 7.69 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 118.99 x 2.00 x 52.38 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TEETH LEFT

Part 02 | parent: jaw_soft | PLA solid-equivalent estimate 0.44 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 33.79 x 2.00 x 8.75 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




BROW LEFT

Part 03 | parent: jaw_soft | PLA solid-equivalent estimate 1.92 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 22.74 x 8.70 x 22.74 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.



SKULL CHEEK RIGHT

Part 04 | parent: jaw_soft | PLA solid-equivalent estimate 7.69 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 118.99 x 2.00 x 52.38 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TEETH RIGHT

Part 05 | parent: jaw_soft | PLA solid-equivalent estimate 0.44 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 33.79 x 2.00 x 8.75 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


BROW RIGHT

Part 06 | parent: jaw_soft | PLA solid-equivalent estimate 1.92 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 22.74 x 8.70 x 22.74 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




HEAD BRIDGE 1

Part 07 | parent: jaw_soft | PLA solid-equivalent estimate 3.45 g

SIDE X/Z

TOP X/Y

FRONT Y/Z




Overall envelope: 7.00 x 92.00 x 8.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.

HEAD BRIDGE 2

Part 08 | parent: jaw_soft | PLA solid-equivalent estimate 3.45 g



Overall envelope: 7.00 x 92.00 x 8.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 1

Part 09 | parent: trunk_base | PLA solid-equivalent estimate 5.11 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 48.61 x 22.00 x 22.93 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 2

Part 10 | parent: trunk_base | PLA solid-equivalent estimate 3.28 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 47.78 x 16.00 x 29.09 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




TAIL SEGMENT 3

Part 11 | parent: trunk_base | PLA solid-equivalent estimate 1.38 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 40.86 x 10.00 x 23.39 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


TAIL SADDLE

Part 12 | parent: trunk_base | PLA solid-equivalent estimate 3.42 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 3.00 x 34.00 x 30.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


FOREARM LEFT

Part 13 | parent: trunk_base | PLA solid-equivalent estimate 1.53 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 41.62 x 3.00 x 22.90 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


ARM STANDOFF LEFT

Part 14 | parent: trunk_base | PLA solid-equivalent estimate 1.66 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 10.00 x 10.00 x 15.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.




FOREARM RIGHT

Part 15 | parent: trunk_base | PLA solid-equivalent estimate 1.53 g

SIDE X/Z

TOP X/Y

FRONT Y/Z



Overall envelope: 41.62 x 3.00 x 22.90 mm


Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.


ARM STANDOFF RIGHT

Part 16 | parent: trunk_base | PLA solid-equivalent estimate 1.66 g


SIDE X/Z



TOP X/Y



FRONT Y/Z



Overall envelope: 10.00 x 10.00 x 15.00 mm

Reference projection only. Hole locations and solid geometry: matching editable STEP and cad/build.py.

Stock mating fit, fastener engagement and printer tolerances are not physically verified.