


MICRO X Q4 / torso_lower


P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 111.00 x 56.99 mm

TOP X-Y



Overall: 111.00 x 88.00 mm

FRONT Y-Z



Overall: 88.00 x 56.99 mm

Model dimensions X/Y/Z: 111.0 / 88.0 / 56.99 mm

Material volume: 49715.43 mm3 | PLA solid-equivalent: 61.65 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / torso_upper

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 103.69 / 79.05 / 33.0 mm


Material volume: 26630.22 mm3 | PLA solid-equivalent: 33.02 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / neck_cradle

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 20.0 / 24.0 / 51.0 mm


Material volume: 8493.82 mm3 | PLA solid-equivalent: 10.53 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / eye_left

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 19.6 / 19.8 / 19.6 mm


Material volume: 3375.51 mm3 | PLA solid-equivalent: 4.19 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / eye_right

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 19.6 / 19.8 / 19.6 mm


Material volume: 3375.51 mm3 | PLA solid-equivalent: 4.19 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / skull

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 112.0 / 70.0 / 61.0 mm

Material volume: 43870.15 mm3 | PLA solid-equivalent: 54.4 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / jaw

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 104.0 / 70.0 / 20.98 mm


Material volume: 31832.39 mm3 | PLA solid-equivalent: 39.47 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / tail_left

P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 147.00 x 47.00 mm

TOP X-Y



Overall: 147.00 x 17.00 mm

FRONT Y-Z



Overall: 17.00 x 47.00 mm

Model dimensions X/Y/Z: 147.0 / 17.0 / 47.0 mm


Material volume: 10732.75 mm3 | PLA solid-equivalent: 13.31 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / tail_right

P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 147.00 x 47.00 mm

TOP X-Y



Overall: 147.00 x 17.00 mm

FRONT Y-Z



Overall: 17.00 x 47.00 mm

Model dimensions X/Y/Z: 147.0 / 17.0 / 47.0 mm


Material volume: 10732.75 mm3 | PLA solid-equivalent: 13.31 g (not slicer mass)

Shared Micro X P0 geometry; drive integration not complete.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / front_hindleg_left


P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 72.17 x 139.86 mm

TOP X-Y



Overall: 72.17 x 18.00 mm

FRONT Y-Z



Overall: 18.00 x 139.86 mm

Model dimensions X/Y/Z: 72.17 / 18.0 / 139.86 mm


Material volume: 39972.86 mm3 | PLA solid-equivalent: 49.57 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / front_foot_left

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 80.5 / 42.0 / 26.0 mm


Material volume: 26306.25 mm3 | PLA solid-equivalent: 32.62 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / front_hindleg_right


P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 72.17 x 139.86 mm

TOP X-Y



Overall: 72.17 x 18.00 mm

FRONT Y-Z



Overall: 18.00 x 139.86 mm

Model dimensions X/Y/Z: 72.17 / 18.0 / 139.86 mm


Material volume: 39972.86 mm3 | PLA solid-equivalent: 49.57 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / front_foot_right

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 80.5 / 42.0 / 26.0 mm


Material volume: 26306.25 mm3 | PLA solid-equivalent: 32.62 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / rear_hindleg_left


P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 72.17 x 139.86 mm

TOP X-Y



Overall: 72.17 x 18.00 mm

FRONT Y-Z



Overall: 18.00 x 139.86 mm

Model dimensions X/Y/Z: 72.17 / 18.0 / 139.86 mm


Material volume: 39972.86 mm3 | PLA solid-equivalent: 49.57 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / rear_foot_left

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 80.5 / 42.0 / 26.0 mm


Material volume: 26306.25 mm3 | PLA solid-equivalent: 32.62 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / rear_hindleg_right


P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 72.17 x 139.86 mm

TOP X-Y



Overall: 72.17 x 18.00 mm

FRONT Y-Z



Overall: 18.00 x 139.86 mm

Model dimensions X/Y/Z: 72.17 / 18.0 / 139.86 mm


Material volume: 39972.86 mm3 | PLA solid-equivalent: 49.57 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.


MICRO X Q4 / rear_foot_right

P0 independent appearance / assembly prototype | millimetres | not production released


SIDE X-Z



TOP X-Y



FRONT Y-Z



Model dimensions X/Y/Z: 80.5 / 42.0 / 26.0 mm


Material volume: 26306.25 mm3 | PLA solid-equivalent: 32.62 g (not slicer mass)

Repeated fixed leg/foot for packaging; powered leg cartridge not yet integrated.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / side_rail_left

P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 128.00 x 16.00 mm

TOP X-Y



Overall: 128.00 x 5.40 mm

FRONT Y-Z



Overall: 5.40 x 16.00 mm

Model dimensions X/Y/Z: 128.0 / 5.4 / 16.0 mm


Material volume: 8300.17 mm3 | PLA solid-equivalent: 10.29 g (not slicer mass)

M3 axes X=-60/-14/50 Z143. Pilot packaging rail; anti-rotation and joint bearing stack unresolved.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.

MICRO X Q4 / side_rail_right

P0 independent appearance / assembly prototype | millimetres | not production released

SIDE X-Z




Overall: 128.00 x 16.00 mm

TOP X-Y



Overall: 128.00 x 5.40 mm

FRONT Y-Z



Overall: 5.40 x 16.00 mm

Model dimensions X/Y/Z: 128.0 / 5.4 / 16.0 mm

Material volume: 8300.17 mm3 | PLA solid-equivalent: 10.29 g (not slicer mass)

M3 axes X=-60/-14/50 Z143. Pilot packaging rail; anti-rotation and joint bearing stack unresolved.
Use STEP for exact geometry. Overall views do not constitute full production GD&T.
Clearance, fastening, interference and physical fit require prototype verification. Rights: root LICENSE.