

24 Enero 2009

Ing. Magister TI. Esp. Arquitectura.

Ing. de Sistemas. Arquitecto TI. Magister en Tecnologías de Información para Negocio (MBIT, Uniandes). Especializado en Arquitectura de Software Empresarial (AES, Javeriana). Certificado Arquitectura de Software IASA CITAF. Certificado TOGAF 9.1 Nivel 1 y 2. Consultor Tecnologías de Información y Transformación Negocio con Tecnología. Consultor en mejoría de procesos de ingeniería. Consultor en industrialización y construcción de software y sistemas de información. Miembro de la Asociación de Arquitectos Empresariales, AEA. Miembro Global IASA, Chapter Colombia. Miembro de ACIS (Asoc. Ing. de Sistemas). Columnista independiente de Tecnología en Latinamerican-Post.

- Organización Designación Duración Período
- Estefanini, Colombia Consultor de Arquitectura de Software y Tecnología 1 año actual
- Ministerio del Trabajo Consultor de Tecnología. Proyecto BID MT. Mercado Laboral 2 años Oct 2019 - Dic 2022
- LatinamericanPost Columnista independiente de tecnología actual actual
- Asesoftware Arquitecto Fábrica Seguros Bolívar 1 año Sep 2019 - Sep 2020
- BlazDesigns Propietario y Fundador (CEO) 2 años Dic 2019 - Dic 2021
- Sistran, Insurtech core Arquitecto SISE 3G 1 año Jul 2018 - Sep 2019
- Colombia Digital Arquitecto Empresarial 1 año Feb 2017 - Feb 2018
- Process and Business Management (PBM) Lead Architect 1.3 años Jul 2016 - Dic 2018
- Persépolis Chief Technology Officer (CTO) 1.5 años Jul 2016 - Abr 2018
- Heinsohn Business Technology (HBT) Solution Architect 3 años Jul 2013 - Jun 2016
- Cobiscorp Virtual Bank Specialist 4 años Dic 2011 - May 2013
- Banco de Finanzas (BDF) Líder de Producto Banca en Línea 6 años Ago 2005 - Jul 2011
- Macosa Senior Specialist 6 años Ene 2000 - Jul 2006

Page Layout

Headings

This style provides A- and B-heads (that is, `\section` and `\subsection`), demonstrated above.

The Tufte- \LaTeX classes will emit an error if you try to use `\subsubsection` and smaller headings.

IN HIS LATER BOOKS, cite Tufte2006 Tufte starts each section with a bit of vertical space, a non-indented paragraph, and sets the first few words of the sentence in SMALL CAPS. To accomplish this using this style, use the `\newthought` command:

```
\newthought{In his later books}, Tufte starts...
```

Sidenotes

One of the most prominent and distinctive features of this style is the extensive use of sidenotes. There is a wide margin to provide ample room for sidenotes and small figures. Any `\footnotes` will automatically be converted to sidenotes.² If you'd like to place ancillary information in the margin without the sidenote mark (the superscript number), you can use the `\marginnote` command.

The specification of the `\sidenote` command is:

```
\sidenote[⟨number⟩][⟨offset⟩]{Sidenote text.}
```

Both the `⟨number⟩` and `⟨offset⟩` arguments are optional. If you provide a `⟨number⟩` argument, then that number will be used as the sidenote number. It will change of the number of the current sidenote only and will not affect the numbering sequence of subsequent sidenotes.

Sometimes a sidenote may run over the top of other text or graphics in the margin space. If this happens, you can adjust the vertical position of the sidenote by providing a dimension in the `⟨offset⟩` argument. Some examples of valid dimensions are:

```
1.0in      2.54cm      254mm      6\baselineskip
```

If the dimension is positive it will push the sidenote down the page; if the dimension is negative, it will move the sidenote up the page.

While both the `⟨number⟩` and `⟨offset⟩` arguments are optional, they must be provided in order. To adjust the vertical position of the sidenote while leaving the sidenote number alone, use the following syntax:

```
\sidenote[] [⟨offset⟩]{Sidenote text.}
```

² This is a sidenote that was entered using the `\footnote` command.

This is a margin note. Notice that there isn't a number preceding the note, and there is no number in the main text where this note was written.

The empty brackets tell the `\sidenote` command to use the default sidenote number.

If you *only* want to change the sidenote number, however, you may completely omit the `<offset>` argument:

```
\sidenote[<number>]{Sidenote text.}
```

The `\marginnote` command has a similar *offset* argument:

```
\marginnote[<offset>]{Margin note text.}
```

References

References are placed alongside their citations as sidenotes, as well. This can be accomplished using the normal `\cite` command.³

The complete list of references may also be printed automatically by using the `\bibliography` command. (See the end of this document for an example.) If you do not want to print a bibliography at the end of your document, use the `\nobibliography` command in its place.

To enter multiple citations at one location, `\cite{Tufte2006,Tufte1990}` you can provide a list of keys separated by commas and the same optional vertical offset argument: `\cite[<offset>]{Tufte2006,Tufte1990}`.

```
\cite[<offset>]{bibkey1,bibkey2,...}
```

Figures and Tables

Images and graphics play an integral role in Tufte's work. In addition to the standard figure and tabular environments, this style provides special figure and table environments for full-width floats.

Full page-width figures and tables may be placed in `figure*` or `table*` environments. To place figures or tables in the margin, use the `marginfigure` or `marginfigure` environments as follows (see figure 1):

```
\begin{marginfigure}
  \includegraphics{helix}
  \caption{This is a margin figure.}
\end{marginfigure}
```

The `marginfigure` and `marginfigure` environments accept an optional parameter `<offset>` that adjusts the vertical position of the figure or table. See the "Sidenotes" section above for examples. The specifications are:

```
\begin{marginfigure}[<offset>]
...
\end{marginfigure}
```

³ The first paragraph of this document includes a citation.




Figure 1: This is a margin figure. The helix is defined by $x = \cos(2\pi z)$, $y = \sin(2\pi z)$. The figure was drawn using Asymptote (<http://asymptote.sf.net/>).

```
\begin{marginable}[<offset>]
...
\end{marginable}
```

Figure 2 is an example of the `figure*` environment and figure 3 is an example of the normal `figure` environment.




Figure 2: This graph shows $y = \sin x$ from about $x = [-10, 10]$. Notice that this figure takes up the full page width.




Figure 3: Hilbert curves of various degrees. Notice that this figure only takes up the main textblock width.

Table 1 shows table created with the `booktabs` package. Notice the lack of vertical rules—they serve only to clutter the table’s data.

| Margin | Length |
|---------------------------|--------------------------------------|
| Paper width | 8 ¹ / ₂ inches |
| Paper height | 11 inches |
| Textblock width | 6 ¹ / ₂ inches |
| Textblock/sidenote gutter | 3/ ₈ inches |
| Sidenote width | 2 inches |

Table 1: Here are the dimensions of the various margins used in the Tufte-handout class.

Full-width text blocks

In addition to the new float types, there is a `fullwidth` environment that stretches across the main text block and the sidenotes area.

```
\begin{fullwidth}
Lorem ipsum dolor sit amet...
\end{fullwidth}
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Typography

Typefaces

If the Palatino, Helvetica, and Bera Mono typefaces are installed, this style will use them automatically. Otherwise, we'll fall back on the Computer Modern typefaces.

Letterspacing

This document class includes two new commands and some improvements on existing commands for letterspacing.

When setting strings of ALL CAPS or SMALL CAPS, the letterspacing—that is, the spacing between the letters—should be increased slightly.^{cite Brighurst2005} The `\allcaps` command has proper letterspacing for strings of FULL CAPITAL LETTERS, and the `\smallcaps` command has letterspacing for SMALL CAPITAL LETTERS. These commands will also automatically convert the case of the text to upper- or lowercase, respectively.

The `\textsc` command has also been redefined to include letterspacing. The case of the `\textsc` argument is left as is, however. This allows one to use both uppercase and lowercase letters: THE INITIAL LETTERS OF THE WORDS IN THIS SENTENCE ARE CAPITALIZED.

Installation

To install the Tufte- \LaTeX classes, simply drop the following files into the same directory as your `.tex` file:

```
tufte-common.def
tufte-handout.cls
tufte-book.cls
```

More Documentation

For more documentation on the Tufte- \LaTeX document classes (including commands not mentioned in this handout), please see the sample book.

Support

The website for the Tufte- \LaTeX packages is located at <http://code.google.com/p/tufte-latex/>. On our website, you'll find links to our svn repository, mailing lists, bug tracker, and documentation.