

Universität Hamburg  
Department Informatik  
Knowledge Technology, WTM

# Self-replicating Robots : A review

Seminar Paper

Bio-inspired Artificial Intelligence

Weipeng He

Matr.Nr. 6411529

2he@informatik.uni-hamburg.de

December 21, 2012



## Abstract

In the past few years, the field of self-replicating robotics has advanced from proof-of-concept systems to physical implementations. This technology of imitating living organisms has many important applications as well as Platonic appeal for scientist.

In this review paper, we discuss the recent studies on self-replicating robotics. We categorize those techniques to three different types: directed replication via fabrication, directed replication via module assembly, self-assembly of randomly agitated modules. These different approaches are evaluated.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Self-replication and self-reproduction . . . . .	2
1.2	Self-replicating robots . . . . .	2
1.3	Categorization . . . . .	2
1.4	Attributes for self-replicating robots . . . . .	3
<b>2</b>	<b>Directed replication via fabrication</b>	<b>3</b>
2.1	Rapid prototypers . . . . .	3
2.2	RepRap : an example . . . . .	4
<b>3</b>	<b>Directed replication via module assembly</b>	<b>5</b>
3.1	Modular self-reconfigurable robots . . . . .	5
3.2	Molecubes : an example . . . . .	5
3.3	Evolution in design . . . . .	5
<b>4</b>	<b>Self-assembly of randomly agitated modules</b>	<b>5</b>
<b>5</b>	<b>Discussion</b>	<b>6</b>
	Bibliography	7

# 1 Introduction

## 1.1 Self-replication and self-reproduction

Self-replication is the process of a machine autonomously creating an identical functional copy of itself. The concept of self-replication is inspired by the reproduction process of living organism. Thus, the study of self-replicating machines is intriguing for its romantic and Platonic idea of making artificial machines which can imitate the real live.

The reproduction process in nature, however, does not make the identical copy of the parent(s). Namely, the reproduction contains error, which might be good or not. So is the concept of self-reproduction machines, which is also a topic for computer scientists. The self-reproduction is the process of a machine autonomously creating an approximate copy of itself.

Worth to mention is that, as stated in The Second Law of Thermodynamics and Shannon's theorem about information, it is impossible to copy information without any loss. Therefore, we consider the replica of replication can be within specified tolerances that will work as well as the original[3].

## 1.2 Self-replicating robots

Research in self-replication was introduced by John von Neumann[11] more than 60 years ago. Yet it was not until last decade that researchers implemented physical self-replicating robots[10].

The applications for self-replication also break through from theoretical work to practical projects. Originally proposed in a NASA project of advanced automation for space missions [2], the applications of self-replicating robots for space exploration and development have been promoted by recent achievements of physically realized self-replicating robots[1]. The exponential growth of self-replicating robots can minimize the launch payload and free human from working on-site.

Although many excellent works in theoretical self-replicating machines, especially in cellular automata, are studied by scientist, in this paper we only focus on those designs that have already been physically implemented or at least are apparently easy to realize.

## 1.3 Categorization

Lee *et al.*[6] classified the recent work on self-replicating robots into four categories. We adopted three of them, which will be discussed in this review paper :

*Directed replication via fabrication:* Using rapid prototyping technology, a 3-D printer make a replica of itself out of raw material.

*Directed replication via module assembly:* A modular robot executes a directed sequence of movement to assemble prepared spare modules to a replica robot.

*Self-assembly of randomly agitated modules:* Modules are kept moving randomly in a environment with external work source, and then assemble to functional

parts through a stochastic process.

We exclude the category, self-reconfigurable modular robots, for the reason that it is not close related to the topic of self-replication. Although some technology of self-reconfigurable modular robots are basics for self-replicable modular robots, the self-reconfigurable modular robots are not necessarily to be able to replicate.

## 1.4 Attributes for self-replicating robots

For evaluating the quality of a self-replicating robots, we discuss the following attributes, which are closely related to the implementation and application for self-replicating robots:

*Accessibility of raw materials:* For the replication process, there must be physical input, which is the raw materials. The raw materials can be spare robot modules, plastic, metal or substance from nature. We expect the robots can take materials of higher accessibility as the input, so that the robots have higher adaptation in the environment. However, using nature substance as raw material is still an ideal goal for the researchers. So far, we consider those self-replicating robots that use plastic and metal as raw materials are better than those use complex spare robot modules.

*Artificial level of environment:* Robots work in different environments. Some are artificial set up, while other are not. According to it artificial level, the working environment can be categorized in three level[5] : structured environment, semi-structured environment and unstructured environment. In structured environment, objects are placed in exact precise location with predefined order. In semi-structured or partially structured environment, objects are placed in exact location with small error and random order. An unstructured environment is without any structure resulting from initial human intervention.

*Autonomy of design:* While the replication process of robots can be totally designed by developers, it is also possible to use evolution algorithm for the design with less predefined knowledge. The evolution ability will be quite essential in future designs as both the structures of the robots and the environment will be more complex, which make it more difficult for researchers to find out a proper procedure for replication.

## 2 Directed replication via fabrication

As mentioned before, we can directly use rapid prototypers to manufacture the copy of the machines themselves. Examples are RepRap machine[3], cyclic fabrication system(CFS)[9] and Fab@Home machine[8].

### 2.1 Rapid prototypers

Rapid prototypers or 3D printers are machines that can rapidly fabricate objects on demand from computer-generated design specifications(such as CAD models)[7].

These prototypers usually take thermoplastic polymers as the raw materials. Either addition techniques (aggregation of melted plastics) or subtraction techniques (sculpture from a piece of raw plastics) is used to get the specified shape.

In the past 30 years, rapid prototyping have been favored by the manufacturing industry, as such technologies can enormously shorten the design period of new products. Recently, scientists made it possible to use prototypers at laboratories or at home.

## 2.2 RepRap : an example

RepRap is an open-source project for self-replicating rapid prototyping machines[3] (see figure 1). The machine adopted fused-filament fabrication as the core technique to make product from thermoplastic polymers. RepRap is one of the state-of-the-art self-replicating fabricators, as it is capable to create most of its own part, while the rest part are components which are relatively easy to make or to purchase from the market.




Figure 1: RepRap Version II "Mendel" (from [3])

Different from other rapid prototyper, RepRap adapted several features to make the machine itself simple enough to self-manufacture. RepRap machine are designed to be small and light weight. Most of building materials are polylactic acid(PLA), which is hard, resistant to contraction problems on cooling and has medium melding point. RepRap also avoids complicated components, such as laser and inkjet print head, in its design.

As reported by the authors, the second version of RepRap machine can produce up to 57% of its own part. The number of RepRap machines are estimated to be increased from 4 to 4500 via self-replication in 2 and half years(from 2008 to 2011). The success in growth of number of derived copies also indicates that the child machine are made within the tolerance of error.

While the machine is capable to create its consisting components, it cannot autonomously assemble the produced parts. As a matter of fact, the machine are assembled with manual assistance. Of course, the autonomous assembly, which is another field of study, can be applied.

### 3 Directed replication via module assembly

Directed replication via module assembly is an approach to self-replication from another aspect. Other than focusing on fabrication, studies on these types of robots focus on autonomous assembly of simple functional modules to a more versatile structure. Physically realized self-replicating modular robots include Suthakorn *et al.*[10], Zykov *et al.*[13], Kaloutsakis and Chirikjian[4].

#### 3.1 Modular self-reconfigurable robots

Modular self-reconfigurable robots are those system that are able to deliberately change their own shape by rearranging the connectivity of their parts in order to adapt to new circumstances, perform new tasks, or recover from damage[12]. The reconfiguration can be manual or automatic executed by disconnecting and reconnecting the modules in different arrangements.

Modular self-reconfigurable robots consist of simpler units and larger number of units are suitable for self-replication, as it is easy to program such robots to assemble spare modules into a copy of themselves.

#### 3.2 Molecubes : an example

Zykov *et al.* implemented Molecubes, which demonstrates the ability of self-replication[13][14]. The robot consists of modules of 10cm cube, of which the two halves can rotate about the long diagnose(see figure 2a). Therefore, each module has one degree of freedom(DOF). The six surfaces of the module are equipped with switchable electromagnet, which can be the state of "north", "south" and "off". Thus, the cubes are able to attract or repel the neighbor cubes. //TODO

#### 3.3 Evolution in design

//TODO

### 4 Self-assembly of randomly agitated modules

//TODO




Figure 2: Molecubes (from [13])

## 5 Discussion

//TODO

## References

- [1] G.S. Chirikjian, Yu Zhou, and J. Suthakorn. Self-replicating robots for lunar development. *IEEE/ASME Transactions on Mechatronics*, 7(4):462–472, December 2002.
- [2] R. A. Freitas. Report on the NASA/ASEE 1980 summer study on advanced automation for space missions. *Journal of the British Interplanetary Society*, 34:407–408, 1981.
- [3] Rhys Jones, Patrick Haufe, Edward Sells, Pejman Irvani, Vik Olliver, Chris Palmer, and Adrian Bowyer. RepRap - the replicating rapid prototyper. *Robotica*, 29(01):177–191, January 2011.
- [4] Georgios Kaloutsakis and Gregory S. Chirikjian. A stochastic self-replicating robot capable of hierarchical assembly. *Robotica*, 29(01):137–152, January 2011.



- [5] K. Lee and G.S. Chirikjian. Robotic self-replication. *IEEE Robotics & Automation Magazine*, 14(4), December 2007.
- [6] K. Lee, M. Moses, and G. S. Chirikjian. Robotic self-replication in structured environments: Physical demonstrations and complexity measures. *The International Journal of Robotics Research*, 27(3-4):387–401, March 2008.
- [7] H. Lipson. Homemade [fabrication technology]. *Spectrum, IEEE*, 42(5):24–31, 2005.
- [8] E. Malone and H. Lipson. Fab@Home: the personal desktop fabricator kit. *Rapid Prototyping Journal*, 13(4):245–255, 2007.
- [9] M. Moses, H. Yamaguchi, and G. S. Chirikjian. Towards cyclic fabrication systems for modular robotics and rapid manufacturing. In *Proceedings of robotics: science and systems*, 2009.
- [10] J. Suthakorn, A. B. Cushing, and G. S. Chirikjian. An autonomous self-replicating robotic system. In *Advanced Intelligent Mechatronics, 2003. AIM 2003. Proceedings. 2003 IEEE/ASME International Conference on*, volume 1, pages 137–142, 2003.
- [11] J. von Neumann and A. W. Burk. *Theory of Self-Reproducing Automata*. University of Illinois Press, Illinois, 1962.
- [12] M. Yim, W. M. Shen, B. Salemi, D. Rus, M. Moll, H. Lipson, E. Klavins, and G. S. Chirikjian. Modular self-reconfigurable robot systems [grand challenges of robotics]. *Robotics & Automation Magazine, IEEE*, 14(1):43–52, 2007.
- [13] V. Zykov, E. Mytilinaios, B. Adams, and H. Lipson. Self-reproducing machines. *Nature*, 435(7039):163–164, 2005.
- [14] Victor Zykov, Efstathios Mytilinaios, Mark Desnoyer, and Hod Lipson. Evolved and designed self-reproducing modular robotics. *IEEE Transactions on Robotics*, 23(2):308–319, April 2007.