



GD-CBD

- It's been a journey!
- Several stones turned
 - Formulation
 - Particle size
 - Animal age/sex/habituatation
 - CBD source
 - etc.
- Questions about
 - Biodistribution
 - Binding
 - Release
 - Model fit

Recent success with high dose CBD - some efficacy!

Early CBD data - compelling





n=6, 2 cohorts

Thank you Durga




GD-CBD late 2025

V20 (July)
Younger males (300g)
Dalton CBD & GD-CBD




V21 (August)



Dalton vs Cayman
High Dose free CBD
Cremaphor vs ACN





V22 (September)
Cayman GD-CBD 5x Dose
Cremaphor free CBD




GD-CBD 2026



GD-CBD - Initial vs V24



IVIS Biodistribution in Pain



Other models in the works

1) Paw incision (mice)




Pilot cohort started

2) Sciatic Nerve Ligation / Partial Sciatic Nerve Injury (rats)

Starting pilot next 2 weeks

3) MCA (mechanical conflict avoidance)

Built, integrating electronics for automation



Thank you
Javier

Pain next steps

Mouse paw incision pilot (GD-ket & GD-CBD)

GD-CBD binding & other characterization

MCAS pilot

SNL/PSNI pilot

CP-55,940 dose/sedation titration


MN biodistribution pilot

Nude mouse paw incision biodistribution vs HD-Cy5


Thank you!

Appendix

Low-floor GD-Cy5 edema




GD-Cy5 in flank+paw incision 72h



Rat flank+paw 24h shaved

Flank & Paw Incision - 24h (May 22 2026) (1.0s, Linear)



Rat flank 24h shaved


Flank Incision GD-Cy5 - 24h (May 1 2026, Linear)

Dorsal


Ventral

Side (injury)

Side (non-injury)



$\times 10^8$



EXPERIMENTAL DETAILS

GD-Cy5 | Sprague Dawley, male, 471g
Flank incision (bilateral)

Dose: 3 mg/mL, 1 mL (6.4 mg/kg)
IP, split evenly L/R

24h: hair trimmed, sutures intact
R side diffused more - partial subQ?

TAKEAWAY

No colocalization of incision &
dendrimer. Signal central (injection
site), not at incision sites.

IMAGING PARAMETERS

FOV 22.2cm, bin 8, f/2
(matched across panels)

Ventral/Side: 3cm, 0.5s

Dorsal: 2.5cm, 2s

(radiance is exposure-normalized)

Scale: 7.0×10^7 - 6.0×10^8 (linear)