

## 11.3 Table: CONSTRAINTRELAXATION\_OCD

### 11.3.1 CONSTRAINTRELAXATION\_OCD

Name	CONSTRAINTRELAXATION_OCD
Comment	<p>CONSTRAINTRELAXATION_OCD contains details of interconnector constraints and unit ancillary service constraints relaxed in the over-constrained dispatch (OCD) re-run for this interval (if there was one).</p> <p>Note: INTERVENTION is not included in CONSTRAINTRELAXATION_OCD, since the relaxation of the same constraint is the same amount in both intervened and non-intervened cases.</p>

### 11.3.2 Description

#### Source

The occurrences of Over-Constrained Dispatch (OCD) re-runs are ad hoc, with significant dependencies on the configuration or events in the physical power system.

Over-constrained dispatch (OCD) re-run (if there was one).

#### Volume

Rows per day: ~2

Mb per month: <1

The estimates on the number of rows are based on a 1% occurrence rate for OCD runs.

### 11.3.3 Notes

Name	Comment	Value
Visibility	Data in this table is:	Public

### 11.3.4 Primary Key Columns

Name
CONSTRAINTID

RUNNO

SETTLEMENTDATE

VERSIONNO

### 11.3.5 Index Columns

Name

LASTCHANGED

### 11.3.6 Content

Name	Data Type	Mandatory	Comment
SETTLEMENTDATE	DATE	X	End date and time of the dispatch interval
RUNNO	NUMBER(3,0)	X	Dispatch run no
CONSTRAINTID	VARCHAR2(20)	X	Constraint identifier
RHS	NUMBER(16,6)		Relaxed RHS used in attempt to avoid constraint violation
LASTCHANGED	DATE		Last date and time record changed
VERSIONNO	NUMBER(3,0)	X	Version Number