33.34 Table: DELTAMW

33.34.1 DELTAMW

Name	DELTAMW
Comment	DELTAMW sets out the Frequency Control Ancillary Services (FCAS) requirement to be provided locally within each region and each half-hour period in a market day. Two fields specify Frequency Controlled Ancillary Services requirements to be provided locally for the new regulation ancillary services.

33.34.2 Description

Change Notice 324 (for the FCAS Constraint enhancements project) means that Dispatch no longer utilises the static FCAS requirements defined in the DELTAMW and RESERVE tables. These tables are replaced with constraint data as a source of FCAS requirements.

The name of the table derives from the now obsolete delta MW for participant factors in Queensland.

Source

DELTAMW updates result from action by operational control staff, generally once a day.

Not in Use - discontinued 16/11/2003

33.34.3 Primary Key Columns

Name
PERIODID
REGIONID
SETTLEMENTDATE
VERSIONNO

33.34.4 Index Columns

Name
LASTCHANGED

33.34.5 Content

Name	Data Type	Mandatory	Comment
SETTLEMENTDATE	datetime	X	Market date starting at 04:30
VERSIONNO	numeric(3,0)	X	Version No of record for this date
REGIONID	varchar(10)	X	Differentiates this region from all other regions
PERIODID	numeric(2,0)	X	Market trading interval from 1 to 48 starting at 04:30
DELTAMW	numeric(6,0)		Not Used
LOWER5MIN	numeric(6,0)		Lower 5 min local share requirement
LOWER60SEC	numeric(6,0)		Lower 60 sec local share requirement
LOWER6SEC	numeric(6,0)		Lower 6 sec local share requirement
RAISE5MIN	numeric(6,0)		Raise 5 minute local share requirement
RAISE60SEC	numeric(6,0)		Raise 60 sec local share requirement
RAISE6SEC	numeric(6,0)		Raise 6 sec local share requirement

LASTCHANGED	datetime		Last date and time record changed
RAISEREG	numeric(6,0)		Raise Regulation local share requirement
LOWERREG	numeric(6,0)		Lower Regulation local share requirement