

Method	AUC-PR	AUC-ROC	VUS-PR	VUS-ROC	Standard-F1	PA-F1
CNN	0.32	0.73	0.31	0.76	0.37	<u>0.78</u>
OmniAnomaly	<u>0.27</u>	<u>0.65</u>	0.31	<u>0.69</u>	<u>0.32</u>	0.55
PCA	<u>0.31</u>	<u>0.70</u>	0.31	<u>0.74</u>	0.37	0.79
LSTMAD	<u>0.31</u>	<u>0.70</u>	0.31	<u>0.74</u>	<u>0.36</u>	0.79
USAD	<u>0.26</u>	<u>0.64</u>	<u>0.30</u>	<u>0.68</u>	<u>0.31</u>	0.53
AutoEncoder	<u>0.30</u>	<u>0.67</u>	<u>0.30</u>	<u>0.69</u>	<u>0.34</u>	<u>0.60</u>
KMeansAD	<u>0.25</u>	<u>0.69</u>	<u>0.29</u>	<u>0.73</u>	<u>0.31</u>	<u>0.68</u>
CBLOF	<u>0.28</u>	<u>0.67</u>	<u>0.27</u>	<u>0.70</u>	<u>0.32</u>	<u>0.65</u>
MCD	<u>0.27</u>	<u>0.65</u>	<u>0.27</u>	<u>0.69</u>	<u>0.33</u>	0.46
OCSVM	0.23	<u>0.61</u>	<u>0.26</u>	<u>0.67</u>	<u>0.28</u>	0.48
Donut	0.20	<u>0.64</u>	<u>0.26</u>	<u>0.71</u>	<u>0.28</u>	0.52
RobustPCA	<u>0.24</u>	<u>0.58</u>	<u>0.24</u>	<u>0.61</u>	<u>0.29</u>	<u>0.60</u>
FITS	0.15	<u>0.58</u>	0.21	<u>0.66</u>	0.22	<u>0.72</u>
OFA	0.15	<u>0.55</u>	0.21	<u>0.63</u>	0.21	<u>0.72</u>
EIF	0.19	<u>0.67</u>	0.21	<u>0.71</u>	0.26	<u>0.74</u>
COPOD	0.20	<u>0.65</u>	0.20	<u>0.69</u>	0.27	<u>0.72</u>
IForest	0.19	<u>0.66</u>	0.20	<u>0.67</u>	0.26	<u>0.68</u>
HBOS	0.16	<u>0.63</u>	0.19	<u>0.67</u>	0.24	<u>0.67</u>
TimesNet	0.13	<u>0.56</u>	0.19	<u>0.64</u>	0.20	<u>0.68</u>
KNN	0.14	0.51	0.18	<u>0.59</u>	0.19	<u>0.69</u>
TranAD	0.14	<u>0.59</u>	0.18	<u>0.65</u>	0.21	<u>0.68</u>
LOF	0.10	0.53	0.14	<u>0.60</u>	0.15	0.57
AnomalyTransformer	0.07	0.52	0.12	0.57	0.12	0.53
FDAS DLinear	<u>0.24</u>	<u>0.67</u>	<u>0.30</u>	<u>0.72</u>	<u>0.31</u>	<u>0.61</u>
FDAS TimesNet	0.23	<u>0.69</u>	<u>0.28</u>	<u>0.74</u>	<u>0.31</u>	0.57
FDAS PatchTST	0.23	<u>0.66</u>	<u>0.29</u>	<u>0.71</u>	<u>0.30</u>	0.57
FDAS iTransformer	<u>0.24</u>	<u>0.69</u>	<u>0.30</u>	<u>0.74</u>	<u>0.32</u>	<u>0.61</u>
FDAS TimeMixer	<u>0.25</u>	<u>0.70</u>	0.31	0.76	<u>0.32</u>	<u>0.60</u>
FDAS TimeXer	<u>0.24</u>	<u>0.69</u>	<u>0.30</u>	<u>0.74</u>	<u>0.32</u>	0.59
FDAS TimesFM	<u>0.25</u>	<u>0.67</u>	0.31	<u>0.73</u>	<u>0.32</u>	<u>0.61</u>