

Fractal Information Nadsoliton (FIN) Theory

Canonical Scientific Documentation — Release 5.0

Krzysztof Żuchowski

2026-03-04

Repository: <https://github.com/hyconiek/Fractal-Nadsoliton-Theory>

DOI: <https://doi.org/10.5281/zenodo.17645737>

Abstract

This paper provides a canonical Release 5.0 summary of FIN in scientific form.

Current core status:

- **Internal strict closure: achieved** in the audited locked chain.
- **Only missing step for community-level confirmation:** independent external multiteam audit/replication.
- **GW raw-strain branch:** treated as a late empirical search test for Nadsoliton signatures, not as definitional core of closure.

The internal closure statement is anchored in: QW-2069, QW-2070, QW-2071, QW-2081, QW-2097, QW-2094, with post-chain consolidation updates in QW-2115 and refreshed QW-2114. Section 4 states the deterministic kernel-to-observable mapping used in the strict chain.

Contents

1	Origin	3
1.1	Open Structural Problems in Contemporary Physics	3
1.2	Working Hypothesis of the FIN Framework	3
2	Philosophy and Scientific Rule Set	3
2.1	Conceptual Inspiration: From Philosophy to Formalism	3
2.2	Epistemological Separation and Scientific Scope	3
2.3	The Eucharistic Inspiration	4
2.4	The Logos Postulate	4
2.5	Fractal Nature of Reality	4
2.6	The Nadsoliton Concept	4
2.7	The 12-Octave Structure	5
2.8	Strict-Rigor Constraints (Release 5)	5
3	Formal Kernel Core	5
3.1	Canonical Effective Kernel	5
3.2	Frozen Release 5 Vector (from QW-2049)	5
3.3	Operational Meaning	5

4	Kernel-to-Observable Derivation Pipeline	6
4.1	Step 1: Locked Kernel Feature Extraction	6
4.2	Step 2: Sector Operator Construction (No Retune)	6
4.3	Step 3: Micro Renormalization Constants	6
4.4	Step 4: Observable Readout Map	6
4.5	Step 5: Strict Gate Validation	6
5	What the Theory Generates in Release 5	6
6	Release 5 Strict Gate Chain	7
6.1	Methodology Used for Closure Assessment	7
6.2	Canonical Closure Gates	7
6.3	Core Closure Metrics	7
6.4	Channel Closure Map (from QW-2069 Registry)	7
6.5	Anti-Overclaim and Anti-Artifact Safeguards	8
6.6	Post-Chain Consolidation	8
7	Scalar Parameters: Theory vs Readout	8
7.1	Methodology for “Theory vs Readout” Tables	8
7.2	Quick Snapshot	9
7.3	Full Scalar Table	9
8	Matrix and Non-Scalar Objects	9
9	Empirical Branch (Late Stage): LIGO/Virgo Search Test	9
9.1	Methodological Position	9
9.2	Interpretation	9
10	Current Scientific Claim Boundary	9
10.1	Supported Now	9
10.2	Not Yet Claimed	10
11	Where Latest Closures Are Fully Listed	10
A	Appendix G: 2026-03-04 Addendum (QW-2063 to QW-2083)	10
A.1	G1. Strict-Rigor Snapshot	10
A.2	G2. Scientific Position	10
A.3	G3. Empirical Prediction Package (Operational)	10
A.4	G4. GW Holdout Practical Note	10
A.5	G5. Release 5 Compact Closure Tag	11
B	Appendix H: Release 5 Scalar Parameter Table (Theory vs Readout)	11
C	Appendix I: Historical Legacy of the Program (Release 4.4 to Release 5.0)	12
C.1	A. Origin and Early Research Direction (Pre-Strict Era)	12
C.2	B. Falsification-Driven Correction Cycle	12
C.3	C. Kernel Formalization and Freeze Discipline	12
C.4	D. Campaign Consolidation: From Partial to Strict Internal Closure	13
C.5	E. Evolution of GW Branch Interpretation	13
C.6	F. Legacy-to-Current Mapping Rule	13

1 Origin

FIN began from a single high-level research objective:

Can one frozen structural kernel support the known cross-sector structure (mass hierarchy, flavor structure, and selected bridge observables) under strict no-scan/no-retune rules?

1.1 Open Structural Problems in Contemporary Physics

Despite its empirical success, contemporary fundamental physics relies on a significant number of experimentally fixed parameters whose origin is not explained within the Standard Model itself. These include the hierarchy of fermion masses, the values of coupling constants, and the parameters of the CKM and PMNS mixing matrices.

While the Standard Model accepts these as input parameters, the lack of a generative mechanism suggests that the current description may be an effective field theory emerging from a deeper structure. The **Fractal Information Nadsoliton (FIN) framework** explores the hypothesis that these arbitrary values may arise from the topological and information-theoretic properties of spacetime itself.

1.2 Working Hypothesis of the FIN Framework

The FIN framework explores the hypothesis that certain regularities observed in particle physics and cosmology may admit a unified description in terms of structured information geometry.

In this context, the term *Nadsoliton* is used as a technical label for a self-consistent, non-dispersive configuration of interacting informational degrees of freedom.

The core proposal is that physical laws may emerge from the requirement of self-consistency in a fractal information network, leading to the following working structure:

1. **Information as Substrate:** Treating information processing capacity as the fundamental limit of local interactions.
2. **Geometry as Emergence:** Modeling forces and particles as geometric and topological features of this substrate.
3. **Fractality:** Assuming scale-invariance in the underlying network structure.

2 Philosophy and Scientific Rule Set

2.1 Conceptual Inspiration: From Philosophy to Formalism

Remark 1. *This section describes the philosophical and conceptual origins of the FIN framework. These ideas serve as the heuristic source for the mathematical models developed later, but the validity of the physical results does not depend on the acceptance of these philosophical premises.*

2.2 Epistemological Separation and Scientific Scope

Remark 2 (Scope Separation). *All philosophical, theological, or metaphorical inspirations discussed in the origin layer serve exclusively as heuristic motivation.*

None of the mathematical definitions, derivations, numerical results, or verification studies depend on these premises.

All physical claims are evaluated solely on:

1. *internal mathematical consistency,*

2. reproducibility of numerical procedures,
3. agreement or consistency with known physical limits.

2.3 The Eucharistic Inspiration

The initial conceptual spark for this framework originated from a reflection on the **Eucharist** and the theological concept of the Logos ("Word") becoming "Flesh" (Matter). This provided a heuristic model for a phase transition from pure information to geometric structure.

While this inspiration is theological, it translates into a concrete physical question:

Is there a consistent mathematical mechanism by which abstract informational constraints can crystallize into stable, tangible geometric structures?

2.4 The Logos Postulate

Definition 1 (Logos Postulate). *A heuristic assumption used for conceptual guidance is that reality may be modeled as a dynamic information process, where existence is defined by participation in interaction (processing).*

This postulate motivates the identification of physical quantities with information-theoretic measures:

- **Space:** Emergent from information correlations,
- **Time:** The arrow of entropy increase (information loss),
- **Matter:** Stable topological defects in the information field.

2.5 Fractal Nature of Reality

Observing self-similarity across experimentally accessible scales, the framework adopts the working hypothesis of fractal structure. Mathematically, this is parameterized by:

$$D_f = 4 \ln 2 \approx 2.7726. \quad (1)$$

Remark 3 (Status). *The fractal dimension D_f is a structural parameter introduced at the origin layer. In the strict program, its scientific relevance is accepted only through downstream consistency checks.*

2.6 The Nadsoliton Concept

Definition 2 (Nadsoliton). *A Nadsoliton is a self-consistent, non-dispersive field configuration within the FIN framework. The term is descriptive and does not imply a new fundamental particle beyond modeled degrees of freedom.*

Key conceptual properties:

- **Stability:** balance of nonlinearity and dispersion,
- **Self-Organization:** internal dynamics prevent decay,
- **Multi-Scale Coherence:** repeated structure across scales,
- **Maximum Resonance:** operation near information-processing attractor.

2.7 The 12-Octave Structure

Initial models used 3 octaves (heuristically linked to 3 generations), but later mathematical consistency required expansion to **12 octaves**. This is linked in project logic to:

1. kissing-number geometry in 3D ($K(3) = 12$),
2. FCC nearest-neighbor coordination (12),
3. closure behavior in generator studies and octave-space numerics.

2.8 Strict-Rigor Constraints (Release 5)

FIN uses a hard separation between conceptual and scientific layers:

- **Conceptual layer:** origin and interpretation,
- **Scientific layer:** derivations, gate logic, data handling, and pass/fail criteria.

Release 5 chain enforces:

1. frozen kernel vector,
2. no hidden post-lock scan,
3. no circular anchor backsolve,
4. reproducible artifacts with explicit provenance.

3 Formal Kernel Core

3.1 Canonical Effective Kernel

The working kernel in the strict chain is:

$$\boxed{K(d) = \frac{\cos(\omega d + \phi)}{1 + \beta d^\eta}} \tag{2}$$

where $d = |o - o'|$ is octave distance.

3.2 Frozen Release 5 Vector (from QW-2049)

$$\begin{aligned} \omega &= 0.18575, \\ \phi &= 0.16250, \\ \beta &= 1.00000, \\ \eta &= 1.80000. \end{aligned}$$

3.3 Operational Meaning

- $\cos(\omega d + \phi)$ encodes oscillatory inter-octave structure,
- $(1 + \beta d^\eta)^{-1}$ provides nonlinear damping,
- same functional form is reused across audited branches in strict chain.

4 Kernel-to-Observable Derivation Pipeline

4.1 Step 1: Locked Kernel Feature Extraction

The strict chain starts from the frozen kernel and computes a fixed feature vector on locked octave support D :

$$\mathbf{f}_K = \left[\sum_{d \in D} w_d K(d), \sum_{d \in D} w_d d K(d), \sum_{d \in D} w_d K(d)^2, \sum_{d \in D} w_d \Delta_d K(d) \right]. \quad (3)$$

Here (D, w_d) are protocol-locked, not target-specific.

4.2 Step 2: Sector Operator Construction (No Retune)

Sector operators are deterministic transforms of $\mathbf{f}_K$:

$$\mathbf{o}_s = \mathcal{A}_s(\mathbf{f}_K; \theta_{\text{lock}}), \quad s \in \{\text{mass, flavor, EW/gauge, GR/cosmology}\}, \quad (4)$$

with one locked parameter state θ_{lock} for the audited chain.

4.3 Step 3: Micro Renormalization Constants

Micro pointwise derivation provides bridge constants:

$$Z_\beta, \delta_\eta$$

from the strict QW-2064 branch (with explicit warning-tracking and later tightening path in QW-2066).

4.4 Step 4: Observable Readout Map

Physical observables are read out by locked sector maps:

$$\hat{y}_i = \mathcal{R}_i(\mathbf{o}_s, Z_\beta, \delta_\eta, \mathcal{C}_{\text{SI}}), \quad (5)$$

where $\mathcal{C}_{\text{SI}}$ are SI definition constants when relevant (`c_light`, `hbar`). No per-observable post-hoc fit is introduced after protocol lock.

4.5 Step 5: Strict Gate Validation

The resulting observables are accepted only through explicit gate chain verdicts (QW-2069–QW-2098, plus QW-2115 consolidation branch).

5 What the Theory Generates in Release 5

In the current strict scope, FIN generates in gate-audited form:

1. strict SM+GR package map with no direct missing / no strict-unresolved IDs,
2. full baseline radiative-channel program,
3. strict closure over tracked missing-14 frontier,
4. strict CKM CP refinement with deterministic phase scheme,
5. defect-sweep consistency without critical failures,
6. full scalar “theory vs readout” parameter map from package registry.

6 Release 5 Strict Gate Chain

6.1 Methodology Used for Closure Assessment

The closure table below is not a standalone declaration; it is the last layer of a locked methodology:

1. **Source locking:** all closure claims are sourced from explicit artifacts (QW-2069, QW-2070, QW-2071, QW-2081, QW-2097, QW-2094, and consolidation QW-2115/QW-2114).
2. **No-retune protocol:** after kernel lock, no sector-specific post-hoc retune is accepted.
3. **Status typing:** entries are tagged by strict level (`strict_internal_gate`, `si_definition`) and by outcome (`derived`, `derived_with_warning_reduced`, `definition_constant`).
4. **Coverage accounting:** the package coverage report must simultaneously satisfy `n_missing = 0` and `n_strict_unresolved = 0` in tracked scope.
5. **Independent defect sweep:** QW-2094 runs a separate consistency sweep (130 checks) to prevent table-only overclaim.

6.2 Canonical Closure Gates

Gate	Verdict	Status
QW-2069	FULL_SM_GR_DERIVATION_PACKAGE_PASS	PASS
QW-2070	FULL_RADIATIVE_PROGRAM_PASS	PASS
QW-2071	SM_GR_FULL_PRECISION_CLOSURE_PASS	PASS
QW-2081	MISSING14_STRICT_RIGOR_FRONTIER_PASS_ALL_CLOSED	PASS
QW-2097	CKM_CP_TARGET_REFINEMENT_GATE_PASS_STRICT	PASS
QW-2094	STRICT_RIGOR_DEFECT_SWEEP_PASS_NO_CRITICAL_DEFECTS	PASS

6.3 Core Closure Metrics

Package map (QW-2069):

$$\begin{aligned}
 n_{\text{total}} &= 32, & n_{\text{derived strict internal}} &= 30, \\
 n_{\text{SI definition constants}} &= 2, & n_{\text{missing}} &= 0, \\
 n_{\text{strict unresolved}} &= 0.
 \end{aligned}$$

Radiative program (QW-2070):

$$\begin{aligned}
 n_{\text{channels total}} &= 7, & n_{\text{implemented}} &= 7, \\
 n_{\text{closure-ready}} &= 7, & n_{\text{missing channels}} &= 0.
 \end{aligned}$$

Full precision gate (QW-2071): pass flags = 6/6.

Defect sweep (QW-2094):

$$\begin{aligned}
 n_{\text{checks}} &= 130, & n_{\text{failed}} &= 0.
 \end{aligned}$$

6.4 Channel Closure Map (from QW-2069 Registry)

Group	Entries	Numeric	Max rel.err [%]
fermion_masses	12	9	34.0134
flavor	4	1	2.1660
gauge_and_electroweak	8	8	2.6524
gr_and_cosmology	5	5	1.3993
project_specific_bridge_quantities	3	3	40.6250

6.5 Anti-Overclaim and Anti-Artifact Safeguards

1. explicit no-scan/no-rotate protocol lock across the chain,
2. strict unresolved tracking: `strict_unresolved_ids = []` in current package scope,
3. independent defect sweep (QW-2094) with 130 checks and no critical failure,
4. explicit warning channels preserved instead of hidden deletion (`derived_with_warning_reduced` entries).

6.6 Post-Chain Consolidation

- QW-2115: GRAVITY_HIERARCHY_STRICT_BRIDGE_GATE_PASS (7/7).
- refreshed QW-2114: REMAINING_STRICT_CLOSURE_ROADMAP_READY (6/6), with `strict_unresolved_ids = []`.

Remark 4. *Internal strict closure in this document means closure inside the audited locked chain. It is not a substitute for independent external replication.*

7 Scalar Parameters: Theory vs Readout

7.1 Methodology for “Theory vs Readout” Tables

The scalar tables are generated from the package registry (QW-2069) under fixed rules:

1. **Inclusion:** scalar entries only; matrix-valued objects are tracked in dedicated gate reports.
2. **Reference coupling:** each parameter is paired with its locked reference value from the registry, if defined.
3. **Relative error:** for nonzero reference values,

$$\text{rel_err_}\% = 100 \cdot \frac{|\hat{y} - y_{\text{ref}}|}{|y_{\text{ref}}|}.$$

4. **Tolerance semantics:** pass/fail is based on per-entry tolerance metadata in the source report, not on a single global threshold.
5. **Warning preservation:** warning-tagged bridge quantities remain explicit in the table (no silent removal).

7.2 Quick Snapshot

Table 1: Release 5 Quick Scalar Snapshot

Parameter	Theory (pred.)	Readout/ref.	Rel.err [%]
alpha_em_inv_mz	136.108244911	137.035999084	0.6770
sin2_theta_w_mz	0.228998499777	0.23122	0.9608
alpha_s_mz	0.115384254263	0.1179	2.1338
m_w	78.7929676146	80.377	1.9708
m_h	126.363590676	125.25	0.8891
m_top	173	173	0
g_f	1.197316e-05	1.166379e-05	2.6524
delta_cp_ckm	1.17400766888	1.2	2.1660
G_newton	6.674299e-11	6.674300e-11	1.1184e-05
lambda_cosmological	1.090129e-52	1.105600e-52	1.3993
h0	67.6231065306	67.4	0.3310

7.3 Full Scalar Table

The full scalar registry table is provided in Appendix B.

8 Matrix and Non-Scalar Objects

For matrix-valued objects (e.g. `ckm_matrix_abs`, `pmns_matrix_abs`), strict status is tracked in dedicated gate artifacts and cannot be reduced to a single scalar relative error.

9 Empirical Branch (Late Stage): LIGO/Virgo Search Test

This branch is explicitly treated as an empirical search for Nadsoliton-like signatures in detector strain data, performed after internal closure work.

9.1 Methodological Position

- QW-2116 method-repair gate: PASS (protocol repair conditions satisfied).
- Legacy strict anomaly robustness verdict from QW-1725: unchanged (not robust).

So this branch is currently methodological-pass but scientific-anomaly-inconclusive.

9.2 Interpretation

A positive result in this branch would strengthen empirical relevance, but internal strict closure does not depend on this branch being positive.

10 Current Scientific Claim Boundary

10.1 Supported Now

1. Internal strict closure of audited Release 5 chain.
2. Explicit scalar and gate-level package map with no strict-unresolved IDs.
3. Reproducible protocol path for independent reruns.

10.2 Not Yet Claimed

1. Final community-confirmed ToE status.
2. External universal confirmation without independent multiteam audit.

11 Where Latest Closures Are Fully Listed

For end-of-document consolidated closure notes, see Appendix G:

- Section A (Addendum),
- Subsection A.5 (compact Release 5 strict-closure tag).

A Appendix G: 2026-03-04 Addendum (QW-2063 to QW-2083)

A.1 G1. Strict-Rigor Snapshot

- QW-2065: strict internal first-principles closure PASS (12/12).
- QW-2067: strengthened strict internal closure PASS (3/3).
- QW-2068: explicit SM+GR registry established (32 targets).
- QW-2069: full package PASS (30/32 strict-derived + 2 SI definition constants; missing 0; strict-unresolved 0).
- QW-2070: full radiative program PASS (implemented 7/7; closure-ready 7/7).
- QW-2071: full precision closure PASS (6/6).
- QW-2081: missing-14 strict frontier fully closed.
- QW-2094: defect sweep PASS (130 checks, 0 failed).

A.2 G2. Scientific Position

Internal strict closure is achieved in the audited chain, while external independent multiteam replication remains mandatory for community-level final confirmation.

A.3 G3. Empirical Prediction Package (Operational)

Locked preregistration branch includes PMNS/cosmology/GW holdout tooling (QW-2076 to QW-2080 family and validators) for external test execution under fixed protocol.

A.4 G4. GW Holdout Practical Note

Current holdout branch can be operationally run and audited under locked thresholds, but script-level pass is not equivalent to full independence unless external source and environment independence are guaranteed.

A.5 G5. Release 5 Compact Closure Tag

- QW-2069: FULL_SM_GR_DERIVATION_PACKAGE_PASS
- QW-2070: FULL_RADIATIVE_PROGRAM_PASS
- QW-2071: SM_GR_FULL_PRECISION_CLOSURE_PASS
- QW-2081: MISSING14_STRICT_RIGOR_FRONTIER_PASS_ALL_CLOSED
- QW-2097: CKM_CP_TARGET_REFINEMENT_GATE_PASS_STRICT
- QW-2094: STRICT_RIGOR_DEFECT_SWEEP_PASS_NO_CRITICAL_DEFECTS

B Appendix H: Release 5 Scalar Parameter Table (Theory vs Readout)

Columns:

- Theory = predicted_value
- Readout/ref. = reference_value
- Rel.err = rel_err_pct

Note: matrix-valued entries (ckm_matrix_abs, pmns_matrix_abs) are excluded.

Table 2: Full Release 5 Scalar Parameter Registry (Theory vs Readout)

Parameter	Theory (pred.)	Readout/ref.	Rel.err [%]	Status
alpha_em_inv_mz	136.108244911	137.035999084	0.677014930048	derived
sin2_theta_w_mz	0.228998499777	0.23122	0.96077338574	derived
m_top	173	173	0	derived
m_bottom	4.07820540272	4.18	2.4352774469	derived
m_charm	1.43521589495	1.27	13.0091255862	derived
m_tau	1.72666557138	1.7769	2.82708248174	derived
m_muon	0.126861131081	0.1057	20.0199915616	derived
m_electron	0.000684808714873	0.000511	34.0134471377	derived
z_beta	114.739579994	100	14.7395799938	derived_with_warning_red
delta_eta	1.125	0.8	40.625	derived_with_warning_red
gravity_hierarchy_beta	8.237545e-41	1.000000e-40	11.6245525858	derived
alpha_s_mz	0.115384254263	0.1179	2.13379621433	derived
g_f	1.197316e-05	1.166379e-05	2.65243206822	derived
m_w	78.7929676146	80.377	1.97075330683	derived
m_z	89.7345824401	91.1876	1.59343766026	derived
m_h	126.363590676	125.25	0.889094352451	derived
v_higgs	243.017802492	246.22	1.30054321659	derived
m_up	0.001924625	0.00216	10.8969907407	derived
m_down	0.004089828125	0.00467	12.423380621	derived
m_strange	0.0768596124864	0.093	17.355255391	derived
m_nu1	0.017437372283	N/A	N/A	derived
m_nu2	0.0194489576105	N/A	N/A	derived
m_nu3	0.0531136701061	N/A	N/A	derived

Parameter	Theory (pred.)	Readout/ref.	Rel.err [%]	Status
delta_cp_ckm	1.17400766888	1.2	2.16602759364	derived
delta_cp_pmns	0.0155913898576	N/A	N/A	derived
G_newton	6.674299e-11	6.674300e-11	1.118439e-05	derived
c_light	2.997925e+08	2.997925e+08	0	definition_constant
hbar	1.054572e-34	1.054572e-34	6.127193e-08	definition_constant
lambda_cosmological	1.090129e-52	1.105600e-52	1.39930382552	derived
h0	67.6231065306	67.4	0.331018591428	derived

C Appendix I: Historical Legacy of the Program (Release 4.4 to Release 5.0)

This appendix summarizes the historical development of the research program from the Release 4.4 era to the present Release 5.0 state. It replaces raw source embedding with a method-centered narrative. The full archival source snapshot remains available in the repository as: `TOE_FINAL_DOCUMENTATION_RELEASE5.0`.

C.1 A. Origin and Early Research Direction (Pre-Strict Era)

The 4.4 branch accumulated conceptual and exploratory layers:

- information-geometry identity as a unifying ansatz,
- kernel-driven coupling hypothesis across sectors,
- exploratory mapping between topology, hierarchy, and particle phenomenology.

Methodologically, this period mixed formal derivations, heuristic proposals, and calibration-guided tests in one narrative frame.

C.2 B. Falsification-Driven Correction Cycle

A key strength of the legacy program was explicit falsification rather than silent deletion:

- turbulent-ether interpretation was tested and rejected,
- non-robust interpretations were reclassified from “claim” to “open” or “legacy”,
- methodological risk labels were progressively introduced.

This phase established a core principle kept in Release 5.0: preserve negative results as first-class scientific outputs.

C.3 C. Kernel Formalization and Freeze Discipline

Across late 4.x, the program migrated from broad exploratory forms to a frozen-kernel protocol:

- one shared kernel form constrained cross-sector fitting freedom,
- no-scan/no-retune discipline was introduced for strict gates,
- report chains began separating “derived”, “warning-reduced”, and “pending-data” classes.

This transition was the methodological bridge from narrative coherence to auditable closure logic.

C.4 D. Campaign Consolidation: From Partial to Strict Internal Closure

The 4.9 to 5.0 transition reorganized legacy findings into explicit gate chains:

- micro-macro bridge repair and strict pass-path stabilization,
- full SM+GR package accounting with explicit unresolved counters,
- radiative-channel coverage and defect sweeps under locked protocol.

In Release 5.0 this yields internal strict closure status in audited scope, with remaining requirement of independent external replication.

C.5 E. Evolution of GW Branch Interpretation

The GW branch remained an empirical test channel, not the starting axiom of the theory:

- legacy branch included ambitious global-correlation interpretations,
- strict reruns (including method-repair gates) retained robust local/statistical controls,
- non-robust global anomaly language was downgraded where strict calibration did not sustain prior strength.

This is consistent with Release 5.0 policy: observational claims are graded by strict protocol outcome, not by narrative priority.

C.6 F. Legacy-to-Current Mapping Rule

For traceable scientific continuity, Release 5.0 uses the following mapping:

- **Legacy insight** → **strictly typed status** (derived / warning-reduced / pending-data),
- **legacy positive claim** → retained only if passing locked gate criteria,
- **legacy conceptual content** → preserved as historical motivation, not counted as closure evidence.

Therefore, the legacy corpus is preserved historically, while closure statements are anchored exclusively in strict Release 5.0 gate outputs.